

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,645	1,566	3,211	6,151	5,815	11,965	14,654	13,887	28,541	16,035	16,455	32,489	881	1,235	2,115	78,321
% by age group			4%			15%			36%			41%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	1	1	5%	0	1	1	1	0	1	0	0	0	3	5%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	2	1	3	4	1	5	8	13%
5. Cardiovascular disorders (other)	0	0	0	0%	0	0	0	1	3	4	3	10	13	17	27%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	1	1	1	2	3	4	6%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	1	1	5%	0	0	0	0	1	1	0	0	0	2	3%
9. Cancer	0	0	0	0%	0	1	1	2	1	3	1	2	3	7	11%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	1	1	0	1	1	2	3%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	11	1	12	63%	0	0	0	0	0	0	0	0	0	12	19%
13. Other	2	3	5	26%	0	0	0	1	1	2	1	1	2	9	14%
Total	13	6	19	100%	0	2	2	7	9	16	10	17	27	64	100%
% by age group			30%				3%			25%			42%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.1	0.1	0.1
Under 5 Mortality Rate (USMR) (/1000/month)	0.3	0.1	0.2
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			7.3

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	48.5
Average number of full days on which each health facility was functioning	5.4
Total number of outpatient consultations	267,315
Health facility utilisation rate	6.8
Consultations per clinician per day	40

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	6,987	6,286	13,273	874.6	4,971	5,268	10,239	4,695	6,132	10,827	665	946	1,611	35,950	27%	459.0
Influenza-like illness (ILI)	2,697	2,505	5,202	342.8	2,389	2,629	5,018	2,673	3,241	5,914	302	350	652	16,786	13%	214.3
Lower Respiratory Tract Infection (LRTI)	1,005	1,143	2,148	141.5	1,221	1,225	2,446	1,114	1,296	2,410	307	300	607	7,611	6%	97.2
Watery diarrhoea*	114	125	239	15.7	51	73	124	27	44	71	2	2	4	438	0%	5.6
Bloody diarrhoea*	0	1	1	0.1	0	0	0	2	0	2	0	0	0	3	0%	0.0
Skin infection	540	690	1,230	81.0	677	912	1,589	721	980	1,701	129	121	250	4,770	4%	60.9
Eye infection	601	613	1,214	80.0	725	836	1,561	1,069	1,173	2,242	393	413	806	5,823	4%	74.3
Ear infection	788	881	1,669	110.0	1,115	1,149	2,264	1,369	1,470	2,839	408	386	794	7,566	6%	96.6
Dental Conditions	929	1,184	2,113	139.2	2,755	3,393	6,148	3,849	4,682	8,531	1,053	838	1,891	18,683	14%	238.5
Intestinal Worms	498	538	1,036	68.3	605	622	1,227	302	261	563	18	3	21	2,847	2%	36.4
Acute Jaundice Syndrome*	15	9	24	1.6	14	9	23	1	1	2	0	0	0	49	0%	0.6
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	2	0	2	0	0	0	0	0	0	2	0%	0.0
Fever of unknown origin	37	49	86	5.7	1	0	1	12	17	29	13	2	15	131	0%	1.7
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	2	2	2	0%	0.0
Other	2,260	2,276	4,536	298.9	2,528	3,391	5,919	7,451	11,211	18,662	1,847	2,099	3,946	33,063	25%	422.1
Total	16,471	16,300	32,771	2159.3	17,054	19,507	36,561	23,286	30,508	53,794	5,137	5,462	10,599	133,725	100%	1707.4
% by age group			25%				27%			40%			8%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	8	8	16	53	168	221	1,722	2,713	4,435	1,353	1,942	3,295	7,967	19%
Hypertension	0	1	1	4	101	105	2,063	3,246	5,309	1,826	2,373	4,199	9,614	23%
Asthma	818	801	1,619	778	773	1,551	843	1,058	1,901	433	365	798	5,869	14%
Ischaemic heart disease	13	17	30	16	46	62	455	566	1,021	455	462	917	2,030	5%
Cardiovascular disease (other)	11	16	27	28	44	72	576	749	1,325	443	480	923	2,347	6%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	420	456	876	519	486	1,005	1,881	4%
Liver disease	2	5	7	45	44	89	25	53	78	12	14	26	200	0%
Thyroid problems	19	29	48	30	78	108	801	1,774	2,575	507	807	1,314	4,045	10%
Cancer	1	1	2	2	1	3	12	20	32	27	15	42	79	0%
Other	175	225	400	436	529	965	2,028	2,890	4,918	913	999	1,912	8,195	19%
Total	1,047	1,103	2,150	1,392	1,784	3,176	8,945	13,525	22,470	6,488	7,943	14,431	42,227	100%
% by age group			5%			8%			53%			34%	100%	

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	409	409	5	5	0	0	0	0	414
2.	Internal medicine	127	127	276	276	1047	1047	204	204	1,654
3.	Obstetric	0	0	64	64	499	499	0	0	563
4.	Gynaecological	0	0	43	43	159	159	0	0	202
5.	Surgical	178	178	211	211	403	403	116	116	908
6.	Other	0	0	0	0	0	0	0	0	0

6. Laboratory

	Total
Number of laboratory tests conducted	49,846

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	687	1,906	2,593
First antenatal visit > 1st trimester	337	1,127	1,464

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	64%
--	-----

8.2 Antenatal care in facility

	≥ 4 ANC visits	2 TT doses	anaemia screening	
Number of pregnant women at time of delivery who received:	147	149	165	
	1277	1218	1314	
	1,424	1,367	1,479	

Coverage of complete antenatal care	86%
Coverage of antenatal tetanus immunisation	83%
Coverage of anaemia screening in pregnancy	89%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	178	1477	1,655
Still births	0	1	1
Low birth weight (<2500 g)	5	11	16
Attended by skilled health worker	174	1476	1,650
Number of obstetric complications treated	2	21	23
Number of caesarean sections performed	48	517	565

Delivery Indicators

Crude birth rate (/1000 population/ month)	3.5
Proportion of births attended by skilled health worker (excl. TBA)	99.7%
Proportion of low birth weight deliveries	1%
Proportion of all births performed by caesarean section	34%
Proportion of obstetric complications treated among girls < 18	1%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	190	1075	1,265

Postnatal Indicators

Coverage of complete postnatal care	76%
-------------------------------------	-----

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	109	658	382	2,848	3,997
Emergency Contraceptive Pill	0	0	0	13	13
Injectable (Depo-Provera)	2	111	19	176	308
Implantable (Norplant)	0	5	0	18	23
Intra-Uterine Device (IUD)	5	370	8	71	454
Condom (Male)	30	346	131	1,306	1,813
Other	2	5	4	21	32

	< 18	≥ 18
Family Planning Counseling*	300	5,696

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	1	3	0	0	4
No. of rape survivors examined within 72 hours	1	3	0	0	4
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	1	3	0	0	4
No of female rape survivors given ECP within 120 hours					0
No of rape survivors given STI presumptive treatment within 2 weeks	1	3	0	0	4
No. cases of trauma in health centre due to domestic violence	1	4	0	0	5

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators

Incidence of reported rape (/10,000 population/year)	1.0
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

Data Sources

1. Health Information System

Contact Information

Amman
Adam Musa Khalifa, UNHCR

Email: khalifaa@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

