

1. Population

Population	0 to -	< 1	Total <1	1 t	0 4	Total 1 to	5 to	17	Total 5 to	18 to	59	Total 18	> 6	0	Total >	Grand
Population	M	F	TOTAL < 1	M	F	4	M	F	17	M	F	to 59	M	F	60	total
Refugee population	1,655	1,576	3,231	6,092	5,728	11,820	14,678	13,915	28,593	16,352	16,664	33,016	893	1,251	2,144	78,804
% by age group			4%			15%			36%			42%			3%	100%

2. Mortality

2.1 Mortality

	Record ONE cause of mortality per case	0 to	4	Total <5	U5 %	5 t	o 17	Total 5	18 t	o 59	Total 18	>	60	Total >	Grand	Crude %
	Record ONE cause of mortality per case	M	F	Total <5	mort	M	F	to 17	M	F	to 59	M	F	60	total	mort
1	Lower Respiratory Tract Infection (LRTI)	0	2	2	5%	0	0	0	0	0	0	0	1	1	3	3%
2	Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3	Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4	Ischaemic heart disease	0	0	0	0%	0	0	0	2	0	2	6	1	7	9	8%
5	Cardiovascular disorders (other)	1	1	2	5%	0	0	0	0	1	1	7	9	16	19	18%
6	Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	5	3	8	8	7%
7	Chronic kidney disease	0	0	0	0%	0	0	0	0	1	1	2	1	3	4	4%
8	Injury	0	1	1	3%	0	0	0	0	0	0	0	0	0	1	1%
9	Cancer	0	0	0	0%	1	0	1	2	4	6	4	3	7	14	13%
10	Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11	Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12	Neonatal death	7	12	19	50%	0	0	0	0	0	0	0	0	0	19	18%
13	Other	6	8	14	37%	3	1	4	3	3	6	4	2	6	30	28%
	Total	14	24	38	100%	4	1	5	7	9	16	28	20	48	107	100%
	% by age group			36%				5%			15%			45%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.2	0.2
Under 5 Mortality Rate (U5MR) (/1000/month)	0.3	0.5	0.4
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			11.6

2.2 Maternal death

Number of maternal deaths reported	1
Number of maternal deaths investigated	1
Proportion of maternal deaths investigated	100%

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	53.7
Average number of full days on which each health facility was functioning	5.4
Total number of outpatient consultations	319,809
Health facility utilisation rate	8.1
Consultations per clinician per day	43

3.2 Acute health conditions

	0 to	4			5 to	17	Total 5	18 t	o 59	Total 18	>	60	Total >	Grand	% by	Crude
Record NEW cases of disease only	M	F	Total <5	U5 Incid	M	F	to 17	M	F	to 59	М	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	8,388	7,637	16,025	1064.7	7,475	7,797	15,272	7,022	8,754	15,776	1,073	1,382	2,455	49,528	30%	628.5
Influenza-like illness (ILI)	3,211	3,138	6,349	421.8	2,929	2,845	5,774	2,499	3,204	5,703	410	470	880	18,706	11%	237.4
Lower Respiratory Tract Infection (LRTI)	1,625	1,231	2,856	189.8	1,233	1,255	2,488	1,141	1,239	2,380	393	372	765	8,489	5%	107.7
Watery diarrhoea*	294	218	512	34.0	116	98	214	66	76	142	16	16	32	900	1%	11.4
Bloody diarrhoea*	2	1	3	0.2	6	3	9	1	0	1	0	0	0	13	0%	0.2
Skin infection	963	923	1,886	125.3	895	1,043	1,938	1,220	1,338	2,558	336	306	642	7,024	4%	89.1
Eye infection	609	532	1,141	75.8	671	628	1,299	1,106	1,411	2,517	384	426	810	5,767	4%	73.2
Ear infection	755	829	1,584	105.2	868	994	1,862	1,404	1,565	2,969	433	358	791	7,206	4%	91.4
Dental Conditions	743	744	1,487	98.8	2,343	2,559	4,902	4,527	5,636	10,163	759	735	1,494	18,046	11%	229.0
Intestinal Worms	405	467	872	57.9	456	442	898	141	152	293	8	1	9	2,072	1%	26.3
Acute Jaundice Syndrome*	0	0	0	0.0	3	2	5	0	0	0	1	1	2	7	0%	0.1
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	2	3	5	0.3	4	2	6	0	0	0	0	0	0	11	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	2	2	0	0	0	0	0	0	2	0%	0.0
Fever of unknown origin	33	16	49	3.3	6	3	9	0	2	2	0	1	1	61	0%	0.8
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	1	1	1	0%	0.0
Other	3,080	2,885	5,965	396.3	4,450	4,665	9,115	10,676	14,847	25,523	2,253	2,764	5,017	45,620	28%	578.9
Total	20,110	18,624	38,734	2573.5	21,455	22,338	43,793	29,803	38,224	68,027	6,066	6,833	12,899	163,453	100%	2074.2
% by age group			24%				27%			42%			8%	100%		

^{*} indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to	4	Total <	5 to	17	Total 5 to	18 to	59	Total 18	> €	0	Total	Grand	% by
Record NEW and REVISITS	M	F	5	M	F	17	M	F	to 59	M	F	> 60	total	cause
Diabetes	2	14	16	71	84	155	1,713	2,451	4,164	1,622	2,057	3,679	8,014	16%
Hypertension	0	0	0	1	11	12	2,206	2,966	5,172	2,225	2,727	4,952	10,136	20%
Asthma	523	550	1,073	426	363	789	752	927	1,679	616	602	1,218	4,759	9%
Ischaemic heart disease	0	1	1	0	7	7	451	534	985	594	569	1,163	2,156	4%
Cardiovascular disease (other)	15	19	34	34	64	98	640	896	1,536	545	578	1,123	2,791	6%
Chronic obstructive pulmonary disease (COPD)	0	5	5	1	12	13	617	544	1,161	710	661	1,371	2,550	5%
Liver disease	1	0	1	0	2	2	19	48	67	9	8	17	87	0%
Thyroid problems	2	1	3	28	89	117	798	1,711	2,509	638	908	1,546	4,175	8%
Cancer	0	0	0	5	4	9	17	44	61	11	16	27	97	0%
Other	437	432	869	717	620	1,337	3,899	6,466	10,365	1,319	1,915	3,234	15,805	31%
Total	980	1,022	2,002	1,283	1,256	2,539	11,112	16,587	27,699	8,289	10,041	18,330	50,570	100%
% by age group			4%			5%			55%			36%	100%	

3.4 Mental health

		0 to	4	Total <	5 to	17	Total 5 to	18 to	59	Total 18	> (60	Total	Grand	% by
		M	F	5	M	F	17	M	F	to 59	M	F	> 60	total	cause
1.	Epilepsy / seizures	22	7	29	188	169	357	515	290	805	3	5	8	1,199	34%
2.	Alcohol and other substance use disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3.	Psychotic disorder (including mania)	0	0	0	40	17	57	368	214	582	2	5	7	646	18%
4.	Intellecutal disability	2	2	4	21	38	59	179	87	266	1	1	2	331	9%
5.	Severe emotional disorder, including moderate-severe depression	0	0	0	47	20	67	487	522	1,009	4	0	4	1,080	31%
6.	Medically unexplained somatic complaint	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
	Other psychological complaints	0	1	1	102	64	166	50	35	85	3	11	14	266	8%
	Total	24	10	34	398	308	706	1,600	1,148	2,748	13	22	35	3,523	100%
	% by age group			1%			20%			78%			1%	100%	

3.5 Injuries

		0 to	o 4	Total <	5 to	17	Total 5 to	18 to	59	Total 18	> (60	Total	Grand	% by
		М	F	5	M	F	17	M	F	to 59	M	F	> 60	total	cause
1	Bites (all causes)	1	2	3	8	0	8	2	4	6	2	0	2	19	0%
2	Injury (war related)	0	6	6	8	16	24	5	12	17	0	0	0	47	0%
3	Injury (Burns)	269	279	548	191	273	464	92	161	253	7	20	27	1,292	6%
4	Assault (with weapon non-war related)	0	2	2	4	12	16	1	2	3	0	0	0	21	0%
	Other	1,210	1,522	2,732	3,025	2,672	5,697	4,258	4,132	8,390	1,234	1,224	2,458	19,277	93%
	Total	1,480	1,811	3,291	3,236	2,973	6,209	4,358	4,311	8,669	1,243	1,244	2,487	20,656	100%
	% by age group			16%			30%			42%			12%	100%	

3.6 Reproductive Tract Infections

		<	18	Total <	≥ ′	18	Total ≥ 18	Grand	% by
		M	F	18	M	F		total	cause
1.	Vaginal discharge	0	712	712	0	2,182	2,182	2,894	56%
2.	Urethral discharge	0	0	0	1	0	1	1	0%
3.	Genital ulcer	0	19	19	0	62	62	81	2%
3.	Lower abdominal pain	0	311	311	0	1,050	1,050	1,361	26%
	Other	0	229	229	8	637	645	874	17%
	Total	0	1,271	1,271	9	3,931	3,940	5,211	100%
	% by age group			24%			76%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 to	o 4	Total <	5 to	17	Total 5 to	18 to	59	Total 18	> (60	Total	Grand
		M	F	5	M	F	17	M	F	to 59	M	F	> 60	total
Number at beginning of repor	ting period	0	1	1	0	0	0	2	0	2	0	0	0	3
Total admissions		48	44	92	31	149	180	82	1,164	1,246	6	7	13	1,531
	authorized	45	48	93	30	125	155	79	970	1,049	6	7	13	1,310
Number of exits	unauthorized	0	0	0	1	0	1	0	4	4	0	0	0	5
Number of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	1	1	2	0	75	75	2	524	526	1	0	1	604
Total exits		46	49	95	31	200	231	81	1,498	1,579	7	7	14	1,919
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	182
Number of beds	40
Sum number of days stay for authorised discharges	1538.3
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.2
Bed occupancy	25%
Hospitalisation rate (/1000/month)	3.2

4.2 In-patient Admissions and Deaths

	0 to	o 4	U5 CFR	5 to	17	E 17 CED	18 t	o 59	18-59	>	60	Total adm	Total	Crude
	Adm	Adm Deaths	US CFK	Adm	Deaths	5-17 CFR	Adm	Deaths	CFR	Adm	Deaths	TOtal auiii	deaths	CFR
Paediatric medicine	89	0	0%	15	0	0%	0	0		0	0	104	0	0%
2. General Surgery	3	0	0%	17	0	0%	115	0	0%	6	0	141	0	0%
3. Injury (non-war related)	0	0		5	0	0%	10	0	0%	3	0	18	0	0%
4. Internal medicine	0	0		5	0	0%	13	0	0%	4	0	22	0	0%
5. Obstetrics	0	0		133	0	0%	1080	0	0%	0	0	1,213	0	0%
6. Gynaecology	0	0		3	0	0%	21	0	0%	0	0	24	0	0%
7. Other	0	0		2	0	0%	7	0	0%	0	0	9	0	0%
Total	92	0	0%	180	0	0%	1246	0	0%	13	0	1,531	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5. Referral

5.1 Referrals by location

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	109	109	110	110	364	364	106	106	689
2.	Jordan University Hospital	84	84	74	74	186	186	33	33	377
3.	Private affiliated Hospital	277	277	284	284	1,363	1,363	142	142	2,066
4.	Royal Medical Services	6	6	0	0	4	4	0	0	10
5.	Other	0	0	0	0	0	0	0	0	0

Total No of reffered cases out side the Camp	3,142

5.2 Referrals by service

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	267	267	0	0	0	0	0	0	267
2.	Internal medicine	89	89	206	206	904	904	171	171	1,370
3.	Obstetric	0	0	59	59	539	539	0	0	598
4.	Gynaecological	0	0	64	64	178	178	3	3	245
5.	Surgical	120	120	139	139	296	296	107	107	662
6	Other	0	0	0	0	0	0	0	0	0

6. Laboratory

	Total
Number of laboratory tests conducted	71.183

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total	
First antenatal visit < 1st trimester	814	2,144	2,958	
First antenatal visit > 1st trimester	327	1,360	1,687	ı

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	64%

8.2 Antenatal care in facility

		≥ 4 ANC visits	162	1170	1,332
	Number of pregnant women at time of delivery who received:	2 TT doses	149	1091	1,240
		anaemia screening	176	1327	1,503

Coverage of complete antenatal care	81%
Coverage of antenatal tetanus immunisation	76%
Coverage of anaemia screening in pregnancy	92%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	189	1,446	1,635
Still births	1	10	11
Low birth weight (<2500 g)	1	18	19
Attended by skilled health worker	189	1,446	1,635
Number of obstetric complications treated	35	118	153
Number of caesarean sections performed	69	565	634

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.5
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	1%
Proportion of all births performed by caesarean section	39%
Proportion of obsetric complications treated among girls < 18	19%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	163	1048	1,211

Postnatal Indicators	
Coverage of complete postnatal care	74%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	Total
Oral contraceptives	156	882	1,622	1,691	4,351
Emergency Contaceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	2	97	117	141	357
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	4	323	8	53	388
Condom (Male)	52	588	982	1,039	2,661
Other	10	19	0	17	46

Family Planning Counseling*	918	4,660

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	М	F	M	F	I Otal
Total no rape survivors seen	0	3	0	0	3
No. of rape survivors examined within 72 hours	0	2	0	0	2
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	1	0	0	1
No of rape survivors given PEP within 72 hours	0	2	0	0	2
No of female rape survivors given ECP within 120 hours		2		0	2
No of rape survivors given STI presumptive treatment within 2 weeks	0	2	0	0	2
No. cases of trauma in health centre due to domestic violence	0	2	0	18	20

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.8
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

Data Sources

1. Health Information System

Contact Information

Za'atri Asaad Kadhum, UNHCR

Email: kadhum@unhcr.org

Amman Adam Musa Khalifa, UNHCR

Email: khalifaa@unhcr.org









































