

# Za'atri | Jordan 1. Population

Total 18 to 59 18 to 59 0 to < 1 Grand total Population Total <1 M F 16,438 13,724 Refugee population
% by age group 1,660 1,581 6,119 5,774 14,687 13,914 890 1,248 76,035

## 2. Mortality

#### 2.1 Mortality

	Record ONE cause of mortality per case	0 to	o 4	Total <5	U5 %	5 t	o 17	Total 5 18 to 59		Total 18 >		> 60 Total >		Grand	Crude %	
	Record ONE cause of mortality per case	M	F	Total <5	mort	M	F	to 17	M	F	to 59	М	F	60	total	mort
1.	Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2.	Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3.	Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4.	Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	2	0	2	2	5%
5.	Cardiovascular disorders (other)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6.	Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	1	3	4	4	10%
7.	Chronic kidney disease	0	0	0	0%	0	0	0	0	1	1	0	1	1	2	5%
8.	Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9.	Cancer	0	0	0	0%	1	0	1	1	3	4	2	2	4	9	22%
10.	Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11.	Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12.	Neonatal death	3	7	10	50%	0	0	0	0	0	0	0	0	0	10	24%
13.	Other	5	5	10	50%	0	0	0	2	1	3	1	0	1	14	34%
	Total	8	12	20	100%	1	0	1	3	5	8	6	6	12	41	100%
	% by age group			49%				2%			20%			29%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.2	0.2
Under 5 Mortality Rate (U5MR) (/1000/month)	0.3	0.5	0.4
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			12.1

#### 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. Morbidity

## 3.1 Staffing and service availability

Number of full-time clinicians	54.0
Average number of full days on which each health facility was functioning	5.3
Total number of outpatient consultations	138,047
Health facility utilisation rate	7.3
Consultations per clinician per day	37

## 3.2 Acute health conditions

December 1994	0 t	o 4	Total <5	U5 Incid	5 to	o 17	Total 5	18 t	o 59	Total 18	> 6	0	Total >	Grand	% by	Crude
Record NEW cases of disease only	M	F	Total <5	US INCIA	M	F	to 17	M	F	to 59	M	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	3,342	2,964	6,306	416.7	2,475	2,743	5,218	2,404	3,172	5,576	319	498	817	17,917	27%	235.
Influenza-like illness (ILI)	1,148	1,043	2,191	144.8	968	1,066	2,034	1,064	1,310	2,374	199	220	419	7,018	11%	92.3
Lower Respiratory Tract Infection (LRTI)	479	439	918	60.7	498	488	986	449	475	924	157	136	293	3,121	5%	41.0
Watery diarrhoea*	235	178	413	27.3	63	47	110	25	44	69	2	3	5	597	1%	7.9
Bloody diarrhoea*	1	0	1	0.1	3	1	4	1	0	1	0	0	0	6	0%	0.
Skin infection	407	382	789	52.1	400	445	845	559	607	1,166	153	140	293	3,093	5%	40.
Eye infection	223	236	459	30.3	291	305	596	525	614	1,139	168	229	397	2,591	4%	34.
Ear infection	295	285	580	38.3	373	405	778	629	669	1,298	204	194	398	3,054	5%	40.2
Dental Conditions	351	368	719	47.5	1,100	1,343	2,443	2,076	2,626	4,702	444	399	843	8,707	13%	114.
Intestinal Worms	143	183	326	21.5	153	137	290	45	59	104	2	0	2	722	1%	9.
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	2	2	0.1	0	1	1	0	0	0	0	0	0	3	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	13	9	22	1.5	3	3	6	0	2	2	0	1	1	31	0%	0.4
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	1	1	1	0%	0.0
Other	1,467	1,304	2,771	183.1	1,697	1,921	3,618	4,405	6,292	10,697	862	1,153	2,015	19,101	29%	251.:
Total	8,104	7,393	15,497	1024.0	8,024	8,905	16,929	12,182	15,870	28,052	2,510	2,974	5,484	65,962	100%	867.
% by age group			23%				26%			43%			8%	100%		
* indicates disease with epidemic potential. See guidance for alert thresholds and advice	e on how these sho	ıld he internre					2070			40 70			070	.00 /0		

#### 3.3 Chronic health conditions

Record NEW and REVISITS	0 to	4	Total <	5 to	17	Total 5 to	18 to	59	Total 18	> 6	0	Total	Grand	% by
RECOID NEW AND REVISITS	M	F	5	M	F	17	M	F	to 59	M	F	> 60	total	cause
Diabetes	1	13	14	24	27	51	776	1,102	1,878	674	937	1,611	3,554	15%
Hypertension	0	0	0	0	5	5	918	1,327	2,245	952	1,198	2,150	4,400	19%
Asthma	180	187	367	171	167	338	261	336	597	168	158	326	1,628	7%
Ischaemic heart disease	0	1	1	0	0	0	191	227	418	253	243	496	915	4%
Cardiovascular disease (other)	4	5	9	11	38	49	333	494	827	254	290	544	1,429	6%
Chronic obstructive pulmonary disease (COPD)	0	0	0	1	7	8	266	255	521	353	311	664	1,193	5%
Liver disease	0	0	0	0	2	2	12	29	41	0	4	4	47	0%
Thyroid problems	1	1	2	5	24	29	374	831	1,205	319	416	735	1,971	8%
Cancer	0	0	0	5	1	6	12	42	54	10	14	24	84	0%
Other	250	254	504	406	353	759	1,899	3,257	5,156	634	938	1,572	7,991	34%
Total	436	461	897	623	624	1,247	5,042	7,900	12,942	3,617	4,509	8,126	23,212	100%
% by age group			4%			5%			56%			35%	100%	

## 3.4 Mental health

	0 to	o 4	Total <	5 to	17	Total 5 to 18 to 59		o 59	59 Total 18		60	Total	Grand	% by
	M	F	5	M	F	17	M	F	to 59	M	F	> 60	total	cause
Epilepsy / seizures	7	4	11	55	69	124	295	151	446	2	2	4	585	33%
Alcohol and other substance use disorder	0	(	0	0	0	0	0	0	0	0	0	0	0	0%
Psychotic disorder (including mania)	0	(	0	0	4	4	228	121	349	2	1	3	356	20%
Intellecutal disability	0	(	0	9	28	37	50	22	72	0	0	0	109	6%
Severe emotional disorder, including moderate-severe depression	0	(	0	3	6	9	243	307	550	3	0	3	562	32%
Medically unexplained somatic complaint	0	(	0	0	0	0	0	0	0	0	0	0	0	0%
Other psychological complaints	0	(	0	42	39	81	33	20	53	2	5	7	141	8%
Total	7	4	11	109	146	255	849	621	1,470	9	8	17	1,753	100%
% by age group			1%			15%			84%			1%	100%	

# 3.5 Injuries

	0 to 4		Total <	5 to	17	Total 5 to	18 to 59		Total 18	> 6	0	Total	Grand	% by
	М	F	5	M	F	17	M	F	to 59	M	F	> 60	total	cause
1. Bites (all causes)	0	0	0	5	0	5	2	2	4	2	0	2	11	0%
2. Injury (war related)	0	1	1	8	16	24	4	11	15	0	0	0	40	0%
3. Injury ( Burns)	104	116	220	72	119	191	41	77	118	2	8	10	539	6%
Assault (with weapon non-war related )	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	576	586	1,162	1,096	878	1,974	1,678	1,846	3,524	529	555	1,084	7,744	93%
Total	680	703	1,383	1,181	1,013	2,194	1,725	1,936	3,661	533	563	1,096	8,334	100%
% by age group			17%			26%			44%			13%	100%	

## 3.6 Reproductive Tract Infections

		< 18		Total <	≥ 1	18	Total ≥ 18	Grand	% by
		М	F	18	М	F	10tal 2 10	total	cause
1.	Vaginal discharge	0	469	469	0	1,391	1,391	1,860	52%
2.	Urethral discharge	0	0	0	1	0	1	1	0%
3.	Genital ulcer	0	19	19	0	62	62	81	2%
3.	Lower abdominal pain	0	166	166	0	699	699	865	24%
	Other	0	202	202	8	529	537	739	21%
	Total	0	856	856	9	2,681	2,690	3,546	100%
	% by age group			24%			76%	100%	

# 4. In-patient Department

## 4.1 In-patient Department Activities

		0 t	0 to 4		5 to	17	Total 5 to	18 to 59		Total 18	> 60		Total	Grand
		М	F	5	M	F	17	M	F	to 59	M	F	> 60	total
Number at beginning of repo	orting period	0	1	1	0	0	0	0	0	0	0	0	0	1
Total admissions		29	31	60	15	74	89	35	461	496	4	0	4	649
	authorized	28	34	62	14	74	88	33	457	490	4	0	4	644
Number of exits	unauthorized	0	0	0	1	0	1	0	4	4	0	0	0	5
Number of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	1	1	2	0	38	38	2	220	222	1	0	1	263
Total exits		29	35	64	15	112	127	35	681	716	5	0	5	912
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	40
Sum number of days stay for authorised discharges	941.8
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.5
Bed occupancy	26%
Hospitalisation rate (/1000/month)	2.8

## 4.2 In-patient Admissions and Deaths

	0 to	o 4	LIE CED	5 t	o 17	5-17 CFR	18 to 59		18-59	> 60		Total adm	Total	Crude
	Adm	Deaths	U5 CFR	Adm	Deaths	3-17 CFK	Adm	Deaths	CFR	Adm	Deaths	Total adm	deaths	CFR
Paediatric medicine	57	0	0%	7	0	0%	0	0		0	0	64	0	0%
2. General Surgery	3	0	0%	11	0	0%	37	0	0%	1	C	52	0	0%
3. Injury (non-war related)	0	0		0	0		0	0		1	C	1	0	0%
Internal medicine	0	0		2	0	0%	5	0	0%	2	2 0	9	0	0%
5. Obstetrics	0	0		67	0	0%	436	0	0%	0	0	503	0	0%
6. Gynaecology	0	0		2	0	0%	15	0	0%	0	) C	17	0	0%
7. Other	0	0		0	0		3	0	0%	0	) C	3	0	0%
Total	60	0	0%	89	0	0%	496	0	0%	4	. 0	649	0	0%

Adm. = Admission; CFR = Case Fatality Rate

#### 5. Referral

## 5.1 Referrals by location

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	58	58	74	74	179	179	44	44	355
2.	Jordan University Hospital	52	52	31	31	104	104	13	13	200
3.	Private affiliated Hospital	126	126	154	154	691	691	68	68	1,039
4.	Royal Medical Services	3	3	0	0	4	4	0	0	7
5.	Other	0	0	0	0	0	0	0	0	0

Total No of reffered cases out side the Camp	1,601

## 5.2 Referrals by service

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	136	136	0	0	0	0	0	0	136
2.	Internal medicine	44	44	125	125	492	492	79	79	740
3.	Obstetric	0	0	22	22	235	235	0	0	257
4.	Gynaecological	0	0	27	27	85	85	2	2	114
5.	Surgical	59	59	85	85	166	166	44	44	354
6	Other	0	0	0	0	0	0	0	0	0

# 6. Laboratory

	Total
Number of laboratory tests conducted	32,138

# 8. Reproductive Health

## 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	424	1,152	1,576
First antenatal visit > 1st trimester	251	690	941

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	63%

# 8.2 Antenatal care in facility

	≥ 4 ANC visits	95	650	745
Number of pregnant women at time of delivery who received:	2 TT doses	83	584	667
	anaemia screening	102	645	747

Coverage of complete antenatal care	90%
Coverage of antenatal tetanus immunisation	81%
Coverage of anaemia screening in pregnancy	90%

# 8.3 Delivery care

	< 18	≥ 18	Total
Live births	114	714	828
Still births	0	4	4
Low birth weight (<2500 g)	1	15	16
Attended by skilled health worker	114	714	828
Number of obstetric complications treated	7	23	30
Number of caesarean sections performed	41	258	299

Delivery Indicators		
Crude birth rate (/1000 population/ month)	3.6	
Proportion of births attended by skilled health worker (excl. TBA)	100%	
Proportion of low birth weight deliveries	2%	
Proportion of all births performed by caesarean section	36%	
Proportion of obsetric complications treated among girls < 18	6%	

# 8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	76	571	647

Postnatal Indicators	
Coverage of complete postnatal care	78%

## 8.5 Family planning

Emergency Contaceptive Pill Injectable (Depo-Provera)	≥ 1: '4 0	8 358 0 54	7	0	2,145
Emergency Contaceptive Pill Injectable (Depo-Provera)	_	0	0	0	
Injectable (Depo-Provera)	0	_	-	-	
, , , , ,	0	54	70	- 00	
			10	39	163
Implantable (Norplant)	0	0	0	0	C
Intra-Uterine Device (IUD)	3	139	7	15	164
Condom (Male)	4	170	506	181	881
Other	0	0	0	0	0

	< 18	≥ 18
Family Planning Counseling*	278	2,126

#### 8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	М	F	M	F	Total
Total no rape survivors seen	0	3	0	0	3
No. of rape survivors examined within 72 hours	0	2	0	0	2
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	1	0	0	1
No of rape survivors given PEP within 72 hours	0	2	0	0	2
No of female rape survivors given ECP within 120 hours		2		0	2
No of rape survivors given STI presumptive treatment within 2 weeks	0	2	0	0	2
No. cases of trauma in health centre due to domestic violence	0	0	0	1	1

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	1.6
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

Data Sources

1. Health Information System

Contact Information

**Za'atri** Asaad Kadhum, UNHCR

Email: kadhum@unhcr.org

**Amman** Adam Musa Khalifa, UNHCR

Email: khalifaa@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:









































