
Azraq Jordan Refugee population 36,860 Total refugee population: Demographic breakdown: > 60 1% 1% 19% 22% 18 - 59 19% 18% 5 - 17 10% 10% 0 - 4 Male % Female



Indicators at a glance		
1 Health utilisation rate	9.1	X
2 Number of consultations per clinician per day	57	X
3 Crude Mortality Rate (CMR) (/1000/month)	0.1	$\sqrt{}$
4 Under-five Mortality Rate (U5MR) (/1000/month)	0.2	$\sqrt{}$
5 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	7.1	$\sqrt{}$

Notes


This public health profile for Azraq refugee camp is compiled from health facility data from the following partners:

- IMC Clinics in Villages 3,5, and 6
 IMC Hospital
 Arab Medical Relief Clinics in Villages 2 and 6
 IRC RH Services Villages 3,5, and 6

Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Morbidity

Acute health conditions (%)



Top 5 acute health conditions


	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	35%	19,637
2 Influenza-like illness (ILI)	12%	6,815
3 Dental Conditions	7%	4,187
4 Skin infection	5%	2,801
5 Lower Respiratory Tract Infection (LRTI)	4%	2,273
- Other	37%	20,730

Breakdown of acute health conditions

acknowledges the support of the following partners:

by age		by gender		
35% 36% 26%	■0-4 ■5 to 17 ■18 to 59 ■>60	52%	48%	■ Male ■ Female

Chronic health conditions (%)



Top 5 chronic health conditions

	% morbidity	# of cases	
1 Hypertension	34%	1,572	
2 Diabetes	17%	799	
3 Asthma	17%	771	
4 Thyroid problems	4%	201	
5 Ischaemic heart disease	4%	192	
- Other	24%	1,087	

Breakdown of chronic health conditions

by age		by gender	
26% 6%	■ 0-4 ■ 5 to 17 ■ 18 to 59 ■ > 60	54%	46% ■ Male ■ Female
_ 11 _	A		# (in)













Public Health			
Health Impact	Indicator	Standard	
Crude Mortality Rate (CMR) (/1000/month)	0.1	< 0.5	
Under-five Mortality Rate (U5MR) (/1000/month)	0.2	< 1.5	
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	7.1	< 14.9	
Access and utilization			,
No. of health facilities	1:7372	1:<10,000	1
Total number of consultations	83,725		
Health utilisation rate	9.1	1 - 4	X
No. of consultations per trained clinician per day	57	< 50	Х

Breakdown of mental health conditions

By cause By gender By age ■Epilepsy / seizures Severe emotional disorder, including moderate-severe 0-4 depression Psychotic disorder 30% ■ Male ■ 5 to 17 (including mania) 3% ■ 18 to 59 ■ Female ■ Intellecutal disability **■** > 60 62% ■ Other

Breakdown of injuries

By cause By gender By age 10% ■ Injury (burns) ■ Bites (all causes) 35% ■ Male ■5 to 17 Injury (war-related) ■ 18 to 59 ■ Female Assault (with weapon non-war related)

In-patient and referral

In-patient department	Indicator	Standard	
Hospitalisation rate (/1000/year)	127.6	50 - 150	^
Bed occupancy rate	102%	> 75%	
Mean length of stay for authorised discharges (days)	2.0		

	Indicator Standard
Overall case fatality rate	0%
Proportion of deaths within 24 hours of admission	0%

Reproductive Health			
Antenatal care	Indicator	Standard	•
Coverage of antenatal care (4 or more visits)	70%	≥ 90%	X
Coverage of TT vaccination	53%	≥ 90%	X
Coverage of anaemia screening in pregnancy	100%	≥ 90%	$\sqrt{}$
Delivery care			
Proportion of deliveries attended by skilled personnel	99%	≥ 90%	\checkmark
Proportion of deliveries performed by caesarean section	20.4%	5 - 15%	X
Proportion of low birth weight deliveries (<2500g)	5%	< 15%	
Maternal mortality			
Number of maternal deaths reported	0		
% of maternal deaths investigated	0%	100%	

Postnatal care	Indicator	Standard	
Coverage of postnatal care	82%	≥ 90%	X

Sexual and Gender-based Violence				
Incidence of rape (reported cases/10,000/year)*	2.2		^	P
% of rape survivors who received PEP** < 72 hours		100%	^	
% of rape survivors who received ECP*** < 120 hours		100%	^	1
% of rape survivors who received STI**** prophylaxis < 2 wks		100%	^	

























