

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	663	627	1,290	3,091	3,023	6,114	7,170	6,557	13,726	6,862	8,051	14,913	325	492	817	36,860
% by age group			4%			17%			37%			40%			2%	100%

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	2	1	3	1	1	2	5	25%
5. Cardiovascular disorders (other)	0	0	0	0%	0	0	0	0	0	0	2	2	4	4	20%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	5%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	2	3	5	71%	0	0	0	0	0	0	0	0	0	5	25%
13. Other	0	2	2	29%	0	1	1	0	2	2	0	0	0	5	25%
Total	2	5	7	100%	0	1	1	2	3	5	4	3	7	20	100%
% by age group			35%				5%			25%			35%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.1	0.2	0.2
Under 5 Mortality Rate (U5MR) (/1000 population/month)	0.2	0.5	0.3
Neonatal Mortality Rate (NNMR) (/1000 population/month)			14.2

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3.1 Staffing and service availability

Number of full-time clinicians	21.2
Average number of full days on which each health facility was functioning	5.6
Total number of outpatient consultations	73,130
Health facility utilisation rate	7.9
Consultations per clinician per day	47

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	2,477	1,976	4,453	601.4	1,554	1,391	2,945	1,344	1,647	2,991	74	84	158	10,547	23%	286.1
Influenza-like illness (ILI)	771	648	1,419	191.7	434	430	864	532	596	1,128	37	23	60	3,471	8%	94.2
Lower Respiratory Tract Infection (LRTI)	588	422	1,010	136.4	52	33	85	54	68	122	2	8	10	1,227	3%	33.3
Watery diarrhoea*	1,375	1,167	2,542	343.3	196	198	394	246	299	545	10	19	29	3,510	8%	95.2
Bloody diarrhoea*	2	4	6	0.8	1	4	5	0	2	2	0	0	0	13	0%	0.4
Skin infection	422	381	803	108.5	330	446	776	287	370	657	34	11	45	2,281	5%	61.9
Eye infection	220	215	435	58.8	129	97	226	201	182	383	29	25	54	1,098	2%	29.8
Ear infection	299	218	517	69.8	154	138	292	145	254	399	8	12	20	1,228	3%	33.3
Dental Conditions	32	39	71	9.6	496	515	1,011	1,376	1,438	2,814	108	42	150	4,046	9%	109.8
Intestinal Worms	54	47	101	13.6	96	71	167	22	33	55	0	0	0	323	1%	8.8
Acute Jaundice Syndrome*	2	0	2	0.3	1	0	1	0	0	0	0	0	0	3	0%	0.1
Measles (suspected)*	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Meningitis (suspected)*	2	1	3	0.4	0	0	0	0	0	0	0	0	0	3	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	2,766	2,681	5,447	735.7	1,328	2,053	3,381	2,854	5,068	7,922	368	386	754	17,504	39%	474.9
Total	9,010	7,801	16,811	2270.6	4,771	5,376	10,147	7,061	9,957	17,018	670	610	1,280	45,256	100%	1227.8
% by age group			37%				22%			38%			3%	100%		

* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	9	11	20	15	34	49	162	188	350	115	134	249	668	19%
Hypertension	1	0	1	0	1	1	302	458	760	188	286	474	1,236	36%
Asthma	125	58	183	92	62	154	74	89	163	19	12	31	531	15%
Ischaemic heart disease	0	0	0	0	1	1	56	40	96	41	41	82	179	5%
Cardiovascular disease (other)	3	4	7	2	3	5	13	13	26	8	7	15	53	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	3	3	6	7	0	7	13	0%
Liver disease	0	0	0	1	0	1	1	1	2	0	1	1	4	0%
Thyroid problems	3	4	7	4	7	11	25	117	142	2	11	13	173	5%
Cancer	0	0	0	0	0	0	1	2	3	1	0	1	4	0%
Other	66	54	120	28	28	56	122	220	342	29	23	52	570	17%
Total	207	131	338	142	136	278	759	1,131	1,890	410	515	925	3,431	100%
% by age group			10%			8%			55%			27%	100%	

3.4 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Epilepsy / seizures	19	59	78	113	58	171	141	99	240	2	8	10	499	28%
2.	Alcohol and other substance use disorder	0	0	0	0	0	0	6	0	6	0	0	0	6	0%
3.	Psychotic disorder (including mania)	0	0	0	3	9	12	90	51	141	1	14	15	168	10%
4.	Intellectual disability	3	0	3	34	11	45	13	11	24	0	2	2	74	4%
5.	Severe emotional disorder, including moderate-severe depression	0	0	0	10	25	35	251	387	638	4	6	10	683	39%
6.	Medically unexplained somatic complaint	0	0	0	4	1	5	26	8	34	1	0	1	40	2%
Other psychological complaints		0	0	0	74	86	160	55	65	120	2	1	3	283	16%
Total		22	59	81	238	190	428	582	621	1,203	10	31	41	1,753	100%
% by age group				5%			24%			69%			2%	100%	

3.5 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Bites (all causes)	43	40	83	24	42	66	29	19	48	16	3	19	216	13%
2.	Injury (war related)	28	32	60	26	26	52	24	4	28	4	1	5	145	9%
3.	Injury (Burns)	7	5	12	10	6	16	4	8	12	0	0	0	40	2%
4.	Assault (with weapon non-war related)	0	0	0	1	0	1	0	0	0	0	0	0	1	0%
Other		215	146	361	320	143	463	196	126	322	81	36	117	1,263	76%
Total		293	223	516	381	217	598	253	157	410	101	40	141	1,665	100%
% by age group				31%			36%			25%			8%	100%	

3.6 Reproductive Tract Infections

		< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
		M	F		M	F			
1.	Vaginal discharge	0	30	30	0	831	831	861	100%
2.	Urethral discharge	0	0	0	0	0	0	0	0%
3.	Genital ulcer	0	0	0	0	0	0	0	0%
3.	Lower abdominal pain	0	0	0	0	0	0	0	0%
Other		0	0	0	0	0	0	0	0%
Total		0	30	30	0	831	831	861	100%
% by age group				3%			97%	100%	

4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		3	2	5	0	0	0	0	13	13	0	0	0	18
Total admissions		430	172	602	25	46	71	17	356	373	1	0	1	1,047
Number of exits	authorized	422	161	583	23	39	62	17	325	342	1	0	1	988
	unauthorized	1	0	1	0	3	3	0	41	41	0	0	0	45
	death	0	1	1	0	0	0	0	0	0	0	0	0	1
	referral	6	6	12	2	3	5	0	0	0	0	0	0	17
Total exits		429	168	597	25	45	70	17	366	383	1	0	1	1,051
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	26
Sum number of days stay for authorised discharges	1,900
Proportion of < 5 IPD deaths within 24 hours	0%
Average length of stay (days)	1.9
Bed occupancy	85%
Hospitalisation rate (/1000 population/month)	9.5

4.2 In-patient Admissions and Deaths

		0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1.	Paediatric medicine	355	1	0%	43	0	0%	0	0	0%	0	0	398	1	0%
2.	General Surgery	246	0	0%	13	0	0%	36	0	0%	1	0	296	0	0%
3.	Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4.	Internal medicine	0	0		0	0		0	0		0	0	0	0	
5.	Obstetrics	0	0		11	0	0%	316	0	0%	0	0	327	0	0%
6.	Gynaecology	0	0		4	0	0%	21	0	0%	0	0	25	0	0%
7.	Other	0	0		0	0		0	0		0	0	0	0	
Total		601	1	0%	71	0	0%	373	0	0%	1	0	1,046	1	0%

Adm. = Admission; CFR = Case Fatality Rate

5.1 Referrals by location

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	30	30	52	52	44	44	9	9	135
2.	Jordan University Hospital	127	127	71	71	108	108	13	13	319
3.	Private affiliated Hospital	316	316	189	189	334	334	41	41	880
4.	Royal Medical Services	7	7	19	19	12	12	2	2	40
5.	Other	0	0	1	1	0	0	0	0	1
Total number of referred cases out side the camp			1,375							

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	365	365	39	39	1	1	0	0	405
2.	Internal medicine	22	22	91	91	190	190	37	37	340
3.	Obstetric	0	0	0	0	23	23	0	0	23
4.	Gynaecological	0	0	6	6	19	19	0	0	25
5.	Surgical	54	54	128	128	155	155	7	7	344
6	Other	39	39	68	68	110	110	21	21	238

	Total
Number of laboratory tests conducted	16,577

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	26	462	488
First antenatal visit > 1st trimester	7	183	190

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	72%

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	9	265	274
	2 TT doses	7	145	152
	anaemia screening	11	337	348

Coverage of complete antenatal care	78%
Coverage of antenatal tetanus immunisation	43%
Coverage of anaemia screening in pregnancy	99%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	11	341	352
Still births	0	2	2
Low birth weight (<2500 g)	4	26	30
Attended by skilled health worker	11	331	342
Number of obstetric complications treated	1	18	19
Number of caesarean sections performed	2	68	70

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.2
Proportion of births attended by skilled health worker (excl. TBA)	97%
Proportion of low birth weight deliveries	9%
Proportion of all births performed by caesarean section	20%
Proportion of obsetric complications treated among girls < 18	9%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	33	440	473

Postnatal Indicators	
Coverage of complete postnatal care	134%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	20	298	16	726	1,060
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	1	51	0	25	77
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	1	30	0	0	31
Condom (Male)	9	253	10	221	493
Other	0	0	0	0	0

	< 18	≥ 18
Family Planning Counseling*	98	2,205

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	1	0	0	1
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	1.1
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on

Contact
Information

UNHCR
Asaad Khadum
Email: KADHUM@unhcr.org

UNHCR
Adam Musa Khalifa
Email: KHALIFAA@unhcr.org

We gratefully
acknowledge the contributions of
the following agencies:

