

0 to -	< 1	Tatal d	1 to	4	Total 1	5 to	17	Total 5 to	18 to	59	Total 18	> 60	0	Total >	Grand
M	F	Total <1	M	F	to 4	M	F	17	M	F	to 59	M	F	60	total
663	627	1,290	3,091	3,023	6,114	7,170	6,557	13,726	6,862	8,051	14,913	325	492	817	36,860
		4%			17%			37%			40%			2%	100%
	M	M F	M F Total <1	M F Total <1 M	M F Total <1 M F	M F Total <1 M F to 4 663 627 1,290 3,091 3,023 6,114	M F Total < 1 M F to 4 M 663 627 1,290 3,091 3,023 6,114 7,170	M F Total <1 M F to 4 M F 663 627 1,290 3,091 3,023 6,114 7,170 6,557	M F Total <1 M F to 4 M F 17 663 627 1,290 3,091 3,023 6,114 7,170 6,557 13,726	M F Total <1 M F to 4 M F 17 M 663 627 1,290 3,091 3,023 6,114 7,170 6,557 13,726 6,862	M F Total <1 M F to 4 M F 17 M F 663 627 1,290 3,091 3,023 6,114 7,170 6,557 13,726 6,862 8,051	M F Total <1 M F to 4 M F 17 M F to 59 663 627 1,290 3,091 3,023 6,114 7,170 6,557 13,726 6,862 8,051 14,913	M F Total <1 M F to 4 M F 17 M F to 59 M 663 627 1,290 3,091 3,023 6,114 7,170 6,557 13,726 6,862 8,051 14,913 325	M F Total <1 M F to 4 M F 17 M F to 59 M F 663 627 1,290 3,091 3,023 6,114 7,170 6,557 13,726 6,862 8,051 14,913 325 492	M F Total <1 M F to 4 M F 17 M F to 59 M F 60 663 627 1,290 3,091 3,023 6,114 7,170 6,557 13,726 6,862 8,051 14,913 325 492 817

2.1 Mortality

Record ONE cause of mortality per case	0 to	4	Total <5	U5 %	5 to	17	Total 5	18 to	59	Total 18	>	60	Total >	Grand	Crude %
Record ONE cause of mortality per case	M	F	Total <5	mort	M	F	to 17	M	F	to 59	M	F	60	total	mort
Lower Respiratory Tract Infection (LRTI)	2	1	3	30%	0	0	0	0	0	0	0	0	0	3	16%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Ischaemic heart disease	0	0	0	0%	0	0	0	1	0	1	1	0	1	2	11%
5. Cardiovascular disorders (other)	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	5%
Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	5%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	5%
9. Cancer	0	0	0	0%	0	0	0	1	2	3	1	0	1	4	21%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	5	1	6	60%	0	0	0	0	0	0	0	0	0	6	32%
13. Other	0	1	1	10%	0	0	0	0	0	0	0	0	0	1	5%
Total	7	3	10	100%	0	0	0	2	3	5	3	1	4	19	100%
% by age group			53%				0%			26%			21%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 pooulation/month)	0.2	0.1	0.2
Under 5 Mortality Rate (U5MR) (/1000 pooulation/month)	0.6	0.3	0.5
Neonatal Mortality Rate (NNMR) (/1000 pooulation/month)			16.4

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3.1 Staffing and service availability

Number of full-time clinicians	22.5
Average number of full days on which each health facility was functioning	5.6
Total number of outpatient consultations	71,231
Health facility utilisation rate	7.7
Consultations per clinician per day	44

3.2 Acute health conditions

December 1994 and 199	0 to	4	T-1-1 5	U5 Incid	5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total >	Grand	% by	Crude
Record NEW cases of disease only	M	F	Total <5	U5 Incia	M	F	to 17	M	F	to 59	М	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	3,004	2,524	5,528	746.6	1,367	1,486	2,853	1,126	1,400	2,526	83	101	184	11,091	24%	300.9
Influenza-like illness (ILI)	719	576	1,295	174.9	507	511	1,018	429	538	967	45	40	85	3,365	7%	91.3
Lower Respiratory Tract Infection (LRTI)	704	511	1,215	164.1	40	28	68	58	53	111	5	8	13	1,407	3%	38.2
Watery diarrhoea*	667	591	1,258	169.9	114	135	249	129	185	314	10	11	21	1,842	4%	50.0
Bloody diarrhoea*	1	1	2	0.3	1	2	3	1	2	3	0	0	0	8	0%	0.2
Skin infection	314	273	587	79.3	307	383	690	270	326	596	29	24	53	1,926	4%	52.3
Eye infection	249	181	430	58.1	189	159	348	182	155	337	12	12	24	1,139	2%	30.9
Ear infection	258	217	475	64.2	90	144	234	153	286	439	19	20	39	1,187	3%	32.2
Dental Conditions	63	71	134	18.1	568	621	1,189	1,438	1,688	3,126	38	49	87	4,536	10%	123.1
Intestinal Worms	64	50	114	15.4	105	107	212	29	33	62	5	5	10	398	1%	10.8
Acute Jaundice Syndrome*	4	4	8	1.1	0	3	3	0	0	0	0	0	0	11	0%	0.3
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	1	1	1	0	1	0	0	0	2	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	1	1	0.1	0	2	2	0	0	0	0	0	0	3	0%	0.1
Fever of unknown origin	1	0	1	0.1	1	1	2	0	0	0	0	0	0	3	0%	0.1
Tuberculosis (suspected)	0	0	0	0.0	0	2	2	1	0	1	0	0	0	3	0%	0.1
Other	2,208	2,138	4,346	587.0	1,540	2,527	4,067	3,499	6,291	9,790	368	479	847	19,050	41%	516.8
Total	8,256	7,138	15,394	2079.2	4,829	6,112	10,941	7,316	10,957	18,273	614	749	1,363	45,971	100%	1247.2
% by age group			33%				24%			40%			3%	100%		

^{*} indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

	0 to	. 4	Total <	5 to	17	Total 5	18	to 59	Total 18	> 6	0	Total	Grand	% by
Record NEW and REVISITS	M	F	5	М	F	to 17	М	F	to 59	М	F	> 60	total	cause
Diabetes	4	4	8	10	30	40	180	231	411	125	210	335	794	19%
Hypertension	0	0	0	1	0	1	299	485	784	220	375	595	1,380	34%
Asthma	207	129	336	91	66	157	61	102	163	21	10	31	687	17%
Ischaemic heart disease	0	0	0	0	1	1	68	39	107	35	43	78	186	5%
Cardiovascular disease (other)	2	1	3	2	1	3	19	23	42	10	7	17	65	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	6	4	10	17	2	19	29	1%
Liver disease	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
Thyroid problems	5	3	8	5	5	10	27	138	165	3	13	16	199	5%
Cancer	0	0	0	0	0	0	5	5	10	3	0	3	13	0%
Other	85	74	159	37	36	73	157	283	440	53	38	91	763	19%
Total	303	211	514	146	139	285	823	1,310	2,133	487	698	1,185	4,117	100%
% by age group			12%			7%			52%			29%	100%	

3.4 Mental health

	0 to	0 to 4		5 to	17	Total 5 18 to 59		to 59	Total 18	> 6	0	Total		% by
	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1. Epilepsy / seizures	12	27	39	117	56	173	106	79	185	3	8	11	408	23%
Alcohol and other substance use disorder	0	0	0	1	1	2	7	1	8	0	0	0	10	1%
Psychotic disorder (including mania)	0	0	0	8	10	18	41	45	86	1	16	17	121	7%
4. Intellecutal disability	1	5	6	45	10	55	11	8	19	1	2	3	83	5%
Severe emotional disorder, including moderate-severe depression	0	1	1	2	22	24	205	397	602	5	5	10	637	37%
Medically unexplained somatic complaint	0	0	0	6	18	24	24	9	33	1	4	5	62	4%
Other psychological complaints	1	10	11	102	132	234	70	98	168	4	2	6	419	24%
Total	14	43	57	281	249	530	464	637	1,101	15	37	52	1,740	100%
% by age group			3%			30%			63%			3%	100%	

3.5 Injuries

	0 to	4	Total <	5 to	17	Total 5	181	to 59	Total 18	> €	0	Total	Grand	% by
	M	F	5	M	F	to 17	М	F	to 59	M	F	> 60	total	cause
1. Bites (all causes)	6	9	15	6	6	12	9	6	15	1	1	2	44	2%
2. Injury (war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Injury (Burns)	57	33	90	43	18	61	38	27	65	5	4	9	225	11%
Assault (with weapon non-war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	336	208	544	421	185	606	293	197	490	30	34	64	1,704	86%
Total	399	250	649	470	209	679	340	230	570	36	39	75	1,973	100%
% by age group			33%			34%			29%			4%	100%	

3.6 Reproductive Tract Infections

		<1	18	Total <	≥ '	18	Total ≥	Grand	% by
		М	F	18	М	F	18	total	cause
1.	Vaginal discharge	0	43	43	0	678	678	721	100%
2.	Urethral discharge	0	0	0	0	0	0	0	0%
3.	Genital ulcer	0	0	0	0	1	1	1	0%
3.	Lower abdominal pain	0	1	1	0	0	0	1	0%
	Other	0	0	0	0	0	0	0	0%
	Total	0	44	44	0	679	679	723	100%
	% by age group			6%			94%	100%	

4.1 In-patient Department Activities

		0 to 4		Total <	5 to	17	. otu. o		to 59	Total 18	> 60		Total	Grand
		M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total
Number at beginning of reporting period		4	6	10	0	1	1	0	3	3	0	0	0	14
Total admissions		296	120	416	34	43	77	22	373	395	1	0	1	889
	authorized	296	119	415	32	36	68	22	312	334	1	0	1	818
Number of exits	unauthorized	3	0	3	0	2	2	0	57	57	0	0	0	62
Number of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	1	6	7	1	2	3	0	1	1	0	0	0	11
Total exits		300	125	425	33	40	73	22	370	392	1	0	1	891
Deaths within 24 hours	eaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	26
Sum number of days stay for authorised discharges	1,668
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.0
Bed occupancy	77%
Hospitalisation rate (/1000 population/month)	8.0

4.2 In-patient Admissions and Deaths

	0 to	4	US CER	5 to 17		5-17 18 to 59		to 59	18-59 > 60		Total a last Total	Total	al Crude	
	Adm	Deaths		Adm	Deaths	CFR	Adm	Deaths	CFR	Adm	Deaths	Total adm	deaths	CFR
Paediatric medicine	268	0	0%	33	0	0%	0	0		0	0	301	0	0%
2. General Surgery	148	0	0%	30	0	0%	60	0	0%	1	0	239	0	0%
3. Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
Internal medicine	0	0		0	0		0	0		0	0	0	0	
5. Obstetrics	0	0		14	0	0%	324	0	0%	0	0	338	0	0%
6. Gynaecology	0	0		0	0		11	0	0%	0	0	11	0	0%
7. Other	0	0		0	0		0	0		0	0	0	0	
Total	416	0	0%	77	0	0%	395	0	0%	1	0	889	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5.1 Referrals by location

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	32	32	63	63	69	69	4	4	168
2.	Jordan University Hospital	157	157	119	119	135	135	16	16	427
3.	Private affiliated Hospital	270	270	276	276	333	333	50	50	929
4.	Royal Medical Services	0	0	0	0	0	0	0	0	0
5.	Other	0	0	0	0	0	0	0	0	0

Total number of reffered cases out side the camp	1,524

5.2 Referrals by service

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	337	337	52	52	0	0	0	0	389
2.	Internal medicine	27	27	128	128	200	200	38	38	393
3.	Obstetric	0	0	0	0	28	28	0	0	28
4.	Gynaecological	0	0	7	7	24	24	0	0	31
5.	Surgical	66	66	208	208	206	206	17	17	497
6	Other	29	29	63	63	79	79	15	15	186

	Total
Number of laboratory tests conducted	18,675

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	30	392	422
First antenatal visit > 1st trimester	14	387	401

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	51%

8.2 Antenatal care in facility

	Number of present warmen of	≥ 4 ANC visits	8	235	243
Number of pregnant women at time of delivery who received:	2 TT doses	8	101	109	
		anaemia screening	14	344	358

Coverage of complete antenatal care	67%
Coverage of antenatal tetanus immunisation	30%
Coverage of anaemia screening in pregnancy	98%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	14	351	365
Still births	1	5	6
Low birth weight (<2500 g)	1	27	28
Attended by skilled health worker	14	332	346
Number of obstetric complications treated	1	18	19
Number of caesarean sections performed	2	58	60

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.3
Proportion of births attended by skilled health worker (excl. TBA)	95%
Proportion of low birth weight deliveries	8%
Proportion of all births performed by caesarean section	16%
Proportion of obsetric complications treated among girls < 18	7%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	25	416	441

Postnatal Indicators	
Coverage of complete postnatal care	121%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	Total
Oral contraceptives	13	215	12	615	855
Emergency Contaceptive Pill	0	2	0	14	16
Injectable (Depo-Provera)	0	42	2	36	80
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	0	17	0	5	22
Condom (Male)	14	208	10	246	478
Other	0	0	0	17	17

	< 18	≥ 18
Family Planning Counseling*	198	1,950

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	Total
Total no rape survivors seen	0	0	0	1	1
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	1	1
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	3	3

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	1.1
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on

Contact Information

UNHCR Adam Musa Khalifa Email: KHALIFAA@unhcr.org

We gratefully acknowledge the contributions of the following agencies:











