

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	663	627	1,290	3,091	3,023	6,114	7,170	6,557	13,726	6,862	8,051	14,913	325	492	817	36,860
% by age group			4%			17%			37%			40%			2%	100%

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	1	0	1	9%	0	0	0	0	0	0	0	0	0	1	7%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5. Cardiovascular disorders (other)	0	1	1	9%	0	0	0	0	0	0	0	0	0	1	7%
6. Cerebrovascular disease	0	1	1	9%	0	0	0	0	0	0	1	0	1	2	13%
7. Chronic kidney disease	1	0	1	9%	0	0	0	0	1	1	0	0	0	2	13%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	0	2	2	0	0	0	2	13%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	3	4	7	64%	0	0	0	0	0	0	0	0	0	7	47%
13. Other	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Total	5	6	11	100%	0	0	0	0	3	3	1	0	1	15	100%
% by age group			73%				0%		20%			7%		100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.1	0.2	0.1
Under 5 Mortality Rate (USMR) (/1000 population/month)	0.4	0.5	0.5
Neonatal Mortality Rate (NNMR) (/1000 population/month)			19.1

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3.1 Staffing and service availability

Number of full-time clinicians	23.8
Average number of full days on which each health facility was functioning	5.7
Total number of outpatient consultations	69,500
Health facility utilisation rate	7.5
Consultations per clinician per day	39

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	3,268	2,605	5,873	793.2	1,874	2,082	3,956	1,757	2,277	4,034	94	129	223	14,086	30%	382.1
Influenza-like illness (ILI)	794	581	1,375	185.7	661	613	1,274	637	750	1,387	46	46	92	4,128	9%	112.0
Lower Respiratory Tract Infection (LRTI)	527	436	963	130.1	86	87	173	82	124	206	11	20	31	1,373	3%	37.2
Watery diarrhoea*	429	394	823	111.2	70	75	145	82	136	218	7	7	14	1,200	3%	32.6
Bloody diarrhoea*	1	1	2	0.3	2	0	2	0	0	0	1	1	2	6	0%	0.2
Skin infection	284	318	602	81.3	250	314	564	290	301	591	19	10	29	1,786	4%	48.5
Eye infection	173	137	310	41.9	100	79	179	205	178	383	28	17	45	917	2%	24.9
Ear infection	277	223	500	67.5	132	164	296	182	316	498	23	19	42	1,336	3%	36.2
Dental Conditions	58	60	118	15.9	440	431	871	1,265	1,324	2,589	26	21	47	3,625	8%	98.3
Intestinal Worms	72	80	152	20.5	122	109	231	12	25	37	13	0	13	433	1%	11.7
Acute Jaundice Syndrome*	23	18	41	5.5	8	1	9	1	1	2	0	0	0	52	0%	1.4
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	1,764	1,915	3,679	496.9	1,794	2,387	4,181	3,730	6,332	10,062	359	415	774	18,696	39%	507.2
Total	7,670	6,768	14,438	1950.1	5,540	6,342	11,882	8,243	11,764	20,007	627	685	1,312	47,639	100%	1292.4
% by age group			30%				25%		42%			3%		100%		

* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	1	1	6	14	20	229	274	503	175	248	423	947	21%
Hypertension	0	0	0	0	0	0	347	525	872	296	434	730	1,602	36%
Asthma	131	63	194	82	49	131	71	99	170	27	33	60	555	12%
Ischaemic heart disease	0	0	0	0	0	0	72	43	115	157	39	196	311	7%
Cardiovascular disease (other)	2	0	2	2	2	4	36	35	71	25	15	40	117	3%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	10	6	16	27	9	36	52	1%
Liver disease	0	1	1	0	2	2	0	3	3	0	1	1	7	0%
Thyroid problems	3	3	6	7	4	11	34	153	187	4	21	25	229	5%
Cancer	0	0	0	0	0	0	1	5	6	1	1	2	8	0%
Other	39	33	72	37	35	72	164	180	344	98	79	177	665	15%
Total	175	101	276	134	106	240	964	1,323	2,287	810	880	1,690	4,493	100%
% by age group			6%			5%			51%			38%		100%

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	8	25	33	142	53	195	145	124	269	3	12	15	512	29%
2. Alcohol and other substance use disorder	0	0	0	0	0	0	28	1	29	0	0	0	29	2%
3. Psychotic disorder (including mania)	0	0	0	10	3	13	56	71	127	0	6	6	146	8%
4. Intellectual disability	1	1	2	21	10	31	9	8	17	2	5	7	57	3%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	22	24	46	210	347	557	10	10	20	623	35%
6. Medically unexplained somatic complaint	0	0	0	2	1	3	38	16	54	0	3	3	60	3%
Other psychological complaints	1	0	1	89	128	217	70	75	145	1	1	2	365	20%
Total	10	26	36	286	219	505	556	642	1,198	16	37	53	1,792	100%
% by age group			2%			28%			67%			3%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	1	4	5	4	2	6	6	3	9	1	0	1	21	1%
2. Injury (war related)	26	20	46	17	12	29	16	7	23	0	1	1	99	5%
3. Injury (Burns)	43	43	86	10	8	18	15	4	19	0	0	0	123	7%
4. Assault (with weapon non-war related)	0	0	0	0	1	1	1	1	2	0	0	0	3	0%
Other	426	280	706	270	121	391	228	211	439	25	31	56	1,592	87%
Total	496	347	843	301	144	445	266	226	492	26	32	58	1,838	100%
% by age group			46%			24%			27%			3%	100%	

3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	46	46	0	752	752	798	95.3%
2. Urethral discharge	0	0	0	1	0	1	1	0.1%
3. Genital ulcer	0	0	0	0	1	1	1	0.1%
3. Lower abdominal pain	0	0	0	0	37	37	37	4.4%
Other	0	0	0	0	0	0	0	0%
Total	0	46	46	1	790	791	837	100%
% by age group			5%			95%	100%	

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	0	1	1	1	4	5	0	6	6	0	0	0	12	
Total admissions	258	97	355	31	47	78	32	387	419	0	1	1	853	
Number of exits	authorized	250	90	340	29	48	77	32	336	368	0	1	1	786
	unauthorized	2	1	3	0	2	2	0	54	54	0	0	0	59
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
referral	3	4	7	3	0	3	0	0	0	0	0	0	10	
Total exits	255	95	350	32	50	82	32	390	422	0	1	1	855	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	

Number of days in reporting period	91
Number of beds	26
Sum number of days stay for authorised discharges	1,660
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.1
Bed occupancy	76%
Hospitalisation rate (/1000 population/month)	7.7

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	213	0	0%	49	0	0%	0	0	0%	0	0	262	0	0%
2. General Surgery	142	0	0%	11	0	0%	92	0	0%	1	0	246	0	0%
3. Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4. Internal medicine	0	0		0	0		0	0		0	0	0	0	
5. Obstetrics	0	0		18	0	0%	314	0	0%	0	0	332	0	0%
6. Gynaecology	0	0		0	0		13	0	0%	0	0	13	0	0%
7. Other	0	0		0	0		0	0		0	0	0	0	
Total	355	0	0%	78	0	0%	419	0	0%	1	0	853	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5.1 Referrals by location

	0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1. MOH Hospital	46	46	70	70	108	108	6	6	230
2. Jordan University Hospital	210	210	210	210	214	214	32	32	666
3. Private affiliated Hospital	486	486	494	494	671	671	109	109	1,760
4. Royal Medical Services	1	1	0	0	0	0	0	0	1
5. Other	0	0	0	0	0	0	0	0	0

Total number of referred cases out side the camp **2,657**

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	490	490	95	95	1	1	0	0	586
2.	Internal medicine	33	33	176	176	326	326	54	54	589
3.	Obstetric	0	0	0	0	45	45	0	0	45
4.	Gynaecological	0	0	4	4	28	28	0	0	32
5.	Surgical	170	170	382	382	440	440	56	56	1048
6.	Other	50	50	117	117	153	153	37	37	357

	Total
Number of laboratory tests conducted	18,241

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	37	407	444
First antenatal visit > 1st trimester	22	240	262

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	63%

8.2 Antenatal care in facility

	≥ 4 ANC visits	2 TT doses	anaemia screening	
Number of pregnant women at time of delivery who received:	11	10	19	214
		72	345	82
				364

Coverage of complete antenatal care	58%
Coverage of antenatal tetanus immunisation	22%
Coverage of anaemia screening in pregnancy	99%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	19	347	366
Still births	0	3	3
Low birth weight (<2500 g)	0	21	21
Attended by skilled health worker	19	334	353
Number of obstetric complications treated	1	18	19
Number of caesarean sections performed	1	76	77

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.3
Proportion of births attended by skilled health worker (excl. TBA)	96%
Proportion of low birth weight deliveries	6%
Proportion of all births performed by caesarean section	21%
Proportion of obstetric complications treated among girls < 18	5%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	17	300	317

Postnatal Indicators	
Coverage of complete postnatal care	87%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	14	366	529	230	1,139
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	35	25	6	66
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	1	55	0	0	56
Condom (Male)	28	726	430	94	1278
Other	7	44	0	42	93

	< 18	≥ 18
Family Planning Counseling*	121	2,901

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	10	10

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on

Contact
Information

UNHCR
Adam Musa Khalifa
Email: KHALIFAA@unhcr.org

We gratefully
acknowledge the contributions of
the following agencies:

