

**1. Population**

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F					
Refugee population	1,609	1,533	3,142	5,886	5,626	11,512	14,182	13,411	27,593	16,081	16,266	32,347	850	1,183	2,033	76,627
% by age group			4%			15%			36%			42%			3%	100%

**2. Mortality**
**2.1 Mortality**

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	2	2	3	0	3	5	14%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5. Cardiovascular disorders (other)	1	0	1	7%	0	0	0	0	1	1	2	2	4	6	17%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	1	4	5	5	14%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	3%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	3%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	5	4	9	64%	0	0	0	0	0	0	0	0	0	9	26%
13. Other	2	2	4	29%	0	1	1	0	1	1	0	2	2	8	23%
<b>Total</b>	<b>8</b>	<b>6</b>	<b>14</b>	<b>100%</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>4</b>	<b>4</b>	<b>7</b>	<b>9</b>	<b>16</b>	<b>35</b>	<b>100%</b>
% by age group			40%			3%			11%			46%	100%		

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.1	0.2	0.1
Under 5 Mortality Rate (USMR) (/1000/month)	0.3	0.3	0.3
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			13.1

**2.2 Maternal death**

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

**3. Morbidity**
**3.1 Staffing and service availability**

Number of full-time clinicians	44.4
Average number of full days on which each health facility was functioning	5.4
Total number of outpatient consultations	125,765
Health facility utilisation rate	6.2
Consultations per clinician per day	38

**3.2 Acute health conditions**

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	3,871	3,724	7,595	518	4,300	4,356	8,656	3,988	5,207	9,195	1,099	1,048	2,147	27,593	29%	360
Influenza-like illness (ILI)	2,430	2,266	4,696	320	2,271	2,284	4,555	1,874	2,177	4,051	659	695	1,354	14,656	16%	191
Lower Respiratory Tract Infection (LRTI)	542	495	1,037	71	670	619	1,289	545	516	1,061	249	253	502	3,889	4%	51
Watery diarrhoea*	18	22	40	3	23	15	38	16	11	27	1	3	4	109	0%	1
Bloody diarrhoea*	0	0	0	0	2	1	3	1	1	2	0	0	0	5	0%	0
Skin infection	803	877	1,680	115	762	938	1,700	555	700	1,255	186	204	390	5,025	5%	66
Eye infection	575	512	1,087	74	518	521	1,039	532	543	1,075	204	222	426	3,627	4%	47
Ear infection	924	886	1,810	124	741	672	1,413	552	585	1,137	313	183	496	4,856	5%	63
Dental Conditions	322	285	607	41	1,131	1,125	2,256	2,210	2,973	5,183	181	237	418	8,464	9%	110
Intestinal Worms	359	355	714	49	347	307	654	80	83	163	10	7	17	1,548	2%	20
Acute Jaundice Syndrome*	4	0	4	0	6	0	6	1	1	2	2	1	3	15	0%	0
Measles (suspected)*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
Meningitis (suspected)*	4	0	4	0	1	0	1	0	0	0	0	0	0	5	0%	0
Acute Flaccid Paralysis*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
Leishmaniasis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
Fever of unknown origin	181	181	362	25	168	197	365	162	195	357	153	141	294	1,378	1%	18
Tuberculosis (suspected)	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0%	0
Other	1,668	1,609	3,277	224	2,286	2,639	4,925	4,794	7,209	12,003	1,343	1,622	2,965	23,170	25%	302
<b>Total</b>	<b>11,701</b>	<b>11,212</b>	<b>22,913</b>	<b>1,564</b>	<b>13,226</b>	<b>13,674</b>	<b>26,900</b>	<b>15,310</b>	<b>20,202</b>	<b>35,512</b>	<b>4,400</b>	<b>4,616</b>	<b>9,016</b>	<b>94,341</b>	<b>100%</b>	<b>1,231</b>
% by age group			24%				29%			38%			10%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

**3.3 Chronic health conditions**

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	9	18	27	49	81	130	682	1,017	1,699	507	751	1,258	3,114	21%	
Hypertension	6	5	11	55	68	123	898	1,321	2,219	738	1,025	1,763	4,116	28%	
Asthma	321	260	581	366	389	755	346	350	696	178	129	307	2,359	16%	
Ischaemic heart disease	4	4	8	3	7	10	125	78	203	91	94	185	406	3%	
Cardiovascular disease (other)	37	26	63	5	1	6	41	24	65	32	36	68	202	1%	
Chronic obstructive pulmonary disease (COPD)	1	0	1	0	0	0	26	18	44	46	46	92	137	1%	
Liver disease	0	1	1	4	8	12	22	27	49	25	17	42	104	1%	
Thyroid problems	26	9	35	57	85	142	149	397	546	144	176	320	1,043	7%	
Cancer	0	0	0	0	5	5	14	22	36	24	9	33	74	1%	
Other	215	244	459	281	353	634	536	748	1,284	373	367	740	3,117	21%	
<b>Total</b>	<b>619</b>	<b>567</b>	<b>1,186</b>	<b>840</b>	<b>997</b>	<b>1,837</b>	<b>2,839</b>	<b>4,002</b>	<b>6,841</b>	<b>2,158</b>	<b>2,650</b>	<b>4,808</b>	<b>14,672</b>	<b>100%</b>	
% by age group			8%			13%			47%			33%	100%		

### 3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	3	3	6	63	86	149	364	235	599	0	0	0	754	28%
2. Alcohol and other substance use disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Psychotic disorder (including mania)	1	0	1	15	7	22	343	188	531	0	5	5	559	21%
4. Intellectual disability	0	0	0	33	73	106	132	31	163	0	0	0	269	10%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	7	7	14	472	518	990	0	0	0	1,004	38%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
Other psychological complaints	0	0	0	18	13	31	12	28	40	1	4	5	76	3%
<b>Total</b>	<b>4</b>	<b>3</b>	<b>7</b>	<b>136</b>	<b>186</b>	<b>322</b>	<b>1,324</b>	<b>1,000</b>	<b>2,324</b>	<b>1</b>	<b>9</b>	<b>10</b>	<b>2,663</b>	<b>100%</b>
% by age group			0%			12%			87%			0%	100%	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	1	1	2	5	2	7	1	0	1	0	0	0	10	0%
2. Injury (war related)	39	37	76	29	28	57	0	0	0	0	0	0	133	5%
3. Injury ( Burns)	127	118	245	122	103	225	65	101	166	47	28	75	711	25%
4. Assault (with weapon non-war related )	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
Other	169	147	316	318	236	554	470	427	897	123	109	232	1,999	70%
<b>Total</b>	<b>336</b>	<b>303</b>	<b>639</b>	<b>474</b>	<b>369</b>	<b>843</b>	<b>537</b>	<b>528</b>	<b>1,065</b>	<b>170</b>	<b>137</b>	<b>307</b>	<b>2,854</b>	<b>100%</b>
% by age group			22%			30%			37%			11%	100%	

### 3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	319	319	8	1,843	1,851	2,170	38%
2. Urethral discharge	0	0	0	0	0	0	0	0%
3. Genital ulcer	0	0	0	0	2	2	2	0%
3. Lower abdominal pain	0	112	112	0	602	602	714	13%
Other	0	243	243	48	2,515	2,563	2,806	49%
<b>Total</b>	<b>0</b>	<b>674</b>	<b>674</b>	<b>56</b>	<b>4,962</b>	<b>5,018</b>	<b>5,692</b>	<b>100%</b>
% by age group			12%			88%	100%	

## 4. In-patient Department

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total admissions	11	10	21	2	73	75	52	702	754	22	17	39	889	
Number of exits	authorized	11	8	19	2	47	49	52	449	501	22	18	40	609
	unauthorized	0	0	0	0	0	0	0	1	1	0	0	1	
	death	0	0	0	0	0	0	0	0	0	0	0	0	
	referral	3	6	9	12	36	48	18	283	301	4	3	7	365
<b>Total exits</b>	<b>14</b>	<b>14</b>	<b>28</b>	<b>14</b>	<b>83</b>	<b>97</b>	<b>70</b>	<b>733</b>	<b>803</b>	<b>26</b>	<b>21</b>	<b>47</b>	<b>975</b>	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	

Number of days in reporting period	98
Number of beds	344
Sum number of days stay for authorised discharges	743
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.2
Bed occupancy	3%
Hospitalisation rate (/1000/month)	3.7

### 4.2 In-patient Admissions and Deaths

	0 to 4			5 to 17			18 to 59			> 60			Total adm	Total deaths	Crude CFR
	Adm	Deaths	US CFR	Adm	Deaths	5-17 CFR	Adm	Deaths	18-59 CFR	Adm	Deaths	> 60 CFR			
1. Paediatric medicine	20	0	0%	0	0	0%	0	0	0%	0	0	0%	20	0	0%
2. General Surgery	1	0	0%	7	0	0%	102	0	0%	39	0	0%	149	0	0%
3. Injury (non-war related)	0	0	0%	0	0	0%	0	0	0%	0	0	0%	0	0	0%
4. Internal medicine	0	0	0%	0	0	0%	0	0	0%	0	0	0%	0	0	0%
5. Obstetrics	0	0	0%	60	0	0%	621	0	0%	0	0	0%	681	0	0%
6. Gynaecology	0	0	0%	8	0	0%	30	0	0%	0	0	0%	38	0	0%
7. Other	0	0	0%	0	0	0%	1	0	0%	0	0	0%	1	0	0%
<b>Total</b>	<b>21</b>	<b>0</b>	<b>0%</b>	<b>75</b>	<b>0</b>	<b>0%</b>	<b>754</b>	<b>0</b>	<b>0%</b>	<b>39</b>	<b>0</b>	<b>0%</b>	<b>889</b>	<b>0</b>	<b>0%</b>

Adm. = Admission; CFR = Case Fatality Rate

## 5. Referral

### 5.1 Referrals by location

	0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1. MOH Hospital	73	73	37	37	47	47	33	33	190
2. Jordan University Hospital	34	34	13	13	24	24	3	3	74
3. Private affiliated Hospital	160	160	128	128	531	531	91	91	910
4. Royal Medical Services	1	1	0	0	0	0	0	0	1
5. Other	0	0	0	0	0	0	0	0	0

Total No of referred cases outside the Camp 1,175

## 5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	233	233	25	25	0	0	0	0	258
2.	Internal medicine	14	14	53	53	159	159	107	107	333
3.	Obstetric	0	0	29	29	314	314	0	0	343
4.	Gynaecological	0	0	1	1	39	39	0	0	40
5.	Surgical	21	21	70	70	90	90	20	20	201
6.	Other	0	0	0	0	0	0	0	0	0

## 6. Laboratory

	Total
Number of laboratory tests conducted	30,279

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	219	815	1,034
First antenatal visit > 1st trimester	49	321	370

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	74%
--	-----

### 8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	59	596	655
	2 TT doses	59	596	655
	anaemia screening	59	596	655

Coverage of complete antenatal care	95%
Coverage of antenatal tetanus immunisation	95%
Coverage of anaemia screening in pregnancy	95%

### 8.3 Delivery care

	< 18	≥ 18	Total
Live births	61	626	687
Still births	0	0	0
Low birth weight (<2500 g)	0	4	4
Attended by skilled health worker	61	626	687
Number of obstetric complications treated	0	7	7
Number of caesarean sections performed	15	232	247

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	2.8
Proportion of births attended by skilled health worker (excl. TBA)	100.0%
Proportion of low birth weight deliveries	0.6%
Proportion of all births performed by caesarean section	36%
Proportion of obstetric complications treated among girls < 18	0%

### 8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	97	657	754

#### Postnatal Indicators

Coverage of complete postnatal care	110%
-------------------------------------	------

### 8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	19	374	37	1,237	1,667
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	3	58	0	83	144
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	1	76	0	17	94
Condom (Male)	16	169	17	435	637
Other	1	82	2	66	151

	< 18	≥ 18
Family Planning Counseling*	185	3,300

### 8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	1	1

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

<b>Data Sources</b>	1. Health Information System
---------------------	------------------------------

<b>Contact Information</b>	<b>Amman</b> Adam Musa Khalifa, UNHCR	Email: <a href="mailto:khalifaa@unhcr.org">khalifaa@unhcr.org</a>
----------------------------	--	---



UNHCR gratefully acknowledges the support of the following partners:

