

**1. Population**

Population	0 to <1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,619	1,542	3,161	5,847	5,560	11,407	14,324	13,581	27,905	16,182	16,363	32,545	860	1,211	2,071	77,089
% by age group			4%			15%			36%			42%			3%	100%

**2. Mortality**
**2.1 Mortality**

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	4%
5. Cardiovascular disorders (other)	1	0	1	8%	0	0	0	2	0	2	1	1	2	5	19%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	4%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	4%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	1	1	2	3	0	3	5	19%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	5	3	8	62%	0	0	0	0	0	0	0	0	0	8	30%
13. COVID-19	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14. Other	3	1	4	31%	0	0	0	0	0	0	2	0	2	6	22%
<b>Total</b>	<b>9</b>	<b>4</b>	<b>13</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>1</b>	<b>5</b>	<b>6</b>	<b>3</b>	<b>9</b>	<b>27</b>	<b>100%</b>
% by age group			48%				0%			19%			33%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.1
Under 5 Mortality Rate (USMR) (/1000/month)	0.4	0.2	0.3
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			13.2

**2.2 Maternal death**

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

**3. Morbidity**
**3.1 Staffing and service availability**

Number of full-time clinicians	39.4
Average number of full days on which each health facility was functioning	5.4
Total number of outpatient consultations	70,416
Health facility utilisation rate	3.7
Consultations per clinician per day	25

**3.2 Acute health conditions**

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	1,858	1,723	3,581	246	1,703	1,698	3,401	1,711	1,895	3,606	445	401	846	11,434	22%	148
Influenza-like illness (ILI)	882	867	1,749	120	825	829	1,654	735	726	1,461	388	360	748	5,612	11%	73
Lower Respiratory Tract Infection (LRTI)	430	400	830	57	360	370	730	305	270	575	187	190	377	2,512	5%	33
Watery diarrhoea*	93	82	175	12	56	49	105	29	36	65	24	14	38	383	1%	5
Bloody diarrhoea*	1	2	3	0	0	0	0	0	0	0	0	0	0	3	0%	0
Skin infection	420	503	923	63	474	537	1,011	471	532	1,003	233	208	441	3,378	6%	44
Eye infection	215	226	441	30	336	285	621	401	457	858	181	182	363	2,283	4%	30
Ear infection	434	391	825	57	371	425	796	378	400	778	187	132	319	2,718	5%	35
Dental Conditions	136	158	294	20	543	568	1,111	1,271	1,171	2,442	138	137	275	4,122	8%	53
Intestinal Worms	173	173	346	24	238	206	444	149	141	290	88	68	156	1,236	2%	16
Acute Jaundice Syndrome*	1	0	1	0	1	0	1	0	1	1	0	0	0	3	0%	0
Measles (suspected)*	0	1	1	0	0	0	0	0	0	0	0	1	1	2	0%	0
Meningitis (suspected)*	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0%	0
Acute Flaccid Paralysis*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
Leishmaniasis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
Fever of unknown origin	195	211	406	28	202	250	452	266	234	500	234	184	418	1,776	3%	23
Tuberculosis (suspected)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
COVID-19 (suspected)	0	0	0	0	4	0	4	9	1	10	3	3	6	20	0%	0
Other	1,400	1,269	2,669	183	1,627	1,756	3,383	3,951	5,481	9,432	981	1,196	2,177	17,661	33%	229
<b>Total</b>	<b>6,238</b>	<b>6,006</b>	<b>12,244</b>	<b>840</b>	<b>6,740</b>	<b>6,973</b>	<b>13,713</b>	<b>9,676</b>	<b>11,345</b>	<b>21,021</b>	<b>3,089</b>	<b>3,077</b>	<b>2,177</b>	<b>17,661</b>	<b>100%</b>	<b>689</b>
% by age group			23%				26%			40%			12%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

**3.3 Chronic health conditions**

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	15	17	32	14	59	73	566	795	1,361	382	573	955	2,421	22%
Hypertension	8	10	18	12	40	52	673	962	1,635	468	702	1,170	2,875	26%
Asthma	151	143	294	210	188	398	303	272	575	167	143	310	1,577	14%
Ischaemic heart disease	0	0	0	1	2	3	116	87	203	87	72	159	365	3%
Cardiovascular disease (other)	3	3	6	2	7	9	23	31	54	7	16	23	92	1%
Chronic obstructive pulmonary disease (COPD)	0	0	0	1	0	1	2	2	4	10	6	16	21	0%
Liver disease	0	0	0	0	0	0	2	4	6	0	5	5	11	0%
Thyroid problems	8	4	12	74	107	181	116	354	470	130	111	241	904	8%
Cancer	0	0	0	0	0	0	1	3	4	6	0	6	10	0%
Other	215	234	449	290	307	597	491	647	1,138	317	235	552	2,736	25%
<b>Total</b>	<b>400</b>	<b>411</b>	<b>811</b>	<b>604</b>	<b>710</b>	<b>1,314</b>	<b>2,293</b>	<b>3,157</b>	<b>5,450</b>	<b>1,574</b>	<b>1,863</b>	<b>3,437</b>	<b>11,012</b>	<b>100%</b>
% by age group			7%			12%			49%			31%	100%	

### 3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	4	1	5	118	86	204	266	196	462	0	0	0	671	27%
2. Alcohol and other substance use disorder	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
3. Psychotic disorder (including mania)	0	0	0	22	22	44	361	172	533	0	0	0	577	24%
4. Intellectual disability	0	0	0	37	48	85	99	55	154	0	0	0	239	10%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	6	19	25	414	456	870	0	0	0	895	37%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other psychological complaints	0	1	1	31	14	45	9	8	17	1	3	4	67	3%
<b>Total</b>	<b>4</b>	<b>2</b>	<b>6</b>	<b>214</b>	<b>189</b>	<b>403</b>	<b>1,149</b>	<b>888</b>	<b>2,037</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>2,450</b>	<b>100%</b>
% by age group			0%			16%			83%			0%	100%	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	2	0	2	0	0	0	1	0	1	3	0%
2. Injury (war related)	3	4	7	8	3	11	0	0	0	0	0	0	18	1%
3. Injury ( Burns )	35	13	48	105	115	220	99	106	205	82	79	161	634	29%
4. Assault (with weapon non-war related )	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
Other	166	134	300	243	199	442	266	224	490	143	121	264	1,496	70%
<b>Total</b>	<b>204</b>	<b>151</b>	<b>355</b>	<b>358</b>	<b>317</b>	<b>675</b>	<b>366</b>	<b>330</b>	<b>696</b>	<b>226</b>	<b>200</b>	<b>426</b>	<b>2,152</b>	<b>100%</b>
% by age group			16%			31%			32%			20%	100%	

### 3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	165	165	0	971	971	1,136	40%
2. Urethral discharge	0	0	0	0	0	0	0	0%
3. Genital ulcer	0	0	0	0	1	1	1	0%
3. Lower abdominal pain	0	114	114	0	728	728	842	30%
Other	0	89	89	1	766	767	856	30%
<b>Total</b>	<b>0</b>	<b>368</b>	<b>368</b>	<b>1</b>	<b>2,466</b>	<b>2,467</b>	<b>2,835</b>	<b>100%</b>
% by age group			13%			87%	100%	

## 4. In-patient Department

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
<b>Number at beginning of reporting period</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total admissions	8	6	14	2	54	56	36	563	599	4	0	4	673	
Number of exits	authorized	8	6	14	2	33	35	36	328	364	4	0	4	417
	unauthorized	0	0	0	0	0	0	0	2	2	0	0	2	
	death	0	0	0	0	0	0	0	0	0	0	0	0	
referral	0	0	0	0	21	21	0	237	237	0	0	0	258	
<b>Total exits</b>	<b>8</b>	<b>6</b>	<b>14</b>	<b>2</b>	<b>54</b>	<b>56</b>	<b>36</b>	<b>567</b>	<b>603</b>	<b>4</b>	<b>0</b>	<b>4</b>	<b>677</b>	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	

Number of days in reporting period	91
Number of beds	22
Sum number of days stay for authorised discharges	674
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.6
Bed occupancy	54%
Hospitalisation rate (/1000/month)	2.8

### 4.2 In-patient Admissions and Deaths

	0 to 4		US CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	13	0	0%	2	0	0%	0	0	0	0	0	15	0	0%
2. General Surgery	1	0	0%	1	0	0%	53	0	0%	2	0	57	0	0%
3. Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4. Internal medicine	0	0		0	0		0	0		0	0	0	0	
5. Obstetrics	0	0		53	0	0%	548	0	0%	0	0	601	0	0%
6. Gynaecology	0	0		0	0		4	0	0%	0	0	4	0	0%
7. Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	<b>14</b>	<b>0</b>	<b>0%</b>	<b>56</b>	<b>0</b>	<b>0%</b>	<b>605</b>	<b>0</b>	<b>0%</b>	<b>2</b>	<b>0</b>	<b>677</b>	<b>0</b>	<b>0%</b>

## 5. Referral

### 5.1 Referrals by location

	0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1. MOH Hospital	33	33	18	18	63	63	28	28	142
2. Jordan University Hospital	17	17	14	14	14	14	3	3	48
3. Private affiliated Hospital	108	108	174	174	519	519	72	72	873
4. Royal Medical Services	0	0	0	0	0	0	0	0	0
5. Other	0	0	0	0	0	0	0	0	0

Total No of referred cases outside the Camp 1,063

## 5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	102	102	42	42	0	0	0	0	144
2.	Internal medicine	18	18	34	34	142	142	73	73	267
3.	Obstetric	0	0	29	29	282	282	0	0	311
4.	Gynaecological	0	0	4	4	47	47	0	0	51
5.	Surgical	38	38	97	97	125	125	30	30	290
6	Other	0	0	0	0	0	0	0	0	0

## 6. Laboratory

	Total
Number of laboratory tests conducted	20,742

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	159	656	815
First antenatal visit > 1st trimester	38	463	501

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	62%
--	-----

### 8.2 Antenatal care in facility

	≥ 4 ANC visits	2 TT doses	anaemia screening	
Number of pregnant women at time of delivery who received:	53	53	53	599
	546	546	546	599
	599	599	599	599

Coverage of complete antenatal care	99%
Coverage of antenatal tetanus immunisation	99%
Coverage of anaemia screening in pregnancy	99%

### 8.3 Delivery care

	< 18	≥ 18	Total
Live births	53	551	604
Still births	0	0	0
Low birth weight (<2500 g)	0	2	2
Attended by skilled health worker	53	548	601
Number of obstetric complications treated	1	2	3
Number of caesarean sections performed	16	198	214

#### Delivery Indicators

Crude birth rate (/1000 population/ month)	2.5
Proportion of births attended by skilled health worker (excl. TBA)	99.5%
Proportion of low birth weight deliveries	0.3%
Proportion of all births performed by caesarean section	35%
Proportion of obstetric complications treated among girls < 18	2%

### 8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	23	386	409

#### Postnatal Indicators

Coverage of complete postnatal care	68%
-------------------------------------	-----

### 8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	23	377	21	926	1,347
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	33	0	86	119
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	0	102	0	12	114
Condom (Male)	7	116	8	362	493
Other	2	20	2	17	41

	< 18	≥ 18
Family Planning Counseling*	227	3,134

### 8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	1	0	0	1
No. of rape survivors examined within 72 hours	0	1	0	0	1
No. of rape survivors examined within 72 - 120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	1	0	0	1
No of female rape survivors given ECP within 120 hours		1		0	1
No of rape survivors given STI presumptive treatment within 2 weeks	0	1	0	0	1
No. cases of trauma in health centre due to domestic violence	0	3	0	0	3

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.5
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

<b>Data Sources</b>	1. Health Information System
---------------------	------------------------------

<b>Contact Information</b>	<b>Amman</b> Adam Musa Khalifa, UNHCR Email: khalifaa@unhcr.org
----------------------------	---



UNHCR gratefully acknowledges the support of the following partners:

