

1. Population

Population	0 to <1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,652	1,574	3,226	5,861	5,478	11,339	14,865	14,087	28,952	16,421	16,622	33,043	885	1,240	2,125	78,685
% by age group			4%			14%			37%			42%			3%	100%

2. Mortality

2.1 Mortality

ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	2%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	1	0	1	0	1	1	2	5%
5. Cardiovascular disorders (other)	1	1	2	12%	0	0	0	0	0	0	0	2	2	4	9%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	2%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	2	2	2	5%
8. Injury	1	0	1	6%	0	0	0	0	0	0	0	0	0	1	2%
9. Cancer	0	0	0	0%	0	1	1	2	1	3	1	0	1	5	11%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	3	5	8	47%	0	0	0	0	0	0	0	0	0	8	18%
13. COVID-19	1	0	1	6%	0	0	0	0	2	2	2	3	5	8	18%
14. Other	4	1	5	29%	2	1	3	2	0	2	1	1	2	12	27%
<b>Total</b>	<b>10</b>	<b>7</b>	<b>17</b>	<b>100%</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>5</b>	<b>4</b>	<b>9</b>	<b>4</b>	<b>10</b>	<b>14</b>	<b>44</b>	<b>100%</b>
% by age group				39%			9%			20%			32%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.2	0.2
Under 5 Mortality Rate (USMR) (/1000/month)	0.4	0.3	0.4
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			14.9

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	27.6
Average number of full days on which each health facility was functioning	4.5
Total number of outpatient consultations	77,716
Health facility utilisation rate	4.0
Consultations per clinician per day	48

3.2 Acute health conditions

NEW cases of disease only	0 to 4		Total <5	U5 incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	3,408	2,847	6,255	429	2,187	2,240	4,427	1,884	2,223	4,107	420	389	809	15,998	28%	198
Influenza-like illness (ILI)	633	585	1,218	84	629	643	1,272	411	607	1,018	152	167	319	3,827	7%	49
Lower Respiratory Tract Infection (LRTI)	209	177	386	27	121	92	213	96	117	213	48	35	83	895	2%	11
Watery diarrhoea*	60	57	117	8	3	3	6	7	3	10	0	2	2	135	0%	2
Bloody diarrhoea*	0	1	1	0	0	1	1	0	1	1	0	0	0	3	0%	0
Skin infection	506	500	1,006	69	445	683	1,128	421	613	1,034	193	160	353	3,521	6%	45
Eye infection	375	323	698	48	378	327	705	480	512	992	173	205	378	2,773	5%	35
Ear infection	502	527	1,029	71	368	321	689	218	254	472	134	100	234	2,424	4%	31
Dental Conditions	211	246	457	31	859	1,045	1,904	1,123	2,165	3,288	130	111	241	5,890	11%	75
Intestinal Worms	151	146	297	20	156	131	287	38	36	74	5	4	9	667	1%	8
Acute Jaundice Syndrome*	1	1	2	0	4	1	5	0	0	0	0	0	0	7	0%	0
Measles (suspected)*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
Meningitis (suspected)*	0	2	2	0	0	1	1	0	0	0	0	0	0	3	0%	0
Acute Flaccid Paralysis*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
Leishmaniasis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
Fever of unknown origin	10	3	13	1	0	1	1	0	0	0	0	0	0	14	0%	0
Tuberculosis (suspected)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
COVID-19 (suspected)	0	2	2	0	2	11	13	53	51	104	9	20	29	148	0%	2
COVID-19 (confirmed)	19	10	29	2	103	70	173	154	196	350	10	17	27	579	1%	7
Other	1,612	1,558	3,170	218	1,708	2,117	3,825	3,613	5,890	9,503	791	976	1,767	18,265	33%	232
<b>Total</b>	<b>7,697</b>	<b>6,985</b>	<b>14,682</b>	<b>1,008</b>	<b>6,963</b>	<b>7,687</b>	<b>14,650</b>	<b>8,498</b>	<b>12,668</b>	<b>21,166</b>	<b>2,065</b>	<b>2,186</b>	<b>4,251</b>	<b>54,749</b>	<b>100%</b>	<b>696</b>
% by age group				27%			27%			39%			8%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	1	1	8	30	38	606	1,030	1,636	364	689	1,053	2,728	28%
Hypertension	3	0	3	8	15	23	766	1,234	2,000	557	811	1,368	3,394	35%
Asthma	182	128	310	188	127	315	155	168	323	63	27	90	1,038	11%
Ischaemic heart disease	1	0	1	1	0	1	56	20	76	47	43	90	168	2%
Cardiovascular disease (other)	1	5	6	0	5	5	35	24	59	10	18	28	98	1%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	5	2	7	15	4	19	26	0%
Liver disease	2	0	2	3	15	18	32	28	60	33	26	59	139	1%
Thyroid problems	7	3	10	25	46	71	118	361	479	77	99	176	736	8%
Cancer	0	0	0	0	3	3	3	6	9	4	4	8	20	0%
Other	35	27	62	47	79	126	317	624	941	109	144	253	1,382	14%
<b>Total</b>	<b>231</b>	<b>164</b>	<b>395</b>	<b>280</b>	<b>320</b>	<b>600</b>	<b>2,093</b>	<b>3,497</b>	<b>5,590</b>	<b>1,279</b>	<b>1,865</b>	<b>3,144</b>	<b>9,729</b>	<b>100%</b>
% by age group			4%			6%			57%			32%	100%	

### 3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	6	10	16	98	96	194	239	170	409	1	2	3	622	29%
2. Alcohol and other substance use disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Psychotic disorder (including mania)	1	0	1	7	13	20	309	143	452	2	2	4	477	22%
4. Intellectual disability	0	0	0	22	43	65	78	21	99	1	0	1	165	8%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	6	27	33	318	336	654	6	2	8	695	32%
6. Medically unexplained somatic complaint	0	0	0	1	14	15	7	18	25	0	0	0	40	2%
Other psychological complaints	4	9	13	38	47	85	22	27	49	1	8	9	156	7%
<b>Total</b>	<b>11</b>	<b>19</b>	<b>30</b>	<b>172</b>	<b>240</b>	<b>412</b>	<b>973</b>	<b>715</b>	<b>1,688</b>	<b>11</b>	<b>14</b>	<b>25</b>	<b>2,155</b>	<b>100%</b>
% by age group			1%			19%			78%			1%	100%	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	2	1	3	6	1	7	7	3	10	0	1	1	21	1%
2. Injury (war related)	8	7	15	5	4	9	1	1	2	0	0	0	26	1%
3. Injury ( Burns )	54	33	87	24	10	34	7	17	24	0	3	3	148	8%
4. Assault (with weapon non-war related )	0	0	0	0	1	1	0	0	0	0	0	0	1	0%
Other	193	173	366	500	235	735	347	188	535	42	49	91	1,727	90%
<b>Total</b>	<b>257</b>	<b>214</b>	<b>471</b>	<b>535</b>	<b>251</b>	<b>786</b>	<b>362</b>	<b>209</b>	<b>571</b>	<b>42</b>	<b>53</b>	<b>95</b>	<b>1,923</b>	<b>100%</b>
% by age group			24%			41%			30%			5%	100%	

### 3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	388	388	0	2,195	2,195	2,583	83%
2. Urethral discharge	0	1	1	2	0	2	3	0%
3. Genital ulcer	0	0	0	1	0	1	1	0%
3. Lower abdominal pain	0	27	27	0	336	336	363	12%
Other	0	13	13	3	163	166	179	6%
<b>Total</b>	<b>0</b>	<b>429</b>	<b>429</b>	<b>6</b>	<b>2,694</b>	<b>2,700</b>	<b>3,129</b>	<b>100%</b>
% by age group			14%			86%	100%	

## 4. In-patient Department

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		
<b>Number at beginning of reporting period</b>	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions	0	0	0	0	42	42	0	495	495	0	0	0	537
Number of exits	authorized	0	0	0	23	23	0	244	244	0	0	0	267
	unauthorized	0	0	0	0	0	0	1	1	0	0	0	1
	death	0	0	0	0	0	0	0	0	0	0	0	0
referral	0	0	0	0	19	19	0	250	250	0	0	0	269
<b>Total exits</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>42</b>	<b>42</b>	<b>0</b>	<b>495</b>	<b>495</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>537</b>
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	10
Sum number of days stay for authorised discharges	349
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.3
Bed occupancy	77%
Hospitalisation rate (/1000/month)	2.3

### 4.2 In-patient Admissions and Deaths

	0 to 4			5 to 17			18 to 59			≥ 60			Total adm	Total deaths	Crude CFR
	Adm	Deaths	U5 CFR	Adm	Deaths	5-17 CFR	Adm	Deaths	18-59 CFR	Adm	Deaths	≥ 60 CFR			
1. Paediatric medicine	0	0		0	0		0	0		0	0		0	0	
2. General Surgery	0	0		0	0		0	0		0	0		0	0	
3. Injury (non-war related)	0	0		0	0		0	0		0	0		0	0	
4. Internal medicine	0	0		0	0		0	0		0	0		0	0	
5. Obstetrics	0	0		42	0	0%	495	0	0%	0	0		537	0	0%
6. Gynaecology	0	0		0	0		0	0		0	0		0	0	
7. COVID-19 (suspected)	0	0		0	0		0	0		0	0		0	0	
8. COVID-19 (confirmed)	0	0		0	0		0	0		0	0		0	0	
9. Other	0	0		0	0		0	0		0	0		0	0	
<b>Total</b>	<b>0</b>	<b>0</b>		<b>42</b>	<b>0</b>	<b>0%</b>	<b>495</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0</b>		<b>537</b>	<b>0</b>	<b>0%</b>

## 5. Referral

### 5.1 Referrals by location

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total	Grand total
	M	F		M	F		M	F		M	F		
1. MOH Hospital	53		53	46		46	103		103	31		31	233
2. Jordan University Hospital	1		1	3		3	8		8	0		0	12
3. Private affiliated Hospital	117		117	163		163	468		468	41		41	789
4. Royal Medical Services	0		0	0		0	0		0	0		0	0
5. Other	0		0	0		0	0		0	0		0	0

Total No of referred cases outside the Camp	1,034
---	-------

## 5.2 Referrals by service

	0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	≥ 60	Total	Grand total
1. Paediatrics	127	127	64	64	0	0	0	0	191
2. Internal medicine	10	10	34	34	123	123	49	49	216
3. Obstetric	0	0	24	24	365	365	0	0	389
4. Gynaecological	0	0	1	1	10	10	0	0	11
5. Surgical	34	34	89	89	81	81	23	23	227
6. Other	0	0	0	0	0	0	0	0	0

## 6. Laboratory

	Total
Number of laboratory tests conducted	33,181

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	180	963	1,143
First antenatal visit > 1st trimester	78	367	445

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	72%

### 8.2 Antenatal care in facility

	≥ 4 ANC visits	2 TT doses	anaemia screening	Total
Number of pregnant women at time of delivery who received:	42	495	495	537
	42	495	495	537
	42	495	495	537

Coverage of complete antenatal care	100%
Coverage of antenatal tetanus immunisation	100%
Coverage of anaemia screening in pregnancy	100%

### 8.3 Delivery care

	< 18	≥ 18	Total
Live births	42	495	537
Still births	0	0	0
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	42	495	537
Number of obstetric complications treated	18	157	175
Number of caesarean sections performed	10	187	197

Delivery Indicators	
Crude birth rate (/1000 population/ month)	2.3
Proportion of births attended by skilled health worker (excl. TBA)	100.0%
Proportion of low birth weight deliveries	0.0%
Proportion of all births performed by caesarean section	37%
Proportion of obstetric complications treated among girls < 18	43%

### 8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	85	403	488

Postnatal Indicators	
Coverage of complete postnatal care	91%

### 8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	275	527	333	1,150	2,285
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	14	64	46	51	175
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	28	85	0	21	134
Condom (Male)	116	361	145	960	1,582
Other	1	104	17	466	588

	< 18	≥ 18
Family Planning Counseling*	1,163	4,473

### 8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	1	1
No. of rape survivors examined within 72 hours	0	0	0	1	1
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	1	1
No of female rape survivors given ECP within 120 hours		0		1	1
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	1	1
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.5
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

<b>Data Sources</b>	1. Health Information System
---------------------	------------------------------

<b>Contact Information</b>	<b>Amman</b> Adam Musa Khalifa, UNHCR Email: khalifaa@unhcr.org
----------------------------	---



UNHCR gratefully acknowledges the support of the following partners:

