1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,356	1,291	2,647	3,944	3,843	7,787	13,049	12,225	25,274	12,774	14,471	27,245	654	965	1,619	64,572
% by age group			4%			12%			39%			42%			3%	100%

2. MORTALITY

2.1 Mortality

		< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
		M	F		M	F			M	F		M	F		M	F			
1	Neonatal death	2	0	2			0				0			0			0	2	9%
2	Maternal Death			0			0	0%		0	0		0	0			0	0	0%
3	URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4	Pneomonia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5	Bronchitis	0	0	0	0	1	1	0%	0	0	0	0	0	0	0	0	0	1	5%
6	LRTI (other)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7	Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8	Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9	Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10	Gastric and duedenal ulcer	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11	Appendicitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12	Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13	Meningitis (other)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14	HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15	Leishmaniasis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16	Acute malnutrition	0	1	1	0	0	0	14%	0	0	0	0	0	0	0	0	0	1	5%
17	Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
18	Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
19	Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
20	Cancer	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	5%
21	Cardiovascular disease (other)	0	0	0	0	0	0	0%	0	1	1	1	0	1	0	2	2	4	18%
22	Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	2	1	3	3	14%
23	Heart Failure	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
24	Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25	Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	5%
26	Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27	Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28	Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29	Renal disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30	Sickle cell disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31	Thyroid disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32	Alcohol-related disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33	Epilepsy/ Seizures	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34	Substance use disorders (benzodiazepine or other prescription medication)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35	Substance use disorders related to opiate use	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36	Self-harm/suicide	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37	Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38	Acute viral hepatitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39	Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40	COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41	Influenza-Like Illness (ILI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42	Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43	Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44	Mpox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45	Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46	Salmonelosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47	Severe Acute Respiratory Infections (SARI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49	Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50	Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51	Varicella (chickenpox)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
52	Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
53	Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
54	Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
55	Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
56	Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
57	Accidents	0	0	0	0	0	0	0%	1	0	1	0	0	0	0	0	0	1	5%
58	Unknown	0	0	0	1	0	1	0%	0	0	0	0	0	0	1	1	2	3	14%
59	Other	1	1	2	0	0	0	29%	1	1	2	0	0	0	1	0	1	5	23%
	Total	3	2	5	1	1	2	100%	2	2	4	1	0	1	5	5	10	22	100%
	% by age group			23%			9%				18%			5%			45%	55%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.1	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.3	0.2	0.2
Infant Mortality Rate (IMR) (/1000/month)	0.7	0.5	0.6
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			4.5

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

3. MORBIDITY

3.1 Staffing and service availability

Number of full-time clinicians	39.5
Average number of full days on which each health facility was functioning	5.1
Total number of outpatient consultations	**71,354**
Health facility utilisation rate	**3.3**
Consultations per clinician per day	**27**

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations (all causes combined)	22,443	31,320	**53,763**
New Non-Communicable Diseases (NCD) Consultations	55	121	**176**
New Mental Health (MH) Consultations	73	201	**274**
Re-visit Consultations (all causes combined)	5,278	12,313	**17,591**
TOTAL Consultations	**27,721**	**43,633**	**71,354**

3.2 Acute health conditions

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	URTI	2,204	1,817	4,021	385.4	1,648	1,581	3,229	1,085	1,774	2,859	151	203	354	10,463	26%	162.0
2	Pneumonia	17	7	24	2.3	9	3	12	11	5	16	4	7	11	63	0%	1.0
3	Bronchitis	83	54	137	13.1	42	41	83	43	23	66	3	3	6	292	1%	4.5
4	LRTI (other)	137	109	246	23.6	56	17	73	46	56	102	5	8	13	434	1%	6.7
5	Skin disease	420	447	867	83.1	386	620	1,006	299	727	1,026	33	51	84	2,983	8%	46.2
6	Eye disease	180	158	338	32.4	270	300	570	342	549	891	81	120	201	2,000	5%	31.0
7	Ear disease	244	208	452	43.3	234	271	505	177	374	551	44	41	85	1,593	4%	24.7
8	Dental conditions	61	44	105	10.1	823	1,000	1,823	898	1,766	2,664	50	84	134	4,726	12%	73.2
9	Intestinal worms	90	97	187	17.9	143	136	279	15	44	59	0	4	4	529	1%	8.2
10	Watery diarrhoea	271	211	482	46.2	36	30	66	6	10	16	3	1	4	568	1%	8.8
11	Bloody diarrhoea	0	0	0	0.0	2	0	2	0	0	0	0	0	0	2	0%	0.0
12	Gastric and duodenal ulcer	39	21	60	5.8	115	90	205	239	264	503	84	90	174	942	2%	14.6
13	Appendicitis	0	0	0	0.0	9	3	12	2	2	4	0	0	0	16	0%	0.2
14	Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.0
15	Tuberculosis (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Measles (suspected)	1	1	2	0.2	0	0	0	0	0	0	0	0	0	2	0%	0.0
17	Meningitis (suspected)	1	3	4	0.4	2	0	2	0	0	0	0	0	0	6	0%	0.1
18	Meningitis confirmed (other)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
19	HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20	Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21	Acute malnutrition	3	2	5	0.5	0	1	1	0	0	0	0	0	0	6	0%	0.1
22	Anaemia	245	183	428	41.0	176	369	545	89	762	851	5	31	36	1,860	5%	28.8
23	Acute Jaundice Syndrome	1	2	3	0.3	0	0	0	0	1	1	0	0	0	4	0%	0.1
24	Abortion	0	0	0	0.0	0	7	7	0	52	52	0	0	0	59	0%	0.9
25	Urinary Tract Infection	66	192	258	24.7	155	411	566	226	1,294	1,520	83	85	168	2,512	6%	38.9
26	Other acute health conditions	1,161	1,019	2,180	208.9	1,063	1,195	2,258	1,275	4,172	5,447	253	539	792	10,677	27%	165.4
	Total	5,224	4,575	9,799	939.1	5,169	6,075	11,244	4,753	11,876	16,629	799	1,267	2,066	39,738	100%	615.4
	% by age group			25%				28%			42%			5%	100%		

3.3 Notifiable diseases

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	Acute Flaccid Paralysis	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
2	Acute viral hepatitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	ILI	78	64	142	13.6	178	158	336	72	140	212	17	11	28	718	84%	11.1
5	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Mpox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Rabies	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Rubella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11	Salmonelosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12	Severe Acute Respiratory Infections (SARI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15	Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Varicella (chickenpox)	20	19	39	3.7	43	47	90	2	4	6	0	0	0	135	16%	2.1
17	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
18	Whooping cough	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
19	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
	Total	99	83	182	17.4	221	205	426	74	144	218	17	11	28	854	100%	13.2
	% by age group			21%				50%			26%			3%	100%		

3.4 Chronic health conditions

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Asthma	147	67	214	43	29	72	104	247	351	21	94	115	752	5%
2	Cancer	0	1	1	0	2	2	75	20	95	119	6	125	223	1%
3	Cardiovascular disease (other)	4	7	11	1	5	6	88	130	218	94	94	188	423	3%
4	Ischaemic heart disease	0	0	0	0	0	0	118	107	225	94	116	210	435	3%
5	Heart Failure	2	0	2	0	0	0	60	72	132	59	78	137	271	2%
6	Chronic obstructive pulmonary disease	0	0	0	3	8	11	127	108	235	101	59	160	406	2%
7	Diabetes	0	5	5	14	19	33	726	1,536	2,262	380	787	1,167	3,467	21%
8	Hypertension	0	1	1	1	3	4	1,085	1,987	3,072	625	1,138	1,763	4,840	30%
9	Liver disease	0	1	1	2	1	3	3	7	10	1	2	3	17	0%
10	Musculoskeletal disorders	23	24	47	100	93	193	564	905	1,469	143	257	400	2,109	13%
11	Renal disease	3	0	3	4	3	7	28	44	72	13	33	46	128	1%
12	Sickle cell disease	0	0	0	0	0	0	1	3	4	0	2	2	6	0%
13	Thyroid disorders	9	8	17	15	40	55	52	802	854	16	103	119	1,045	6%
14	Other NCDs	29	9	38	42	55	97	455	961	1,416	324	348	672	2,223	14%
	Total	217	123	340	225	258	483	3,486	6,929	10,415	1,990	3,117	5,107	16,345	100%
	% by age group			2%			3%			64%			31%	100%	

3.5 Mental health

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	46	43	89	97	78	175	199	197	396	6	5	11	671	38%
2	Alcohol/Substance abuse	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3	Substance use disorders related to opiate use	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4	Substance use disorders related to benzodiazepine or other prescription medication	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5	Other substance use disorders	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Intellectual disability	17	16	33	51	50	101	7	5	12	0	0	0	146	8%
7	Development disorders	1	4	5	9	8	17	0	0	0	0	0	0	22	1%
8	Acute psychosis	0	0	0	15	10	25	56	34	90	0	0	0	115	7%
9	Chronic psychosis	0	0	0	0	2	2	98	69	167	0	0	0	169	10%
10	Bipolar disorders (Mania)	0	0	0	0	0	0	58	37	95	0	0	0	95	5%
11	Dementia	0	0	0	0	0	0	0	0	0	9	12	21	21	1%
12	Delirium	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
13	Moderate-severe depression	0	0	0	5	18	23	87	100	187	3	3	6	216	12%
14	Posttraumatic stress disorder	0	0	0	8	11	19	11	9	20	0	0	0	39	2%
15	Moderate-severe forms of anxiety disorder and mixed presentations	0	0	0	13	22	35	77	90	167	1	3	4	206	12%
16	Medically unexplained somatic complaint	0	0	0	0	0	0	3	3	6	0	0	0	6	0%
17	Self-harm/ suicide attempt	0	0	0	0	1	1	0	1	1	1	0	1	3	0%
18	Acute stress	0	0	0	3	3	6	5	9	14	1	0	1	21	1%
19	Grief	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
20	Other psychological complaint	0	0	0	10	4	14	3	5	8	0	0	0	22	1%
	Total	64	63	127	211	207	418	605	559	1,164	21	23	44	1,753	100%
	% by age group			7%			24%			66%			3%	100%	

3.6 Injuries

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Bites	15	4	19	38	4	42	33	14	47	4	4	8	116	5%
2	Assault	0	1	1	0	1	1	1	0	1	0	0	0	3	0%
3	Accidents	161	131	292	682	269	951	342	204	546	20	25	45	1,834	82%
4	Other	29	25	54	82	39	121	69	33	102	7	8	15	292	13%
	Total	205	161	366	802	313	1,115	445	251	696	31	37	68	2,245	100%
	% by age group			16%			50%			31%			3%	100%	

3.7 Reproductive Tract Infections

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2	Vaginal discharge syndrome	0	0	0	0	36	36	0	733	733	0	1	1	770	96%
3	Genital ulcer disease	0	0	0	0	0	0	0	0	0	0	1	1	1	0%
4	Pelvic inflammatory disease	0	0	0	0	0	0	0	2	2	0	0	0	2	0%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	2	2	0	28	28	0	0	0	30	4%
	Total	0	0	0	0	38	38	0	763	763	0	2	2	803	100%
	% by age group			0%			5%			95%			0%	100%	

4. INPATIENT DEPARTMENT (In-Camp)

4.1 In-patient Department Activities

	< 1	1 to 4	5 to 17	18 to 59	≥ 60	Grand total
Number at beginning of reporting period	0	0	0	0	0	0
New admissions	0	0	91	354	0	445

Number of exits	authorized	0	0	0	6	0	6
	unauthorized	0	0	0	0	0	0
	death	0	0	0	0	0	0
	referral	0	0	91	348	0	439
	Deaths within 24 hours	0	0	0	0	0	0
Total exits		0	0	91	354	0	445
Number at end of reporting period		0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	10
Sum number of days stay for all discharges	111
Average length of stay (days)	18.4
Bed occupancy	12%
Hospitalisation rate- in-camp (/1000/month)	2.3

4.2 In-patient Admissions and Deaths

		0 to 4		0-4 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		≥ 60 CFR	Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths				
1	Paediatric medicine	0	0		0	0		0	0		0	0		0	0	
2	General Surgery	0	0		0	0		0	0		0	0		0	0	
3	Internal medicine	0	0		0	0		0	0		0	0		0	0	
4	Obstetrics	0	0		14	0	0%	144	0	0%	283	0	0%	441	0	0%
5	Gynaecology	0	0		0	0		0	0		0	0		0	0	
8	Other	0	0		0	0		0	0		0	0		0	0	
	Total	0	0		14	0	0%	144	0	0%	283	0	0%	441	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5. LABORATORY

	Total
Number of laboratory tests conducted	23,376

6. REFERRALS

6.1 Referrals by location

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	MOH Hospital	278	242	940	57	1,517
2	Jordan University Hospital	0	0	0	0	0
3	Private affiliated Hospital	5	40	280	157	482
4	Royal Medical Services	0	7	50	22	79
5	Other	0	0	0	0	0

Number of referrals to out-of-camp hospitals for secondary and emergency healthcare	2,078
Referral Rate (/1000/month)	10.7

6.2 Referrals by service

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	Paediatrics	199	15	0	0	214
2	Internal medicine	42	140	512	222	916
3	Obstetric	0	31	660	0	691
4	Gynaecological	0	4	35	1	40
5	Surgical	42	99	63	13	217
6	Other	0	0	0	0	0

7. REPRODUCTIVE HEALTH

7.1 Antenatal care

		< 20	≥ 20	Total
1	First antenatal visit (during the first trimester)	122	450	572
2	First antenatal visit (after the first trimester)	47	207	254
	First antenatal visit (TOTAL)	169	657	826
3	Repeat antenatal visit	833	2,828	3,661
4	High risk pregnancies detected	112	1,190	1,302
5	Tested for anaemia at ANC 1st contact/visit	88	704	792
6	Confirmed anemia (Hb<10) at ANC 1st contact/visit	2	133	135
7	Received breastfeeding counsellling	122	468	590
8	Tested for urine protein	122	489	611
9	Tested positive for urine protein	24	112	136

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	69%

7.2 Antenatal care coverage at time of delivery

		< 20	≥ 20	Total
Number of pregnant women at time of delivery who:	Received 4 or more antenatal visits	92	354	446
	Received 2 doses of TT vaccine during antenatal period	92	354	446
	Were screened for anemia during antenatal period	92	359	451

	Were screened for proteinuria during antenatal period	92	359	451

Coverage of complete antenatal care	100%
Coverage of antenatal tetanus immunisation	100%
Coverage of anaemia screening in pregnancy	102%
Coverage of proteinuria screening in pregnancy	102%

7.3 Delivery care

		Health Facility		Home Delivery		Total
		< 20	≥ 20	< 20	≥ 20	
1	Livebirths	92	352	0	0	444
2	Stillbirths	0	1	0	0	1
3	Newborns breastfed within 1 hour of birth	92	349	0	0	441
4	Neonatal death	0	1	0	0	1
5	Low birth weight (< 2500g)	1	4	0	0	5
6	Attended by a skilled health worker (excluding TBA)	92	351	0	0	443
7	Obstetric complications	0	0	0	0	0
8	Obstetric complications referred	20	81	0	0	101
9	Caesarean sections performed	20	128	0	0	148
10	Abortions	7	47	0	0	54

Delivery Indicators	
Crude birth rate (/1000 population/ month)	2.3
Proportion of births attended by skilled health worker (excl. TBA)	99.8%
Proportion of low birth weight deliveries	1%
Proportion of all births performed by caesarean section	33%

7.4 Special procedures in maternity

		< 20	≥ 20	Total
1	Blood transfusion	3	15	18
2	Cervical tear repair	0	0	0
3	Episiotomy	51	27	78
4	Laceration (perineal tear) repaired	0	0	0
5	Magnesium sulphate given for pre-eclampsia /eclampsia	0	6	6
6	Management to prevent (and/or treat) obstetric fistula	0	0	0
7	Manual exploration of the uterus	0	0	0
8	Manual removal of placenta	0	0	0
9	Neonatal resuscitation	0	0	0
10	Parenteral antibiotics given for peripartum infection	0	0	0
11	Post-abortion care (Manual vcauum aspiration or curettage)	0	0	0
12	Repair of ruptured uterus	0	0	0
13	Shoulder dystocia management	0	0	0
14	Uterotonic (oxytocin) given to manage postpartum hemorrhage	0	0	0
15	Vaginal breech delivery	0	0	0
16	VBAC (Vaginal Birth After Caesarian)	6	27	33
17	Other	0	0	0

7.5 Postnatal care

		< 20	≥ 20	Total
1	Attended for 1st PNCl visit within 24 hours of delivery	92	354	446
2	Attended for 2nd PNC visit within 48-72 hrs of delivery	21	90	111
3	Attended for 3rd PNC visit within 7-14 days of delivery	28	95	123
4	Attended for 4th PNC visit within 6 weeks of delivery	12	52	64

Postnatal Indicator	
Coverage of complete postnatal care	14%

7.6 Family planning

	New Users				Repeat Users				Discontinued Users				Total
	< 20		≥ 20		< 20		≥ 20		< 20		≥ 20		
	M	F	M	F	M	F	M	F	M	F	M	F	
Combined pill (low dose)		12		94		22		337		0		0	465
Combined pill (highdose)		9		29		45		567		0		40	650
Progesterone pill (Micro-val; Micro-lut)		15		56		19		101		0		10	191
Emergency contraceptive pill		0		0		0		0		0		0	0
Injectable (Depo-Provera)		6		40		6		97		0		15	149
Implantable (Norplant)		2		35		6		3		0		0	46
Intra-uterine device (IUD)		7		50		1		29		0		11	87
Condom (male)	7		52		42		433		0		44		534
Condom (female)		1		23		0		32		0		0	56
Sterilisation (male)	0		0		0		0		0		0		0
Sterilisation (female)		0		0		0		0		0		0	0
Counseling (only)	0	1	0	11	0	1	0	1	0	0	0	0	14
Other	0	1	0	12	0	0	0	1	0	0	0	0	14

7.7 Sexual and gender-based violence

	< 20		≥ 20		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
Rape survivors examined within 72 hours	0	0	0	0	0
Rape survivors examined within 72 -120 hours	0	0	0	0	0
Rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
Rape survivors examined after 2 weeks	0	0	0	0	0
Rape survivors given PEP within 72 hours	0	0	0	0	0
Female rape survivors given ECP within 120 hours	0	0	0	0	0
Rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
Rape survivors referred for MHPSS	0	0	0	0	0
Rape survivors referred for protection or other services	0	0	0	0	0
Cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

8. NUTRITION

8.1 Outpatient Therapeutic Program

		0 to 5 months		6 to 23 months		24 to 59 months	
		M	F	M	F	M	F
	Number at beginning of reporting period	0	0	2	4	2	2
1	Number of new admissions (WHF/BMI, MUAC, oedema)	0	0	1	2	0	0
2	Number of relapse	0	0	0	1	0	0
3	Number of rereadmissions	0	0	1	1	0	0
4	Number moved in from SC/OTP	0	0	0	0	0	0
5	Numner of Exits- Recovered	0	0	1	2	0	0
6	Number of Exits - Non response	0	0	0	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0
8	Number of Exits - Moved to other OTP	0	0	0	1	0	0
9	Number of Exists- Moved to TSFP	0	0	1	0	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	1	0
12	Number of Exits- Defaulter	0	0	1	0	0	0
13	Other Exits	0	0	0	0	0	0
	Number at end of reporting period	0	0	1	5	1	2
14	Sum number of days stay for exit promoted to TSFP and recovered (< 5)				387		
15	Sum average weight gain for exit promoted to TSFP and recovered (< 5)				10		

8.2 Targeted Supplementary Feeding Program

		0 to 5 months		6 to 23 months		24 to 59 months		HIV/TB		PLWs
		M	F	M	F	M	F	M	F	
	Number at beginning of reporting period	0	0	13	9	2	3	0	0	39
1	Number of New admissions (WFH/BMI, MUAC)	0	0	5	7	0	1	0	0	10
2	Number of readmissions	0	0	4	2	1	0	0	0	4
3	Number of relapse	0	0	2	1	0	0	0	0	0
4	Other admissions	0	0	0	0	0	0	0	0	1
5	Number of Exits- Recovered	0	0	6	3	1	1	0	0	3
6	Number of Exits - Non response	0	0	2	2	0	0	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0	0	0	0
8	Number of Exits - Moved to OTP	0	0	0	0	0	0	0	0	0
9	Number of Exits - Moved to other TSFP	0	0	0	0	0	0	0	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	0	0	0	0	0
12	Number of Exits- Defaulter	0	0	4	2	0	1	0	0	8
13	Other exits	0	0	0	0	0	0	0	0	0
	Number at end of reporting period	0	0	13	12	2	2	0	0	43
14	Sum number of days stay for discharged children (< 5)				1,248					
15	Sum average weight gain for discharged children (< 5)				12					

8.3 MUAC Screening

		6 to 23 months		24 to 59 months		PLWs
		M	F	M	F	
1	Screened - Green (normal)	784	859	1,072	1,096	757
2	Screened - Yellow (borderline)	4	6	0	0	2
3	Screened - Red (danger)	1	3	0	0	0
4	Screened - Oedema	0	0	0	0	0

UNHCR gratefully acknowledges the support of the following partners: