1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	694	656	1,350	2,570	2,553	5,123	8,286	7,902	16,187	7,408	7,921	15,329	291	404	695	38,685
% by age group			3%			13%			42%			40%			2%	100%

2. MORTALITY

2.1 Mortality

		< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
		M	F		M	F			M	F		M	F		M	F			
1	Neonatal death	4	8	12			0	75%			0			0			0	12	26%
2	Maternal Death			0			0	0%		0	0		0	0			0	0	0%
3	URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4	Pneomonia	0	1	1	0	1	1	13%	0	1	1	0	0	0	0	1	1	4	9%
5	Bronchitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6	LRTI (other)	0	0	0	0	0	0	0%	0	0	0	3	0	3	0	0	0	3	7%
7	Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8	Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9	Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10	Gastric and duedenal ulcer	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11	Appendicitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12	Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13	Meningitis (other)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14	HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15	Leishmaniasis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16	Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17	Anaemia	0	0	0	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	2%
18	Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
19	Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
20	Cancer	0	0	0	0	0	0	0%	0	0	0	1	0	1	0	2	2	3	7%
21	Cardiovascular disease (other)	0	0	0	0	0	0	0%	1	0	1	3	0	3	2	0	2	6	13%
22	Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	1	0	1	3	0	3	4	9%
23	Heart Failure	0	0	0	0	0	0	0%	0	0	0	0	1	1	1	0	1	2	4%
24	Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25	Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	2%
26	Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	2%
27	Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28	Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29	Renal disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	2%
30	Sickle cell disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31	Thyroid disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32	Alcohol-related disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33	Epilepsy/ Seizures	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34	Substance use disorders (benzodiazepine or other prescription medication)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35	Substance use disorders related to opiate use	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36	Self-harm/suicide	0	0	0	0	0	0	0%	0	1	1	0	0	0	0	0	0	1	2%
37	Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38	Acute viral hepatitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39	Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
55	COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40	Influenza-Like Illness (ILI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41	Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42	Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43	Mpox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44	Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45	Salmonelosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46	Severe Acute Respiratory Infections (SARI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48	Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49	Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50	Varicella (chickenpox)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51	Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
52	Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
53	Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
54	Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
55	Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
56	Accidents	0	0	0	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	2%
57	Unknown	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
58	Other	0	0	0	2	0	2		1	0	1	0	0	0	0	3	3	6	13%
	Total	4	9	13	2	1	3	100%	2	2	4	8	3	11	8	7	15	46	100%
	% by age group			28%			7%				9%			24%			33%	67%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.2	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.3	0.5	0.2
Infant Mortality Rate (IMR) (/1000/month)	1.0	2.3	0.8
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			16.9

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

3. MORBIDITY

3.1 Staffing and service availability

Number of full-time clinicians	20.8
Average number of full days on which each health facility was functioning	5.3
Total number of outpatient consultations	225,470
Health facility utilisation rate	4.2
Consultations per clinician per day	39

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations (all causes combined)	69,831	91,161	160,992
New Non-Communicable Diseases (NCD) Consultations	247	325	572
New Mental Health (MH) Consultations	64	79	143
Re-visit Consultations (all causes combined)	24,089	40,389	64,478
TOTAL Consultations	93,920	131,550	225,470

3.2 Acute health conditions

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	URTI	8,825	7,452	16,277	2514.7	9,669	9,409	19,078	7,399	10,932	18,331	373	829	1,202	54,888	33%	1418.9
2	Pneumonia	32	24	56	8.7	30	18	48	10	27	37	7	6	13	154	0%	4.0
3	Bronchitis	676	524	1,200	185.4	275	207	482	236	252	488	30	46	76	2,246	1%	58.1
4	LRTI (other)	453	344	797	123.1	180	162	342	153	227	380	24	38	62	1,581	1%	40.9
5	Skin disease	647	732	1,379	213.0	926	1,132	2,058	759	1,475	2,234	58	83	141	5,812	4%	150.2
6	Eye disease	267	198	465	71.8	450	352	802	695	595	1,290	25	54	79	2,636	2%	68.1
7	Ear disease	575	417	992	153.3	483	654	1,137	702	1,686	2,388	53	97	150	4,667	3%	120.6
8	Dental conditions	209	153	362	55.9	4,231	5,074	9,305	5,538	11,397	16,935	178	342	520	27,122	16%	701.1
9	Intestinal worms	135	158	293	45.3	571	576	1,147	149	233	382	5	8	13	1,835	1%	47.4
10	Watery diarrhoea	407	339	746	115.3	179	179	358	173	247	420	8	7	15	1,539	1%	39.8
11	Bloody diarrhoea	1	1	2	0.3	2	0	2	1	2	3	0	0	0	7	0%	0.2
12	Gastric and duodenal ulcer	127	135	262	40.5	133	187	320	326	376	702	6	20	26	1,310	1%	33.9
13	Appendicitis	0	0	0	0.0	5	8	13	1	6	7	0	0	0	20	0%	0.5
14	Tuberculosis (suspected)	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
15	Tuberculosis (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Measles (suspected)	1	0	1	0.2	0	0	0	0	0	0	0	0	0	1	0%	0.0
17	Meningitis (suspected)	7	5	12	1.9	7	3	10	0	1	1	0	0	0	23	0%	0.6
18	Meningitis confirmed (other)	2	0	2	0.3	1	0	1	0	0	0	0	0	0	3	0%	0.1
19	HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20	Leishmaniasis	0	0	0	0.0	1	0	1	1	0	1	0	0	0	2	0%	0.1
21	Acute malnutrition	0	0	0	0.0	0	3	3	1	3	4	0	0	0	7	0%	0.2
22	Anaemia	253	179	432	66.7	211	294	505	48	1,086	1,134	6	7	13	2,084	1%	53.9
23	Acute Jaundice Syndrome	0	3	3	0.5	0	2	2	2	2	4	0	0	0	9	0%	0.2
24	Abortion	7	3	10	1.5	0	2	2	0	60	60	0	0	0	72	0%	1.9
25	Urinary Tract Infection	86	303	389	60.1	225	858	1,083	775	2,872	3,647	53	127	180	5,299	3%	137.0
26	Other acute health conditions	4,566	4,001	8,567	1323.5	6,198	7,114	13,312	10,427	18,549	28,976	1,211	1,906	3,117	53,972	33%	1395.2
	Total	17,276	14,971	32,247	4982.0	23,777	26,234	50,011	27,397	50,028	77,425	2,037	3,570	5,607	165,290	100%	4272.8
	% by age group			20%				30%			47%			3%	100%		

3.3 Notifiable diseases

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	Acute Flaccid Paralysis	0	0	0	0.0	0	2	2	0	0	0	0	0	0	2	0%	0.1
2	Acute viral hepatitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	ILI	35	38	73	11.3	63	70	133	82	123	205	8	2	10	421	87%	10.9
5	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Mpox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Rabies	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Rubella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11	Salmonelosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12	Severe Acute Respiratory Infections (SARI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15	Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Varicella (chickenpox)	5	10	15	2.3	15	23	38	2	1	3	0	0	0	56	12%	1.4
17	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
18	Whooping cough	2	2	4	0.6	0	0	0	0	0	0	0	0	0	4	1%	0.1
19	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
	Total	42	50	92	14.2	78	95	173	84	124	208	8	2	10	483	100%	12.5
	% by age group			19%				36%			43%			2%	200%		

3.4 Chronic health conditions

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Asthma	135	65	200	199	146	345	168	251	419	61	82	143	1,107	10%
2	Cancer	1	0	1	3	0	3	3	10	13	4	1	5	22	0%
3	Cardiovascular disease (other)	6	0	6	11	7	18	42	63	105	12	13	25	154	1%
4	Ischaemic heart disease	0	0	0	0	0	0	153	38	191	66	62	128	319	3%
5	Heart Failure	3	0	3	0	0	0	9	6	15	6	6	12	30	0%
6	Chronic obstructive pulmonary disease	0	0	0	0	0	0	53	12	65	35	20	55	120	1%
7	Diabetes	8	4	12	24	40	64	504	1,004	1,508	288	469	757	2,341	22%
8	Hypertension	0	0	0	1	1	2	983	1,500	2,483	518	726	1,244	3,729	35%
9	Liver disease	0	0	0	0	1	1	3	6	9	3	1	4	14	0%
10	Musculoskeletal disorders	6	8	14	4	16	20	13	19	32	2	1	3	69	1%
11	Renal disease	2	0	2	0	1	1	7	10	17	8	4	12	32	0%
12	Sickle cell disease	0	1	1	3	1	4	2	7	9	0	0	0	14	0%
13	Thyroid disorders	46	26	72	64	37	101	102	690	792	8	45	53	1,018	10%
14	Other NCDs	97	58	155	145	250	395	346	556	902	68	70	138	1,590	15%
	Total	304	162	466	454	500	954	2,388	4,172	6,560	1,079	1,500	2,579	10,559	100%
	% by age group			4%			9%			62%			24%	100%	

3.5 Mental health

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	109	79	188	307	295	602	285	208	493	18	16	34	1,317	28%
2	Alcohol/Substance abuse	0	0	0	0	0	0	4	0	4	0	0	0	4	0%
3	Substance use disorders related to opiate use	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
4	Substance use disorders related to benzodiazepine or other prescription medication	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
5	Other substance use disorders	0	0	0	6	3	9	6	12	18	0	0	0	27	1%
6	Intellectual disability	4	0	4	41	22	63	53	27	80	0	0	0	147	3%
7	Development disorders	6	6	12	109	45	154	27	18	45	0	0	0	211	4%
8	Acute psychosis	0	0	0	0	2	2	10	10	20	2	3	5	27	1%
9	Chronic psychosis	1	0	1	7	9	16	229	175	404	5	40	45	466	10%
10	Bipolar disorders (Mania)	0	0	0	1	19	20	30	39	69	4	11	15	104	2%
11	Dementia	0	0	0	0	0	0	1	0	1	11	29	40	41	1%
12	Delirium	0	0	0	0	0	0	0	3	3	1	1	2	5	0%
13	Moderate-severe depression	0	0	0	21	17	38	67	185	252	31	7	38	328	7%
14	Posttraumatic stress disorder	0	0	0	91	19	110	44	78	122	0	0	0	232	5%
15	Moderate-severe forms of anxiety disorder and mixed presentations	0	0	0	73	57	130	296	424	720	34	7	41	891	19%
16	Medically unexplained somatic complaint	1	0	1	2	7	9	47	9	56	0	0	0	66	1%
17	Self-harm/ suicide attempt	0	0	0	1	1	2	0	1	1	0	0	0	3	0%
18	Acute stress	0	0	0	2	2	4	0	9	9	0	0	0	13	0%
19	Grief	0	0	0	0	0	0	0	5	5	0	0	0	5	0%
20	Other psychological complaint	11	17	28	157	118	275	204	303	507	10	24	34	844	18%
	Total	132	102	234	818	616	1,434	1,305	1,506	2,811	116	138	254	4,733	100%
	% by age group			5%			30%			59%			5%	100%	

3.6 Injuries

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Bites	7	5	12	22	10	32	8	13	21	0	0	0	65	2%
2	Assault	1	1	2	31	3	34	8	8	16	0	0	0	52	2%
3	Accidents	120	96	216	711	309	1,020	405	239	644	11	18	29	1,909	65%
4	Other	91	71	162	294	147	441	161	128	289	3	11	14	906	31%
	Total	219	173	392	1,058	469	1,527	582	388	970	14	29	43	2,932	100%
	% by age group			13%			52%			33%			1%	100%	

3.7 Reproductive Tract Infections

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2	Vaginal discharge syndrome	0	1	1	0	24	24	0	2,130	2130	0	1	1	2156	69%
3	Genital ulcer disease	0	0	0	0	1	1	0	11	11	0	0	0	12	0%
4	Pelvic inflammatory disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	66	66	0	909	909	0	0	0	975	31%
	Total	0	1	1	0	91	91	0	3050	3050	0	1	1	3143	100%
	% by age group			0%			3%			97%			0%	100%	

4. INPATIENT DEPARTMENT (In-Camp)

4.1 In-patient Department Activities

	< 1	1 to 4	5 to 17	18 to 59	≥ 60	Grand total
Number at beginning of reporting period	6	13	9	8	0	36
New admissions	408	442	246	688	4	1788

Number of exits	authorized	368	413	213	658	4	1656
	unauthorized	9	14	11	26	0	60
	death	0	0	0	0	0	0
	referral	31	16	24	7	0	78
	Deaths within 24 hours	0	0	0	0	0	0
Total exits		408	443	248	691	4	1794
Number at end of reporting period		84	162	90	74	0	410

Number of days in reporting period	364
Number of beds	18
Sum number of days stay for all discharges	3,801
Average length of stay (days)	2.1
Bed occupancy	58%
Hospitalisation rate- in-camp (/1000/month)	7.7

4.2 In-patient Admissions and Deaths

		0 to 4		0-4 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		≥ 60 CFR	Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths				
1	Paediatric medicine	0	0		669	5	1%	204	0	0%	4	0	0%	877	5	1%
2	General Surgery	0	0		167	0	0%	28	0	0%	84	0	0%	279	0	0%
3	Internal medicine	0	0		0	0		0	0		0	0		0	0	
4	Obstetrics	0	0		0	0		16	0	0%	566	0	0%	582	0	0%
5	Gynaecology	0	0		0	0		2	0	0%	32	0	0%	34	0	0%
8	Other	0	0		0	0		0	0		0	0		0	0	
	Total	0	0		836	5	1%	250	0	0%	686	0	0%	1772	5	0%

Adm. = Admission; CFR = Case Fatality Rate

5. LABORATORY

	Total
Number of laboratory tests conducted	55,668

6. REFERRALS

6.1 Referrals by location

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	MOH Hospital	671	899	1,096	177	2,843
2	Jordan University Hospital	0	0	1	0	1
3	Private affiliated Hospital	9	211	449	6	675
4	Royal Medical Services	0	0	0	0	0
5	Other	0	0	0	0	0

Number of referrals to out-of-camp hospitals for secondary and emergency healthcare	3,519
Referral Rate (/1000/month)	7.6

6.2 Referrals by service

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	Paediatrics	515	36	1	0	552
2	Internal medicine	45	769	1,122	162	2,098
3	Obstetric	1	11	257	0	269
4	Gynaecological	1	2	19	0	22
5	Surgical	118	292	147	21	578
6	Other	0	0	0	0	0

7. REPRODUCTIVE HEALTH

7.1 Antenatal care

		< 20	≥ 20	Total
1	First antenatal visit (during the first trimester)	65	732	797
2	First antenatal visit (after the first trimester)	34	212	246
	First antenatal visit (TOTAL)	99	944	1,043
3	Repeat antenatal visit	842	6,802	7,644
4	High risk pregnancies detected	13	325	338
5	Tested for anaemia at ANC 1st contact/visit	64	671	735
6	Confirmed anemia (Hb<10) at ANC 1st contact/visit	12	125	137
7	Received breastfeeding counsellling	149	1,434	1,583
8	Tested for urine protein	158	1,462	1,620
9	Tested positive for urine protein	22	144	166

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	76%

7.2 Antenatal care coverage at time of delivery

		< 20	≥ 20	Total
Number of pregnant women at time of delivery who:	Received 4 or more antenatal visits	73	583	656
	Received 2 doses of TT vaccine during antenatal period	23	226	249
	Were screened for anemia during antenatal period	68	588	656

	Were screened for proteinuria during antenatal period	64	550	614

Coverage of complete antenatal care	92%
Coverage of antenatal tetanus immunisation	35%
Coverage of anaemia screening in pregnancy	92%
Coverage of proteinuria screening in pregnancy	86%

7.3 Delivery care

		Health Facility		Home Delivery		Total
		< 20	≥ 20	< 20	≥ 20	
1	Livebirths	79	630	0	2	711
2	Stillbirths	1	7	0	0	8
3	Newborns breastfed within 1 hour of birth	74	511	0	1	586
4	Neonatal death	0	5	0	0	5
5	Low birth weight (< 2500g)	6	42	0	1	49
6	Attended by a skilled health worker (excluding TBA)	79	628	0	0	707
7	Obstetric complications	1	5	0	0	6
8	Obstetric complications referred	0	1	0	0	1
9	Caesarean sections performed	14	178	0	0	192
10	Abortions	4	64	0	0	68

Delivery Indicators	
Crude birth rate (/1000 population/ month)	1.5
Proportion of births attended by skilled health worker (excl. TBA)	99%
Proportion of low birth weight deliveries	7%
Proportion of all births performed by caesarean section	27%

7.4 Special procedures in maternity

		< 20	≥ 20	Total
1	Blood transfusion	1	9	10
2	Cervical tear repair	3	5	8
3	Episiotomy	21	32	53
4	Laceration (perineal tear) repaired	3	19	22
5	Magnesium sulphate given for pre-eclampsia /eclampsia	0	0	0
6	Management to prevent (and/or treat) obstetric fistula	0	0	0
7	Manual exploration of the uterus	0	0	0
8	Manual removal of placenta	1	0	1
9	Neonatal resuscitation	0	0	0
10	Parenteral antibiotics given for peripartum infection	0	3	3
11	Post-abortion care (Manual vcauum aspiration or curettage)	1	4	5
12	Repair of ruptured uterus	0	0	0
13	Shoulder dystocia management	0	1	1
14	Uterotonic (oxytocin) given to manage postpartum hemorrhage	9	17	26
15	Vaginal breech delivery	0	0	0
16	VBAC (Vaginal Birth After Caesarian)	0	6	6
17	Other	0	7	7

7.5 Postnatal care

		< 20	≥ 20	Total
1	Attended for 1st PNCl visit within 24 hours of delivery	75	505	580
2	Attended for 2nd PNC visit within 48-72 hrs of delivery	46	256	302
3	Attended for 3rd PNC visit within 7-14 days of delivery	30	232	262
4	Attended for 4th PNC visit within 6 weeks of delivery	15	93	108

Postnatal Indicator	
Coverage of complete postnatal care	15%

7.6 Family planning

	New Users				Repeat Users				Discontinued Users				Total
	< 20		≥ 20		< 20		≥ 20		< 20		≥ 20		
	M	F	M	F	M	F	M	F	M	F	M	F	
Combined pill (low dose)		12		352		17		844		0		0	1,225
Combined pill (highdose)		1		5		0		16		0		0	22
Progesterone pill (Micro-val; Micro-lut)		28		220		24		426		0		0	698
Emergency contraceptive pill		0		1		0		1		0		0	2
Injectable (Depo-Provera)		3		99		4		124		0		0	230
Implantable (Norplant)		1		85		0		8		0		0	94
Intra-uterine device (IUD)		9		106		0		16		0		0	131
Condom (male)	14		292		32		639		0		0		977
Condom (female)		0		0		0		0		0		0	0
Sterilisation (male)	0		0		0		0		0		0		0
Sterilisation (female)		0		0		0		0		0		0	0
Counseling (only)	0	34	3	455	0	67	0	872	0	0	0	0	1431
Other	0	0	0	12	0	0	0	23	0	0	0	0	35

7.7 Sexual and gender-based violence

	< 20		≥ 20		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
Rape survivors examined within 72 hours	0	0	0	0	0
Rape survivors examined within 72 -120 hours	0	0	0	0	0
Rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
Rape survivors examined after 2 weeks	0	0	0	0	0
Rape survivors given PEP within 72 hours	0	0	0	0	0
Female rape survivors given ECP within 120 hours	0	0	0	0	0
Rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
Rape survivors referred for MHPSS	0	0	0	0	0
Rape survivors referred for protection or other services	0	0	0	0	0
Cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

8. NUTRITION

8.1 Outpatient Therapeutic Program

		0 to 5 months		6 to 23 months		24 to 59 months	
		M	F	M	F	M	F
	Number at beginning of reporting period	0	0	32	7	3	2
1	Number of new admissions (WHF/BMI, MUAC, oedema)	0	0	6	2	0	0
2	Number of relapse	0	0	1	0	1	0
3	Number of rereadmissions	0	0	0	0	0	0
4	Number moved in from SC/OTP	0	0	1	0	0	0
5	Numner of Exits- Recovered	0	0	5	3	2	2
6	Number of Exits - Non response	0	0	0	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0
8	Number of Exits - Moved to other OTP	0	0	0	0	0	0
9	Number of Exists- Moved to TSFP	0	0	1	0	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	0	0
12	Number of Exits- Defaulter	0	0	3	3	0	0
13	Other Exits	0	0	0	0	0	0
	Number at end of reporting period	0	0	29	4	2	0
14	Sum number of days stay for exit promoted to TSFP and recovered (< 5)				0		
15	Sum average weight gain for exit promoted to TSFP and recovered (< 5)				0		

8.2 Targeted Supplementary Feeding Program

		0 to 5 months		6 to 23 months		24 to 59 months		HIV/TB		PLWs
		M	F	M	F	M	F	M	F	
	Number at beginning of reporting period	0	0	88	43	22	11	0	0	141
1	Number of New admissions (WFH/BMI, MUAC)	0	0	18	10	0	0	0	0	9
2	Number of readmissions	0	0	0	1	2	0	0	0	11
3	Number of relapse	0	0	1	0	0	0	0	0	0
4	Other admissions	0	0	5	2	2	2	0	0	2
5	Number of Exits- Recovered	0	0	16	17	2	0	0	0	9
6	Number of Exits - Non response	0	0	5	2	2	4	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0	0	0	0
8	Number of Exits - Moved to OTP	0	0	1	0	0	0	0	0	0
9	Number of Exits - Moved to other TSFP	0	0	1	0	0	0	0	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	0	0	0	0	0
12	Number of Exits- Defaulter	0	0	4	0	1	2	0	0	18
13	Other exits	0	0	0	0	0	0	0	0	1
	Number at end of reporting period	0	0	65	25	17	0	0	0	117
14	Sum number of days stay for discharged children (< 5)						61			
15	Sum average weight gain for discharged children (< 5)						7			

8.3 MUAC Screening

		6 to 23 months		24 to 59 months		PLWs
		M	F	M	F	
1	Screened - Green (normal)	2,465	2,229	2,118	2,164	2,028
2	Screened - Yellow (borderline)	11	7	1	1	4
3	Screened - Red (danger)	3	2	0	0	0
4	Screened - Oedema	0	0	0	0	0

Data Source Health Information System

Publication date: 2/12/2026

UNHCR gratefully acknowledges the support of the following partners: