1. POPULATION

Population	< 1		Total < 1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,061	1,010	2,071	3,004	2,858	5,862	10,161	9,575	19,735	10,148	11,476	21,624	480	733	1,213	50,506
% by age group			4%			12%			39%			43%			2%	100%

2. MORTALITY

2.1 Mortality

		< 1		Total < 1	1 to 4		Total 1 to 4	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
		M	F		M	F			M	F		M	F		M	F			
1	Neonatal death	4	0	4			0				0			0			0	4	20%
2	Maternal Death			0			0	0%		0	0		0	0			0	0	0%
3	URTI	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4	Pneomonia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5	Bronchitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6	LRTI (other)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7	Sexually transmitted infections	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8	Watery diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9	Bloody diarrhoea	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10	Gastric and duedenal ulcer	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11	Appendicitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12	Tuberculosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
13	Meningitis (other)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14	HIV/AIDS	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
15	Leishmaniasis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
16	Acute malnutrition	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
17	Anaemia	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
18	Acute Jaundice Syndrome	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
19	Asthma	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
20	Cancer	0	0	0	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	5%
21	Cardiovascular disease (other)	0	0	0	0	0	0	0%	0	0	0	3	0	3	0	1	1	4	20%
22	Ischaemic heart disease	0	0	0	0	0	0	0%	0	0	0	2	0	2	1	1	2	4	20%
23	Heart Failure	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
24	Chronic obstructive pulmonary disease (non-asthma)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
25	Diabetes	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
26	Hypertension	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
27	Liver disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
28	Musculoskeletal disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
29	Renal disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
30	Sickle cell disease	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
31	Thyroid disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
32	Alcohol-related disorders	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
33	Epilepsy/ Seizures	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
34	Substance use disorders (benzodiazepine or other prescription medication)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
35	Substance use disorders related to opiate use	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
36	Self-harm/suicide	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
37	Acute Flaccid Paralysis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
38	Acute viral hepatitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
39	Cholera	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
40	COVID-19	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
41	Influenza-Like Illness (ILI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
42	Measles	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
43	Meningococcal Meningitis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
44	Mpox	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
45	Plague	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
46	Salmonelosis	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
47	Severe Acute Respiratory Infections (SARI)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
48	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
49	Shigella	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
50	Tetanus	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
51	Varicella (chickenpox)	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
52	Viral Hemorrhagic Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
53	Whooping cough	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
54	Yellow Fever	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
55	Assault	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
56	Bites	0	0	0	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
57	Accidents	0	0	0	0	0	0	0%	1	0	1	1	0	1	0	0	0	2	10%
58	Unknown	0	0	0	0	0	0	0%	0	0	0	1	0	1	1	0	1	2	10%
59	Other	0	1	1	0	0	0	20%	1	0	1	0	1	1	0	0	0	3	15%
	Total	4	1	5	0	0	0	100%	2	0	2	7	2	9	2	2	4	20	100%
	% by age group			25%			0%				10%			45%			20%	80%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.1	0.1
Under 5 Mortality Rate (U5MR) (/1000/month)	0.3	0.1	0.2
Infant Mortality Rate (IMR) (/1000/month)	1.3	0.3	0.8
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			13.6

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	
Proportion of maternal deaths investigated	

3. MORBIDITY

3.1 Staffing and service availability

Number of full-time clinicians	27.6
Average number of full days on which each health facility was functioning	5.8
Total number of outpatient consultations	**61,168**
Health facility utilisation rate	**3.6**
Consultations per clinician per day	**29**

OUTPATIENT CONSULTATIONS	Male	Female	TOTAL
New Consultations (all causes combined)	18,415	26,417	**44,832**
New Non-Communicable Diseases (NCD) Consultations	251	372	**623**
New Mental Health (MH) Consultations	45	32	**77**
Re-visit Consultations (all causes combined)	5,136	11,200	**16,336**
TOTAL Consultations	**23,551**	**37,617**	**61,168**

3.2 Acute health conditions

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	URTI	1,989	1,683	3,672	462.9	1,333	1,270	2,603	1,172	1,849	3,021	158	194	352	9,648	27%	191.0
2	Pneumonia	17	12	29	3.7	3	0	3	4	2	6	0	5	5	43	0%	0.9
3	Bronchitis	236	163	399	50.3	49	36	85	25	24	49	5	4	9	542	2%	10.7
4	LRTI (other)	119	73	192	24.2	29	16	45	20	60	80	8	19	27	344	1%	6.8
5	Skin disease	409	354	763	96.2	303	496	799	268	641	909	19	33	52	2,523	7%	50.0
6	Eye disease	117	84	201	25.3	262	306	568	366	628	994	71	151	222	1,985	6%	39.3
7	Ear disease	173	187	360	45.4	136	175	311	185	258	443	44	68	112	1,226	3%	24.3
8	Dental conditions	63	49	112	14.1	574	702	1,276	669	1,273	1,942	39	89	128	3,458	10%	68.5
9	Intestinal worms	51	67	118	14.9	119	151	270	45	56	101	4	4	8	497	1%	9.8
10	Watery diarrhoea	69	59	128	16.1	15	8	23	0	5	5	0	1	1	157	0%	3.1
11	Bloody diarrhoea	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
12	Gastric and duodenal ulcer	44	40	84	10.6	63	65	128	178	240	418	43	36	79	709	2%	14.0
13	Appendicitis	2	1	3	0.4	3	0	3	2	2	4	1	0	1	11	0%	0.2
14	Tuberculosis (suspected)	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
15	Tuberculosis (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Measles (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
17	Meningitis (suspected)	1	1	2	0.3	0	0	0	0	0	0	0	0	0	2	0%	0.0
18	Meningitis confirmed (other)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
19	HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
20	Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
21	Acute malnutrition	0	5	5	0.6	0	1	1	0	0	0	0	0	0	6	0%	0.1
22	Anaemia	97	91	188	23.7	98	208	306	57	533	590	2	7	9	1,093	3%	21.6
23	Acute Jaundice Syndrome	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
24	Abortion	0	0	0	0.0	0	10	10	0	70	70	0	0	0	80	0%	1.6
25	Urinary Tract Infection	18	74	92	11.6	72	189	261	190	1,095	1,285	34	42	76	1,714	5%	33.9
26	Other acute health conditions	736	613	1,349	170.1	1,358	1,197	2,555	2,177	4,518	6,695	253	554	807	11,406	32%	225.8
	Total	4,142	3,556	7,698	970.4	4,417	4,830	9,247	5,359	11,254	16,613	681	1,207	1,888	35,446	100%	701.8
	% by age group			22%				26%			47%			5%	100%		

3.3 Notifiable diseases

	NEW cases of disease only	0 to 4		Total < 5	U5 Incidence	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incidence
		M	F			M	F		M	F		M	F				
1	Acute Flaccid Paralysis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
2	Acute viral hepatitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
3	Cholera	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	COVID-19 (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
5	COVID-19 (confirmed)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
4	ILI	49	55	104	13.1	130	178	308	79	154	233	16	12	28	673	95%	13.3
5	Measles	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
6	Meningococcal Meningitis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
7	Mpox	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
8	Plague	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
9	Rabies	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
10	Rubella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
11	Salmonelosis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
12	Severe Acute Respiratory Infections (SARI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
13	Severe Acute Respiratory Syndrome (SARS)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
14	Shigella	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
15	Tetanus	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
16	Varicella (chickenpox)	3	4	7	0.9	11	3	14	0	2	2	0	1	1	24	3%	0.5
17	Viral Hemorrhagic Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
18	Whooping cough	5	3	8	1.0	0	0	0	0	0	0	0	0	0	8	1%	0.2
19	Yellow Fever	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
	Total	57	62	119	15.0	141	181	322	79	156	235	16	13	29	705	100%	14.0
	% by age group			17%				46%			33%			4%	100%		

3.4 Chronic health conditions

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Asthma	139	49	188	87	39	126	131	200	331	14	45	59	704	5%
2	Cancer	0	0	0	2	0	2	78	7	85	117	6	123	210	1%
3	Cardiovascular disease (other)	10	6	16	10	15	25	119	107	226	48	59	107	374	3%
4	Ischaemic heart disease	0	0	0	2	0	2	95	80	175	72	69	141	318	2%
5	Heart Failure	0	0	0	2	0	2	33	42	75	17	38	55	132	1%
6	Chronic obstructive pulmonary disease	0	0	0	1	3	4	129	82	211	80	39	119	334	2%
7	Diabetes	0	1	1	11	19	30	693	1,543	2,236	276	630	906	3,173	22%
8	Hypertension	3	0	3	5	4	9	1,195	2,038	3,233	483	850	1,333	4,578	32%
9	Liver disease	0	0	0	0	0	0	0	4	4	0	1	1	5	0%
10	Musculoskeletal disorders	12	18	30	89	70	159	423	731	1,154	112	134	246	1,589	11%
11	Renal disease	2	0	2	2	1	3	26	40	66	10	17	27	98	1%
12	Sickle cell disease	2	0	2	0	0	0	8	8	16	0	0	0	18	0%
13	Thyroid disorders	2	7	9	15	46	61	66	835	901	23	68	91	1,062	7%
14	Other NCDs	12	11	23	33	45	78	426	826	1,252	223	282	505	1,858	13%
	Total	182	92	274	259	242	501	3,422	6,543	9,965	1,475	2,238	3,713	14,453	100%
	% by age group			2%			3%			69%			26%	100%	

3.5 Mental health

	NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Epilepsy/Seizures	6	13	19	76	78	154	174	110	284	20	5	25	482	29%
2	Alcohol/Substance abuse	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3	Substance use disorders related to opiate use	0	0	0	1	0	1	6	6	12	1	1	2	15	1%
4	Substance use disorders related to benzodiazepine or other prescription medication	0	0	0	1	0	1	1	5	6	1	3	4	11	1%
5	Other substance use disorders	0	0	0	2	1	3	3	3	6	2	2	4	13	1%
6	Intellectual disability	0	0	0	6	2	8	24	4	28	1	1	2	38	2%
7	Development disorders	0	0	0	1	0	1	14	30	44	3	5	8	53	3%
8	Acute psychosis	0	0	0	0	0	0	20	44	64	8	8	16	80	5%
9	Chronic psychosis	0	0	0	2	5	7	166	67	233	1	2	3	243	14%
10	Bipolar disorders (Mania)	0	0	0	5	5	10	38	86	124	7	10	17	151	9%
11	Dementia	0	0	0	0	0	0	1	5	6	1	8	9	15	1%
12	Delirium	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
13	Moderate-severe depression	0	1	1	9	1	10	33	113	146	2	3	5	162	10%
14	Posttraumatic stress disorder	0	0	0	3	3	6	16	30	46	4	5	9	61	4%
15	Moderate-severe forms of anxiety disorder and mixed presentations	0	0	0	6	7	13	47	78	125	0	0	0	138	8%
16	Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
17	Self-harm/ suicide attempt	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
18	Acute stress	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
19	Grief	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
20	Other psychological complaint	1	0	1	58	41	99	58	57	115	1	0	1	216	13%
	Total	7	14	21	170	143	313	601	638	1,239	52	53	105	1,678	100%
	% by age group			1%			19%			74%			6%	100%	

3.6 Injuries

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Bites	8	11	19	49	19	68	30	10	40	2	3	5	132	8%
2	Assault	0	0	0	12	5	17	13	3	16	0	1	1	34	2%
3	Accidents	144	117	261	552	225	777	304	178	482	11	10	21	1,541	90%
4	Other	1	0	1	1	0	1	2	1	3	2	0	2	7	0%
	Total	153	128	281	614	249	863	349	192	541	15	14	29	1,714	100%
	% by age group			16%			50%			32%			2%	100%	

3.7 Reproductive Tract Infections

	NEW cases of disease only	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1	Urethral discharge syndrome	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2	Vaginal discharge syndrome	0	1	1	0	36	36	0	953	953	0	7	7	997	99%
3	Genital ulcer disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
4	Pelvic inflammatory disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
5	Congenital syphilis	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
6	Ophthalmia Neonatorum	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
7	Other	0	0	0	0	0	0	0	6	6	0	0	0	6	1%
	Total	0	1	1	0	36	36	0	959	959	0	7	7	1,003	100%
	% by age group			0%			4%			96%			1%	100%	

4. INPATIENT DEPARTMENT (In-Camp)

4.1 In-patient Department Activities

	< 1	1 to 4	5 to 17	18 to 59	≥ 60	Grand total
Number at beginning of reporting period	0	0	0	0	0	0
New admissions	0	0	0	0	0	0

Number of exits	authorized	0	0	0	0	0	0
	unauthorized	0	0	0	0	0	0
	death	0	0	0	0	0	0
	referral	0	0	0	0	0	0
	Deaths within 24 hours	0	0	0	0	0	0
Total exits		0	0	0	0	0	0
Number at end of reporting period		0	0	0	0	0	0

Number of days in reporting period	0
Number of beds	0
Sum number of days stay for all discharges	0
Average length of stay (days)	
Bed occupancy	
Hospitalisation rate- in-camp (/1000/month)	0.0

4.2 In-patient Admissions and Deaths

		0 to 4		0-4 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	≥ 60		≥ 60 CFR	Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths				
1	Paediatric medicine	0	0		0	0		0	0		0	0		0	0	
2	General Surgery	0	0		0	0		0	0		0	0		0	0	
3	Internal medicine	0	0		0	0		0	0		0	0		0	0	
4	Obstetrics	0	0		0	0		0	0		0	0		0	0	
5	Gynaecology	0	0		0	0		0	0		0	0		0	0	
8	Other	0	0		0	0		0	0		0	0		0	0	
	Total	0	0		0	0		0	0		0	0		0	0	

Adm. = Admission; CFR = Case Fatality Rate

5. LABORATORY

	Total
Number of laboratory tests conducted	49,880

6. REFERRALS

6.1 Referrals by location

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	MOH Hospital	308	184	954	73	1,519
2	Jordan University Hospital	0	0	0	0	0
3	Private affiliated Hospital	0	2	22	6	30
4	Royal Medical Services	0	0	0	0	0
5	Other	0	0	0	0	0

Number of referrals to out-of-camp hospitals for secondary and emergency healthcare	1,549
Referral Rate (/1000/month)	10.2

6.2 Referrals by service

		0 to 4	5 to 17	18 to 59	≥ 60	Grand total
1	Paediatrics	262	6	0	0	268
2	Internal medicine	0	107	302	75	484
3	Obstetric	0	16	610	0	626
4	Gynaecological	0	0	10	0	10
5	Surgical	46	57	54	4	161
6	Other	0	0	0	0	0

7. REPRODUCTIVE HEALTH

7.1 Antenatal care

		< 20	≥ 20	Total
1	First antenatal visit (during the first trimester)	103	297	400
2	First antenatal visit (after the first trimester)	22	74	96
	First antenatal visit (TOTAL)	125	371	496
3	Repeat antenatal visit	1,003	3,085	4,088
4	High risk pregnancies detected	87	1,664	1,751
5	Tested for anaemia at ANC 1st contact/visit	221	839	1,060
6	Confirmed anemia (Hb<10) at ANC 1st contact/visit	5	77	82
7	Received breastfeeding counsellling	147	780	927
8	Tested for urine protein	194	699	893
9	Tested positive for urine protein	40	188	228

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	81%

7.2 Antenatal care coverage at time of delivery

		< 20	≥ 20	Total
Number of pregnant women at time of delivery who:	Received 4 or more antenatal visits	54	242	296
	Received 2 doses of TT vaccine during antenatal period	54	242	296
	Were screened for anemia during antenatal period	54	242	296

	Were screened for proteinuria during antenatal period	54	242	296

Coverage of complete antenatal care	100%
Coverage of antenatal tetanus immunisation	100%
Coverage of anaemia screening in pregnancy	100%
Coverage of proteinuria screening in pregnancy	100%

7.3 Delivery care

		Health Facility		Home Delivery		Total
		< 20	≥ 20	< 20	≥ 20	
1	Livebirths	54	241	0	0	295
2	Stillbirths	0	1	0	0	1
3	Newborns breastfed within 1 hour of birth	54	241	0	0	295
4	Neonatal death	0	0	0	0	0
5	Low birth weight (< 2500g)	0	3	0	0	3
6	Attended by a skilled health worker (excluding TBA)	54	242	0	0	296
7	Obstetric complications	0	0	0	0	0
8	Obstetric complications referred	10	57	0	0	67
9	Caesarean sections performed	11	96	0	0	107
10	Abortions	8	45	0	0	53

Delivery Indicators	
Crude birth rate (/1000 population/ month)	1.9
Proportion of births attended by skilled health worker (excl. TBA)	100.3%
Proportion of low birth weight deliveries	1%
Proportion of all births performed by caesarean section	36%

7.4 Special procedures in maternity

		< 20	≥ 20	Total
1	Blood transfusion	0	8	8
2	Cervical tear repair	0	0	0
3	Episiotomy	22	24	46
4	Laceration (perineal tear) repaired	3	0	3
5	Magnesium sulphate given for pre-eclampsia /eclampsia	1	10	11
6	Management to prevent (and/or treat) obstetric fistula	0	0	0
7	Manual exploration of the uterus	0	0	0
8	Manual removal of placenta	0	0	0
9	Neonatal resuscitation	0	0	0
10	Parenteral antibiotics given for peripartum infection	0	0	0
11	Post-abortion care (Manual vcauum aspiration or curettage)	0	0	0
12	Repair of ruptured uterus	0	0	0
13	Shoulder dystocia management	0	0	0
14	Uterotonic (oxytocin) given to manage postpartum hemorrhage	0	0	0
15	Vaginal breech delivery	0	0	0
16	VBAC (Vaginal Birth After Caesarian)	1	10	11
17	Other	0	0	0

7.5 Postnatal care

		< 20	≥ 20	Total
1	Attended for 1st PNCl visit within 24 hours of delivery	54	242	296
2	Attended for 2nd PNC visit within 48-72 hrs of delivery	35	111	146
3	Attended for 3rd PNC visit within 7-14 days of delivery	36	115	151
4	Attended for 4th PNC visit within 6 weeks of delivery	12	31	43

Postnatal Indicator	
Coverage of complete postnatal care	15%

7.6 Family planning

	New Users				Repeat Users				Discontinued Users				Total
	< 20		≥ 20		< 20		≥ 20		< 20		≥ 20		
	M	F	M	F	M	F	M	F	M	F	M	F	
Combined pill (low dose)		7		86		16		239		0		0	348
Combined pill (highdose)		32		157		55		648		0		38	892
Progesterone pill (Micro-val; Micro-lut)		13		65		2		38		0		24	118
Emergency contraceptive pill		0		0		0		0		0		0	0
Injectable (Depo-Provera)		7		30		7		74		0		22	118
Implantable (Norplant)		4		49		0		0		0		0	53
Intra-uterine device (IUD)		8		107		0		5		0		0	120
Condom (male)	14		126		19		367		0		37		526
Condom (female)		0		0		0		0		0		0	0
Sterilisation (male)	0		0		0		0		0		0		0
Sterilisation (female)		0		0		0		0		0		0	0
Counseling (only)	0	3	0	26	0	0	0	0	0	0	0	0	29
Other	0	4	0	7	0	0	0	0	0	0	0	0	11

7.7 Sexual and gender-based violence

	< 20		≥ 20		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
Rape survivors examined within 72 hours	0	0	0	0	0
Rape survivors examined within 72 -120 hours	0	0	0	0	0
Rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
Rape survivors examined after 2 weeks	0	0	0	0	0
Rape survivors given PEP within 72 hours	0	0	0	0	0
Female rape survivors given ECP within 120 hours	0	0	0	0	0
Rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
Rape survivors referred for MHPSS	0	0	0	0	0
Rape survivors referred for protection or other services	0	0	0	0	0
Cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

8. NUTRITION

8.1 Outpatient Therapeutic Program

		0 to 5 months		6 to 23 months		24 to 59 months	
		M	F	M	F	M	F
Number at beginning of reporting period		0	0	0	0	0	1
1	Number of new admissions (WHF/BMI, MUAC, oedema)	0	0	0	2	0	0
2	Number of relapse	0	0	0	0	0	0
3	Number of rereadmissions	0	0	0	0	0	0
4	Number moved in from SC/OTP	0	0	0	0	0	0
5	Numner of Exits- Recovered	0	0	0	0	0	0
6	Number of Exits - Non response	0	0	0	0	0	1
7	Number of Exits - Moved to SC	0	0	0	0	0	0
8	Number of Exits - Moved to other OTP	0	0	0	0	0	0
9	Number of Exists- Moved to TSFP	0	0	0	0	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	0	0
12	Number of Exits- Defaulter	0	0	0	0	0	0
13	Other Exits	0	0	0	0	0	0
Number at end of reporting period		0	0	0	2	0	0
14	Sum number of days stay for exit promoted to TSFP and recovered (< 5)				0		
15	Sum average weight gain for exit promoted to TSFP and recovered (< 5)				0		

8.2 Targeted Supplementary Feeding Program

		0 to 5 months		6 to 23 months		24 to 59 months		HIV/TB		PLWs
		M	F	M	F	M	F	M	F	
Number at beginning of reporting period		0	0	3	3	3	2	0	0	24
1	Number of New admissions (WFH/BMI, MUAC)	0	0	2	2	0	0	0	0	6
2	Number of readmissions	0	0	0	0	0	0	0	0	0
3	Number of relapse	0	0	0	0	0	0	0	0	0
4	Other admissions	0	0	0	0	0	0	0	0	0
5	Number of Exits- Recovered	0	0	3	1	3	2	0	0	7
6	Number of Exits - Non response	0	0	0	1	0	0	0	0	0
7	Number of Exits - Moved to SC	0	0	0	0	0	0	0	0	0
8	Number of Exits - Moved to OTP	0	0	0	0	0	0	0	0	0
9	Number of Exits - Moved to other TSFP	0	0	0	0	0	0	0	0	0
10	Number of Exists - Medical Referral	0	0	0	0	0	0	0	0	0
11	Number of Exits- Death	0	0	0	0	0	0	0	0	0
12	Number of Exits- Defaulter	0	0	0	1	0	0	0	0	3
13	Other exits	0	0	0	0	0	0	0	0	0
Number at end of reporting period		0	0	2	2	0	1	0	0	20
14	Sum number of days stay for discharged children (< 5)						656			
15	Sum average weight gain for discharged children (< 5)						17			

8.3 MUAC Screening

		6 to 23 months		24 to 59 months		PLWs
		M	F	M	F	
1	Screened - Green (normal)	1,538	1,629	2,034	2,488	4,057
2	Screened - Yellow (borderline)	1	1	0	0	204
3	Screened - Red (danger)	0	1	0	0	0
4	Screened - Oedema	0	0	0	0	0

UNHCR gratefully acknowledges the support of the following partners: