

### 1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,445	2,445	4,890	7,451	8,616	16,067	21,539	20,957	42,496	22,122	27,477	49,599	1,281	2,096	3,377	116,429
% by age group			4%			14%			36%			43%			3%	100%

### 2. Mortality

#### 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	2	0	2	100%	0	0	0	0	0	0	0	0	0	2	33%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	17%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	0%	1	0	1	0	0	0	2	0	2	3	50%
Total	2	0	2	100%	1	0	1	0	0	0	3	0	3	6	100%
% by age group			33%				17%			0%			50%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.4	0.0	0.2
Under 5 Mortality Rate (USMR)	0.8	0.0	0.4
Neonatal Mortality Rate (NNMR)			0.0

#### 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

### 3. Morbidity

#### 3.1 Staffing and service availability

Number of full-time clinicians	59
Average number of full days on which each health facility was functioning	6.0
Total number of outpatient consultations	13,813
Health facility utilisation rate	6.2
Consultations per clinician per day	39

#### 3.2 Acute health conditions

Record NEW cases of disease only			0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
			M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)			299	269	568	27.1	468	487	955	393	389	782	93	115	208	2513	24%	21.6
Influenza-like illness (ILI)			199	213	412	19.7	106	200	306	162	191	353	67	80	147	1218	12%	10.5
Lower Respiratory Tract Infection (LRTI)			103	62	165	7.9	145	158	303	116	195	311	125	71	196	975	9%	8.4
Watery diarrhoea*			195	178	373	17.8	90	73	163	31	29	60	2	0	2	598	6%	5.1
Bloody diarrhoea*			16	32	48	2.3	23	18	41	10	11	21	0	0	0	110	1%	0.9
Skin infection			21	28	49	2.3	45	41	86	51	57	108	23	17	40	283	3%	2.4
Eye infection			43	56	99	4.7	55	54	109	28	29	57	14	2	16	281	3%	2.4
Dental Conditions			0	0	0	0.0	18	26	44	65	58	123	10	15	25	192	2%	1.6
Intestinal Worms			26	18	44	2.1	28	18	46	9	1	10	0	0	0	100	1%	0.9
Acute Jaundice Syndrome*			0	0	0	0.0	5	7	12	8	9	17	0	0	0	29	0%	0.2
Measles*			0	0	0	0.0	3	1	4	0	0	0	0	0	0	4	0%	0.0
Meningitis*			0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*			0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)			0	0	0	0.0	0	0	0	1	2	3	1	0	1	4	0%	0.0
Fever of unknown origin			11	12	23	1.1	3	4	7	1	0	1	0	0	0	31	0%	0.3
Sexually Transmitted Infection (STI)			0	0	0	0.0	0	0	0	0	2	2	0	0	0	2	0%	0.0
Other			591	536	1127	53.8	733	638	1371	583	473	1056	366	229	595	4149	40%	35.6
	Total		1504	1404	2908	138.8	1722	1725	3447	1458	1446	2904	701	529	1230	10489	100%	90.1
	% by age group				28%				33%			28%			12%	100%		

#### 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	3	0	3	123	108	231	65	40	105	339	12%
Hypertension	0	0	0	0	0	0	139	114	253	55	63	118	371	13%
Asthma	27	14	41	24	24	48	59	36	95	31	28	59	243	9%
Ischaemic heart disease	0	0	0	0	0	0	18	26	44	23	12	35	79	3%
Cardiovascular disorders	1	2	3	0	11	11	64	40	104	65	74	139	257	9%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	15	14	29	15	9	24	53	2%
Liver disease	0	0	0	2	3	5	9	3	12	0	1	1	18	1%
Thyroid problems	0	0	0	0	2	2	10	5	15	7	1	8	25	1%
Cancer	0	0	0	0	0	0	3	2	5	0	0	0	5	0%
Other	78	65	143	258	232	490	222	219	441	181	183	364	1438	51%
Total	106	81	187	287	272	559	662	567	1229	442	411	853	2828	100%
% by age group			7%			20%			43%			30%	100%	

### 3.4 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Epilepsy / seizures	2	1	3	8	8	16	8	2	10	1	0	1	30	17%
2.	Alcohol and other substance abuse disorder	0	0	0	0	5	5	3	0	3	0	0	0	8	5%
3.	Mental retardation / intellectual disability	0	0	0	2	3	5	1	3	4	0	0	0	9	5%
4.	Psychotic disorder	0	0	0	0	4	4	15	3	18	1	0	1	23	13%
5.	Severe emotional disorder	3	0	3	5	7	12	18	8	26	0	0	0	41	23%
6.	Other psychological complaint	2	0	2	2	5	7	7	6	13	0	0	0	22	13%
	Other	0	0	0	7	14	21	12	9	21	0	0	0	42	24%
	<b>Total</b>	<b>7</b>	<b>1</b>	<b>8</b>	<b>24</b>	<b>46</b>	<b>70</b>	<b>64</b>	<b>31</b>	<b>95</b>	<b>2</b>	<b>0</b>	<b>2</b>	<b>175</b>	<b>100%</b>
	% by age group			5%			40%			54%			1%	100%	

### 3.5 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Bites (all causes)	0	0	0	0	1	1	1	0	1	0	0	0	2	1%
2.	Injury (war related)	0	0	0	3	2	5	14	3	17	1	0	1	23	7%
3.	Injury (non war related)	1	7	8	15	11	26	28	13	41	1	1	2	77	24%
4.	Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
	Other	7	8	15	20	20	40	61	84	145	11	8	19	219	68%
	<b>Total</b>	<b>8</b>	<b>15</b>	<b>23</b>	<b>38</b>	<b>34</b>	<b>72</b>	<b>104</b>	<b>100</b>	<b>204</b>	<b>13</b>	<b>9</b>	<b>22</b>	<b>321</b>	<b>100%</b>
	% by age group			7%			22%			64%			7%	100%	

## 4. In-patient Department

### 4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		1	1	2	2	2	4	1	2	3	0	0	0	9
Total admissions		14	17	31	13	15	28	19	23	42	6	9	15	116
Number of exits	authorized	9	10	19	11	13	24	18	15	33	5	6	11	87
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits		9	10	19	11	13	24	18	15	33	5	6	11	87
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group				37%			21%			32%			11%	100%

Number of days in reporting period	4
Number of beds	56
Sum number of days stay for authorised discharges	270
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	3.1
Bed occupancy	161%
Hospitalisation rate	4.0

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	19	0	0%	9	0	0%	0	0		0	0	28	0	0%
2. General Surgery	0	0		6	0	0%	7	0	0%	0	0	13	0	0%
3. Injury (war related)	0	0		0	0		0	0		0	0	0	0	
4. Injury (non war related)	0	0		7	0	0%	9	0	0%	0	0	16	0	0%
5. Internal medicine	0	0		4	0	0%	3	0	0%	6	0	13	0	0%
6. Obstetrics	6	0	0%	0	0		2	0	0%	0	0	8	0	0%
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	0	0		19	0	0%	13	0	0%	0	0	32	0	0%
<b>Total</b>	<b>25</b>	<b>0</b>	<b>0%</b>	<b>45</b>	<b>0</b>	<b>0%</b>	<b>34</b>	<b>0</b>	<b>0%</b>	<b>6</b>	<b>0</b>	<b>110</b>	<b>0</b>	<b>0%</b>

Adm. = Admission; CFR = Case Fatality Rate

## 6. Laboratory

	Total
Number of laboratory tests conducted	678

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	15	22	37
First antenatal visit > 1st trimester	28	185	213
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	0
	2 TT doses	0	0
	anaemia screening	0	51

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	15%
Coverage of complete antenatal care	0%
Coverage of antenatal tetanus immunisation	0%
Coverage of anaemia screening in pregnancy	74%

### 8.2 Delivery care

	< 18	≥ 18	Total
Live births	3	66	69
Still births	0	0	0

Low birth weight (<2500 g)	0	1	1
Attended by skilled health worker	0	58	58
Number of obstetric complications treated	0	8	8
Number of caesarean sections performed	0	16	16

Delivery Indicators	
Crude birth rate	7.1
Proportion of births attended by skilled health worker (excl. TBA)	84%
Proportion of low birth weight deliveries	1%
Proportion of all births performed by caesarean section	23%
Proportion of obsetric complications treated among girls < 18	0%

### 8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	4	4

Postnatal Indicators	
Coverage of complete postnatal care	6%

### 8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

#### Data Sources

1. Health Information System

#### Publication date:

31 May 2013

#### Contact Information

##### Za'atri

Ana Calvo, UNHCR

Email: calvo@unhcr.org

##### Amman

Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

