

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,354	2,354	4,708	7,175	8,296	15,471	20,740	20,180	40,920	21,301	26,458	47,759	1,233	2,018	3,251	112,109
% by age group			4%			14%			37%			43%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	25%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Other	1	0	1	100%	0	0	0	1	0	1	0	1	1	3	75%
Total	1	0	1	100%	0	0	0	2	0	2	0	1	1	4	100%
% by age group			25%				0%			50%		25%		100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.2	0.1	0.1
Under 5 Mortality Rate (U5MR)	0.4	0.0	0.2
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	76
Average number of full days on which each health facility was functioning	6.3
Total number of outpatient consultations	10,365
Health facility utilisation rate	4.8
Consultations per clinician per day	22

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	309	262	571	28.3	242	269	511	230	263	493	66	49	115	1690	23%	15.1
Influenza-like illness (ILI)	110	102	212	10.5	111	91	202	107	85	192	18	8	26	632	8%	5.6
Lower Respiratory Tract Infection (LRTI)	55	39	94	4.7	72	55	127	78	61	139	14	7	21	381	5%	3.4
Watery diarrhoea*	136	122	258	12.8	57	58	115	23	22	45	0	0	0	418	6%	3.7
Bloody diarrhoea*	8	9	17	0.8	8	5	13	1	1	2	0	0	0	32	0%	0.3
Skin infection	51	46	97	4.8	61	61	122	64	67	131	12	9	21	371	5%	3.3
Eye infection	46	36	82	4.1	54	44	98	79	66	145	24	23	47	372	5%	3.3
Dental Conditions	16	12	28	1.4	30	25	55	94	74	168	17	18	35	286	4%	2.6
Intestinal Worms	14	14	28	1.4	23	26	49	4	2	6	3	3	6	89	1%	0.8
Acute Jaundice Syndrome*	23	19	42	2.1	35	30	65	7	2	9	0	0	0	116	2%	1.0
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	2	2	4	0.2	0	1	1	0	0	0	0	0	0	5	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	1	0	1	0.0	0	0	0	0	0	0	1	0	1	2	0%	0.0
Fever of unknown origin	20	17	37	1.8	15	9	24	6	2	8	0	0	0	69	1%	0.6
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	446	496	942	46.7	555	532	1087	322	383	705	51	91	142	2876	38%	25.7
Total	1274	1195	2469	122.4	1270	1230	2500	1019	1088	2107	212	211	423	7499	100%	66.9
% by age group			33%				33%			28%			6%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	1	1	13	16	29	177	161	338	65	61	126	494	23%
Hypertension	0	0	0	0	0	0	226	215	441	91	99	190	631	29%
Asthma	21	15	36	30	27	57	39	43	82	11	8	19	194	9%
Ischaemic heart disease	0	0	0	0	0	0	34	25	59	26	23	49	108	5%
Cardiovascular disorders	0	0	0	0	9	9	27	13	40	33	23	56	105	5%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	9	4	13	12	5	17	30	1%
Liver disease	0	0	0	5	1	6	2	2	4	0	0	0	10	0%
Thyroid problems	2	2	4	13	1	14	23	31	54	3	5	8	80	4%
Cancer	0	0	0	0	0	0	1	7	8	0	0	0	8	0%
Other	64	66	130	69	60	129	104	82	186	34	26	60	505	23%
Total	87	84	171	130	114	244	642	583	1225	275	250	525	2165	100%
% by age group			8%			11%			57%			24%	100%	

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	1	0	1	0	0	0	3	0	3	0	0	0	4	3%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	8	0	8	0	1	1	9	6%
3. Mental retardation / intellectual disability	0	0	0	0	0	0	4	3	7	0	0	0	7	5%
4. Psychotic disorder	1	0	1	1	0	1	20	4	24	0	0	0	26	18%
5. Severe emotional disorder	0	0	0	1	1	2	17	15	32	0	0	0	34	23%
6. Other psychological complaint	1	1	2	7	6	13	17	12	29	1	0	1	45	31%
Other	1	0	1	1	5	6	5	7	12	1	0	1	20	14%
Total	4	1	5	10	12	22	74	41	115	2	1	3	145	100%
% by age group			3%			15%			79%			2%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	3	3	3	5	8	15	15	30	4	0	4	45	8%
2. Injury (war related)	0	0	0	9	4	13	28	11	39	4	1	5	57	10%
3. Injury (non war related)	26	10	36	61	28	89	55	32	87	5	31	36	248	45%
4. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	12	12	24	25	30	55	43	39	82	23	22	45	206	37%
Total	38	25	63	98	67	165	141	97	238	36	54	90	556	100%
% by age group			11%			30%			43%			16%	100%	

4. In-patient Department

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	1	1	2	0	1	1	0	0	0	1	0	1	4	
Total admissions	12	10	22	7	2	9	2	4	6	1	0	1	38	
Number of exits	authorized	9	9	18	6	3	9	1	3	4	1	0	1	32
	unauthorized	0	0	0	0	0	1	0	1	0	0	0	1	
	death	0	0	0	0	0	0	0	0	0	0	0	0	
	referral	1	0	1	0	0	0	0	0	0	0	0	1	
Total exits	10	9	19	6	3	9	2	3	5	1	0	1	34	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	
% at end of reporting period by age group			63%			13%			13%			13%	100%	

Number of days in reporting period	7
Number of beds	36
Sum number of days stay for authorised discharges	73
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.3
Bed occupancy	34%
Hospitalisation rate	1.4

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	22	0	0%	8	0	0%	0	0		0	0	30	0	0%
2. General Surgery	0	0		0	0		0	0		0	0	0	0	
3. Injury (war related)	0	0		1	0	0%	0	0		0	0	1	0	0%
4. Injury (non war related)	0	0		0	0		0	0		0	0	0	0	
5. Internal medicine	0	0		0	0		6	0	0%	1	0	7	0	0%
6. Obstetrics	0	0		0	0		0	0		0	0	0	0	
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	0	0		0	0		0	0		0	0	0	0	
Total	22	0	0%	9	0	0%	6	0	0%	1	0	38	0	0%

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	600

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	7	33	40
First antenatal visit > 1st trimester	70	44	114
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	11	12
	2 TT doses	0	0
	anaemia screening	19	15

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	26%
Coverage of complete antenatal care	23%
Coverage of antenatal tetanus immunisation	0%
Coverage of anaemia screening in pregnancy	64%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	31	22	53
Still births	0	0	0

Low birth weight (<2500 g)	1	1	2
Attended by skilled health worker	31	22	53
Number of obstetric complications treated	2	1	3
Number of caesarean sections performed	1	4	5

Delivery Indicators	
Crude birth rate	5.7
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	4%
Proportion of all births performed by caesarean section	9%
Proportion of obstetric complications treated among girls < 18	67%

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	33	15	48

Postnatal Indicators	
Coverage of complete postnatal care	91%

8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources

1. Health Information System

Publication date:

21 June 2013

Contact Information

Za'atri

Ana Calvo, UNHCR

Email: calvo@unhcr.org

Amman

Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

