

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,296	2,296	4,592	6,997	8,091	15,088	20,226	19,680	39,906	20,773	25,802	46,575	1,203	1,968	3,171	109,332
% by age group			4%			14%			36%			43%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	17%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	1	1	1	1	17%
6. Injury	0	0	0	0%	1	0	1	0	0	0	0	0	0	1	17%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	2	1	3	100%	0	0	0	0	0	0	0	0	0	3	50%
Other	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
<b>Total</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>100%</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>6</b>	<b>100%</b>
% by age group			50%				17%			17%			17%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.2	0.2	0.2
Under 5 Mortality Rate (U5MR)	0.9	0.4	0.6
Neonatal Mortality Rate (NNMR)			75.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	74
Average number of full days on which each health facility was functioning	6.7
Total number of outpatient consultations	11,446
Health facility utilisation rate	5.4
Consultations per clinician per day	23

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	386	381	767	39.0	371	284	655	419	347	766	50	58	108	2296	25%	21.0
Influenza-like illness (ILI)	56	52	108	5.5	96	95	191	225	184	409	24	12	36	744	8%	6.8
Lower Respiratory Tract Infection (LRTI)	77	69	146	7.4	47	39	86	29	22	51	4	4	8	291	3%	2.7
Watery diarrhoea*	100	75	175	8.9	37	32	69	35	27	62	4	4	8	314	3%	2.9
Bloody diarrhoea*	3	1	4	0.2	2	0	2	2	2	4	0	0	0	10	0%	0.1
Skin infection	65	75	140	7.1	84	72	156	97	93	190	18	14	32	518	6%	4.7
Eye infection	44	40	84	4.3	30	42	72	57	69	126	18	20	38	320	3%	2.9
Dental Conditions	17	14	31	1.6	37	26	63	106	99	205	20	17	37	336	4%	3.1
Intestinal Worms	10	9	19	1.0	15	14	29	2	1	3	0	0	0	51	1%	0.5
Acute Jaundice Syndrome*	6	9	15	0.8	9	1	10	0	0	0	0	0	0	25	0%	0.2
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Fever of unknown origin	28	20	48	2.4	14	11	25	9	7	16	1	1	2	91	1%	0.8
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	469	435	904	45.9	668	552	1220	900	840	1740	169	141	310	4174	46%	38.2
<b>Total</b>	<b>1261</b>	<b>1180</b>	<b>2441</b>	<b>124.0</b>	<b>1411</b>	<b>1168</b>	<b>2579</b>	<b>1882</b>	<b>1691</b>	<b>3573</b>	<b>308</b>	<b>271</b>	<b>579</b>	<b>9172</b>	<b>100%</b>	<b>83.9</b>
% by age group			27%				28%			39%			6%	100%		

\* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	1	0	1	41	20	61	131	121	252	77	98	175	489	29%
Hypertension	0	0	0	0	0	0	161	164	325	90	83	173	498	30%
Asthma	26	15	41	34	10	44	38	43	81	12	14	26	192	11%
Ischaemic heart disease	0	0	0	0	0	0	15	10	25	6	20	26	51	3%
Cardiovascular disorders	0	0	0	0	10	10	11	10	21	14	5	19	50	3%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	1	2	3	3	1	4	7	0%
Liver disease	0	0	0	6	1	7	1	1	2	0	0	0	9	1%
Thyroid problems	0	0	0	4	2	6	5	8	13	3	2	5	24	1%
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	56	63	119	26	33	59	93	41	134	22	28	50	362	22%
<b>Total</b>	<b>83</b>	<b>78</b>	<b>161</b>	<b>111</b>	<b>76</b>	<b>187</b>	<b>456</b>	<b>400</b>	<b>856</b>	<b>227</b>	<b>251</b>	<b>478</b>	<b>1682</b>	<b>100%</b>
% by age group			10%			11%			51%			28%	100%	

3.4 Mental health

	0 to 4	Total <	5 to 17	Total 5	18 to 59	Total 18	> 60	Total	Grand	% by
--	--------	---------	---------	---------	----------	----------	------	-------	-------	------

	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1. Epilepsy / seizures	0	2	2	7	6	13	5	0	5	1	0	1	21	14%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	11	0	11	0	0	0	11	7%
3. Mental retardation / intellectual disability	0	0	0	3	0	3	3	2	5	0	0	0	8	5%
4. Psychotic disorder	0	0	0	2	0	2	17	6	23	0	0	0	25	16%
5. Severe emotional disorder	0	0	0	1	5	6	15	6	21	1	0	1	28	18%
6. Other psychological complaint	3	0	3	8	7	15	19	8	27	0	0	0	45	29%
Other	0	0	0	4	0	4	4	5	9	3	0	3	16	10%
<b>Total</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>25</b>	<b>18</b>	<b>43</b>	<b>74</b>	<b>27</b>	<b>101</b>	<b>5</b>	<b>0</b>	<b>5</b>	<b>154</b>	<b>100%</b>
% by age group			3%			28%			66%			3%	100%	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	1	0	1	0	0	0	0	0	0	1	0%
2. Injury (war related)	0	1	1	12	9	21	19	4	23	0	0	0	45	10%
3. Injury (non war related)	13	11	24	17	9	26	29	1	30	4	5	9	89	20%
4. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	39	35	74	50	39	89	31	39	70	32	38	70	303	69%
<b>Total</b>	<b>52</b>	<b>47</b>	<b>99</b>	<b>80</b>	<b>57</b>	<b>137</b>	<b>79</b>	<b>44</b>	<b>123</b>	<b>36</b>	<b>43</b>	<b>79</b>	<b>438</b>	<b>100%</b>
% by age group			23%			31%			28%			18%	100%	

## 4. In-patient Department

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	1	3	4	0	1	1	0	0	0	0	0	0	5	
Total admissions	8	5	13	3	3	6	4	2	6	2	1	3	28	
Number of exits	authorized	7	8	15	1	2	3	4	1	5	2	1	3	26
	unauthorized	0	0	0	0	0	0	0	1	0	0	0	1	
	death	0	0	0	0	0	0	0	0	0	0	0	0	
referral	0	0	0	0	0	0	0	0	0	0	0	0		
<b>Total exits</b>	<b>7</b>	<b>8</b>	<b>15</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>2</b>	<b>6</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>27</b>	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	
% at end of reporting period by age group			33%			67%			0%			0%	100%	

Number of days in reporting period	7
Number of beds	70
Sum number of days stay for authorised discharges	245
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	9.4
Bed occupancy	54%
Hospitalisation rate	1.0

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	13	0	0%	0	0		0	0		0	0	13	0	0%
2. General Surgery	0	0		0	0		0	0		0	0	0	0	
3. Injury (war related)	0	0		0	0		0	0		0	0	0	0	
4. Injury (non war related)	0	0		0	0		0	0		0	0	0	0	
5. Internal medicine	0	0		6	0	0%	6	0	0%	3	0	15	0	0%
6. Obstetrics	0	0		0	0		0	0		0	0	0	0	
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	<b>13</b>	<b>0</b>	<b>0%</b>	<b>6</b>	<b>0</b>	<b>0%</b>	<b>6</b>	<b>0</b>	<b>0%</b>	<b>3</b>	<b>0</b>	<b>28</b>	<b>0</b>	<b>0%</b>

Adm. = Admission; CFR = Case Fatality Rate

## 6. Laboratory

	Total
Number of laboratory tests conducted	486

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	23	48	71
First antenatal visit > 1st trimester	50	130	180
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	7
	≥ 2 TT doses	0	1
	anaemia screening	0	38

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	28%
Coverage of complete antenatal care	18%
Coverage of antenatal tetanus immunisation	3%
Coverage of anaemia screening in pregnancy	95%

### 8.2 Delivery care

	< 18	≥ 18	Total
Live births	1	39	40
Still births	0	0	0
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	1	39	40
Number of obstetric complications treated	7	8	15
Number of caesarean sections performed	0	5	5

Delivery Indicators	
---------------------	--

Crude birth rate	4.4
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	0%
Proportion of all births performed by caesarean section	13%
Proportion of obstetric complications treated among girls < 18	47%

### 8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	2	43	45

Postnatal Indicators	
Coverage of complete postnatal care	113%

### 8.4 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Condom (Male)	0	40	0	18	58
Implantable ( Norplant )	0	0	0	0	0
Emergency Contraceptive pill	0	0	0	0	0
Sterilisation ( Female)	0	0	0	0	0
Injectable (Depo - Provera)	0	4	0	5	9
Intra-Uterine Device (IUD)	0	0	0	0	0
Oral Contraceptive	0	42	1	44	87
Family Planning Counseling	0	0	0	0	0

### 8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources: 1. Health Information System

Publication date: 21 June 2013

Contact Information: **Za'atri** Ana Calvo, UNHCR Email: calvo@unhcr.org

**Amman** Ann Burton, UNHCR Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

