

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,301	2,301	4,602	7,014	8,110	15,124	20,274	19,726	40,000	20,822	25,863	46,685	1,206	1,974	3,180	109,591
% by age group			4%			14%			36%			43%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	17%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	1	0	1	100%	0	0	0	0	0	0	0	0	0	1	17%
Other	0	0	0	0%	0	1	1	1	1	2	0	1	1	4	67%
Total	1	0	1	100%	0	1	1	1	1	2	0	2	2	6	100%
% by age group			17%				17%			33%			33%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.2	0.3	0.2
Under 5 Mortality Rate (U5MR)	0.4	0.0	0.2
Neonatal Mortality Rate (NNMR)			22.2

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	76.0
Average number of full days on which each health facility was functioning	6.3
Total number of outpatient consultations	14,444
Health facility utilisation rate	6.9
Consultations per clinician per day	30

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	528	447	975	49.4	457	465	922	543	535	1078	65	78	143	3118	29%	28.5
Influenza-like illness (ILI)	94	105	199	10.1	143	109	252	214	223	437	28	27	55	943	9%	8.6
Lower Respiratory Tract Infection (LRTI)	77	63	140	7.1	57	48	105	37	26	63	23	15	38	346	3%	3.2
Watery diarrhoea*	106	121	227	11.5	59	57	116	23	13	36	1	2	3	382	3%	3.5
Bloody diarrhoea*	0	5	5	0.3	1	0	1	3	1	4	0	0	0	10	0%	0.1
Skin infection	118	113	231	11.7	149	177	326	146	141	287	60	34	94	938	9%	8.6
Eye infection	43	35	78	4.0	54	44	98	113	76	189	15	13	28	393	4%	3.6
Dental Conditions	22	15	37	1.9	58	35	93	122	86	208	19	20	39	377	3%	3.4
Intestinal Worms	18	17	35	1.8	20	22	42	15	6	21	0	0	0	98	1%	0.9
Acute Jaundice Syndrome*	6	3	9	0.5	4	3	7	0	3	3	0	0	0	19	0%	0.2
Measles*	2	0	2	0.1	0	0	0	0	0	0	0	0	0	2	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	1	2	3	0	0	0	3	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Fever of unknown origin	6	13	19	1.0	2	4	6	2	1	3	0	0	0	28	0%	0.3
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	2	3	5	0	0	0	5	0%	0.0
Other	426	394	820	41.6	650	495	1145	931	937	1868	203	229	432	4265	39%	38.9
Total	1446	1331	2777	140.8	1655	1459	3114	2152	2053	4205	414	418	832	10928	100%	99.7
% by age group			25%				28%			38%			8%	100%		

* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	1	0	1	24	22	46	182	163	345	93	114	207	599	23%
Hypertension	0	0	0	0	0	0	262	232	494	164	167	331	825	31%
Asthma	43	21	64	60	25	85	68	72	140	18	10	28	317	12%
Ischaemic heart disease	0	0	0	0	0	0	43	37	80	40	33	73	153	6%
Cardiovascular disorders	2	0	2	0	1	1	37	32	69	28	37	65	137	5%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	16	23	39	21	15	36	75	3%
Liver disease	0	0	0	3	1	4	9	9	18	1	0	1	23	1%
Thyroid problems	0	0	0	3	6	9	11	34	45	13	6	19	73	3%
Cancer	0	0	0	0	0	0	2	7	9	0	0	0	9	0%
Other	61	10	71	45	45	90	99	77	176	51	44	95	432	16%
Total	107	31	138	135	100	235	729	686	1415	429	426	855	2643	100%
% by age group			5%			9%			54%			32%	100%	

3.4 Mental health

	0 to 4	Total <	5 to 17	Total 5	18 to 59	Total 18	> 60	Total	Grand	% by
--	--------	---------	---------	---------	----------	----------	------	-------	-------	------

	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1. Epilepsy / seizures	1	0	1	8	6	14	4	1	5	0	0	0	20	8%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	4	1	5	0	0	0	5	2%
3. Mental retardation / intellectual disability	0	2	2	3	2	5	3	0	3	0	0	0	10	4%
4. Psychotic disorder	0	0	0	0	1	1	24	14	38	0	0	0	39	16%
5. Severe emotional disorder	0	0	0	6	9	15	16	14	30	3	1	4	49	20%
6. Other psychological complaint	2	1	3	24	14	38	15	17	32	3	2	5	78	32%
Other	3	3	6	5	6	11	12	12	24	1	3	4	45	18%
Total	6	6	12	46	38	84	78	59	137	7	6	13	246	100%
% by age group			5%			34%			56%			5%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	5	3	8	12	14	26	12	1	13	47	7%
2. Injury (war related)	0	1	1	19	16	35	38	3	41	0	2	2	79	13%
3. Injury (non war related)	9	10	19	36	12	48	65	56	121	20	6	26	214	34%
4. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	34	28	62	46	44	90	49	27	76	29	30	59	287	46%
Total	43	39	82	106	75	181	164	100	264	61	39	100	627	100%
% by age group			13%			29%			42%			16%	100%	

4. In-patient Department

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions	9	14	23	3	0	3	20	17	37	6	3	9	72	
Number of exits	7	12	19	2	0	2	19	17	36	6	2	8	65	
	0	1	1	0	0	0	1	0	1	0	1	1	3	
	0	0	0	0	0	0	0	0	0	0	0	0	0	
referral	1	0	1	0	0	0	0	0	0	0	0	0	1	
Total exits	8	13	21	2	0	2	20	17	37	6	3	9	69	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	
% at end of reporting period by age group			67%			33%			0%			0%	100%	

Number of days in reporting period	7
Number of beds	70
Sum number of days stay for authorised discharges	224
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	3.4
Bed occupancy	51%
Hospitalisation rate	2.6

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	24	0	0%	1	0	0%	0	0		0	0	25	0	0%
2. General Surgery	0	0		2	0	0%	20	0	0%	9	0	31	0	0%
3. Injury (war related)	0	0		0	0		0	0		0	0	0	0	
4. Injury (non war related)	0	0		0	0		6	0	0%	0	0	6	0	0%
5. Internal medicine	0	0		0	0		0	0		0	0	0	0	
6. Obstetrics	0	0		0	0		9	0	0%	0	0	9	0	0%
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	0	0		0	0		1	0	0%	0	0	1	0	0%
Total	24	0	0%	3	0	0%	36	0	0%	9	0	72	0	0%

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	400

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	19	93	112
First antenatal visit > 1st trimester	28	139	167
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	14
	2 TT doses	0	2
	anaemia screening	0	36

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	40%
Coverage of complete antenatal care	31%
Coverage of antenatal tetanus immunisation	4%
Coverage of anaemia screening in pregnancy	80%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	4	41	45
Still births	0	1	1
Low birth weight (<2500 g)	2	7	9
Attended by skilled health worker	4	41	45
Number of obstetric complications treated	4	7	11
Number of caesarean sections performed	2	10	12

Delivery Indicators

Crude birth rate	4.9
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	20%
Proportion of all births performed by caesarean section	27%
Proportion of obstetric complications treated among girls < 18	36%

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	4	57	61

Postnatal Indicators	
Coverage of complete postnatal care	136%

8.4 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Condom (Male)	2	37	1	18	0
Implantable (Norplant)	0	0	0	0	0
Emergency Contraceptive pill	0	0	0	0	0
Sterilisation (Female)					0
Injectable (Depo - Provera)	0	3	0	3	0
Intra-Uterine Device (IUD)	0	5	0	4	0
Oral Contraceptive	5	69	1	105	0
Family Planning Counseling	26	51	13	22	112

8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources

1. Health Information System

Publication date:

21 June 2013

Contact Information

Za'atri
Ana Calvo, UNHCR

Email: calvo@unhcr.org

Amman
Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

