

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,301	2,301	4,602	7,014	8,110	15,124	20,274	19,726	40,000	20,822	25,863	46,685	1,206	1,974	3,180	109,591
% by age group			4%			14%			36%			43%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	20%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	3	0	3	100%	0	0	0	0	0	0	0	0	0	3	60%
Other	0	0	0	0%	0	1	1	0	0	0	0	0	0	1	20%
Total	3	0	3	100%	0	1	1	1	0	1	0	0	0	5	100%
% by age group			60%			20%			20%			0%		100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.3	0.1	0.2
Under 5 Mortality Rate (U5MR)	1.3	0.0	0.6
Neonatal Mortality Rate (NNMR)			51.7

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	73.0
Average number of full days on which each health facility was functioning	6.3
Total number of outpatient consultations	13,089
Health facility utilisation rate	6.2
Consultations per clinician per day	28

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	489	406	895	45.4	376	412	788	432	406	838	60	62	122	2643	28%	24.1
Influenza-like illness (ILI)	121	108	229	11.6	139	116	255	137	157	294	29	28	57	835	9%	7.6
Lower Respiratory Tract Infection (LRTI)	98	62	160	8.1	53	53	106	37	27	64	21	14	35	365	4%	3.3
Watery diarrhoea*	124	139	263	13.3	52	54	106	30	24	54	3	5	8	431	4%	3.9
Bloody diarrhoea*	5	1	6	0.3	3	1	4	1	0	1	0	0	0	11	0%	0.1
Skin infection	120	123	243	12.3	158	163	321	150	166	316	49	46	95	975	10%	8.9
Eye infection	35	37	72	3.7	49	33	82	91	65	156	19	9	28	338	4%	3.1
Dental Conditions	24	26	50	2.5	45	43	88	97	87	184	19	12	31	353	4%	3.2
Intestinal Worms	19	17	36	1.8	7	22	29	13	3	16	0	1	1	82	1%	0.7
Acute Jaundice Syndrome*	3	2	5	0.3	4	4	8	0	0	0	0	0	0	13	0%	0.1
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	2	1	3	0	2	2	5	0%	0.0
Fever of unknown origin	27	33	60	3.0	20	8	28	11	4	15	0	0	0	103	1%	0.9
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	452	371	823	41.7	539	518	1057	579	701	1280	140	132	272	3432	36%	31.3
Total	1517	1325	2842	144.1	1445	1427	2872	1580	1641	3221	340	311	651	9586	100%	87.5
% by age group			30%				30%			34%			7%	100%		

* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	0	0	0	20	20	40	164	150	314	95	110	205	559	22%	
Hypertension	0	0	0	0	2	2	207	235	442	121	125	246	690	28%	
Asthma	45	26	71	45	54	99	58	56	114	12	9	21	305	12%	
Ischaemic heart disease	0	0	0	0	0	0	40	27	67	43	27	70	137	6%	
Cardiovascular disorders	2	1	3	2	1	3	47	33	80	30	45	75	161	6%	
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	17	19	36	21	21	42	78	3%	
Liver disease	2	1	3	7	3	10	9	8	17	2	1	3	33	1%	
Thyroid problems	0	0	0	5	8	13	21	38	59	2	8	10	82	3%	
Cancer	0	0	0	0	0	0	8	3	11	1	0	1	12	0%	
Other	55	15	70	42	40	82	105	84	189	47	44	91	432	17%	
Total	104	43	147	121	128	249	676	653	1329	374	390	764	2489	100%	
% by age group			6%			10%			53%			31%	100%		

3.4 Mental health

	0 to 4	Total <	5 to 17	Total 5	18 to 59	Total 18	> 60	Total	Grand	% by
--	--------	---------	---------	---------	----------	----------	------	-------	-------	------

	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1. Epilepsy / seizures	1	1	2	6	5	11	4	1	5	1	0	1	19	8%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	5	0	5	0	0	0	5	2%
3. Mental retardation / intellectual disability	0	0	0	7	5	12	6	1	7	0	0	0	19	8%
4. Psychotic disorder	0	0	0	1	1	2	17	11	28	0	0	0	30	12%
5. Severe emotional disorder	0	0	0	7	5	12	17	15	32	1	1	2	46	19%
6. Other psychological complaint	5	4	9	25	17	42	15	17	32	3	1	4	87	36%
Other	0	0	0	4	4	8	16	10	26	0	4	4	38	16%
Total	6	5	11	50	37	87	80	55	135	5	6	11	244	100%
% by age group			5%			36%			55%			5%	100%	

3.5 Injuries

	0 to 4		Total < 5			5 to 17		Total 5 to 17		18 to 59		Total 18 to 59		> 60		Total > 60		Grand total	% by cause
	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F		
1. Bites (all causes)	1	1	2	4	3	7	13	9	22	10	2	12	43	6%					
2. Injury (war related)	0	0	0	28	18	46	46	5	51	0	1	1	98	13%					
3. Injury (non war related)	22	7	29	69	21	90	69	43	112	15	13	28	259	34%					
4. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%					
Other	39	43	82	37	57	94	68	46	114	33	47	80	370	48%					
Total	62	51	113	138	99	237	196	103	299	58	63	121	770	100%					
% by age group			15%			31%			39%			16%	100%						

4. In-patient Department

4.1 In-patient Department Activities

	0 to 4		Total < 5			5 to 17		Total 5 to 17		18 to 59		Total 18 to 59		> 60		Total > 60		Grand total
	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
Number at beginning of reporting period	1	3	4	1	0	1	0	0	0	0	0	0	0	0	0	0	0	5
Total admissions	1	1	2	4	5	9	17	12	29	2	3	5	45					
Number of exits	authorized	1	4	5	4	8	16	11	27	2	2	4	44					
	unauthorized	0	0	0	0	1	1	1	2	0	1	1	4					
	death	0	0	0	1	0	1	0	0	0	0	0	1					
referral	0	0	0	0	0	0	0	0	0	0	0	0	0					
Total exits	1	4	5	5	5	10	17	12	29	2	3	5	49					
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0					
% at end of reporting period by age group			100%			0%			0%			0%	100%					

Number of days in reporting period	7
Number of beds	62
Sum number of days stay for authorised discharges	236
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	5.4
Bed occupancy	56%
Hospitalisation rate	1.6

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	2	0	0%	0	0		0	0		0	0	2	0	0%
2. General Surgery	0	0		2	0	0%	0	17		5	0	7	17	243%
3. Injury (war related)	0	0		0	0		0	0		0	0	0	0	
4. Injury (non war related)	0	0		3	0	0%	0	0		0	0	3	0	0%
5. Internal medicine	0	0		3	0	0%	0	4		0	0	3	4	133%
6. Obstetrics	0	0		0	0		0	6		0	0	0	6	
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	0	0		1	1	100%	1	1	100%	0	0	2	2	100%
Total	2	0	0%	9	1	11%	1	28	2800%	5	0	17	29	171%

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	366

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	15	77	92
First antenatal visit > 1st trimester	21	121	142
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	19
	≥ 2 TT doses	0	7
	anaemia screening	1	57

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	39%
Coverage of complete antenatal care	33%
Coverage of antenatal tetanus immunisation	12%
Coverage of anaemia screening in pregnancy	98%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	1	57	58
Still births	0	0	0
Low birth weight (<2500 g)	0	5	5
Attended by skilled health worker	1	57	58
Number of obstetric complications treated	0	6	6
Number of caesarean sections performed	0	10	10

Delivery Indicators	
---------------------	--

Crude birth rate	6.4
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	9%
Proportion of all births performed by caesarean section	17%
Proportion of obstetric complications treated among girls < 18	0%

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	3	61	64

Postnatal Indicators	
Coverage of complete postnatal care	110%

8.4 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Condom (Male)	2	16	0	17	35
Implantable (Norplant)	0	0	0	0	0
Emergency Contraceptive pill	0	0	0	0	0
Sterilisation (Female)					0
Injectable (Depo - Provera)	0	2	0	1	3
Intra-Uterine Device (IUD)	0	4	0	3	7
Oral Contraceptive	1	61	0	94	156
Family Planning Counseling	21	54	10	27	112

8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours					0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources
1. Health Information System

Publication date:
21 June 2013

Contact Information
Za'atri
Ana Calvo, UNHCR
Email: calvo@unhcr.org

Amman
Ann Burton, UNHCR
Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

