





### Refugee population



### Key facts

Camp opened:  
**July 2012**

\* Source of population data:  
**WFP Distribution Figures**

### Indicators at a glance

|   |      |    |
|---|------|----|
| 1 Health utilisation rate                           | 6.2  | ✓  |
| 2 Number of consultations per clinician per day     | 28   | ✓  |
| 3 Hospitalisation rate                              | 1.6  | 🚩  |
| 4 Referral rate                                     |      | ?  |
| 5 % deliveries attended by skilled personnel        | 100% | ⚠️ |
| 6 Crude Mortality Rate (CMR) (/1000/month)          | 0.2  | ✓  |
| 7 Under-five Mortality Rate (U5MR) (/1000/month)    | 0.6  | ✓  |
| 8 Neonatal Mortality Rate (NNMR) (/1000 livebirths) | 51.7 | ✗  |

### Notes


This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- French Field Hospital
- IMC Clinic
- JHAS Clinic
- Jordan Italian Field Hospital
- MDM Clinics 1 and 2
- MSF Hospital
- Moroccan Field Hospital
- Saudi Clinic

Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

### Morbidity


#### Acute health conditions (%)



#### Top 5 acute health conditions

|  | % morbidity | # of cases |
|--|-------------|------------|
| 1 Upper Respiratory Tract Infection (URTI) | 28%         | 2,643      |
| 2 Skin infection                           | 10%         | 975        |
| 3 Influenza-like illness (ILI)             | 9%          | 835        |
| 4 Watery diarrhoea*                        | 4%          | 365        |
| 5 Lower Respiratory Tract Infection (LRTI) | 4%          | 431        |
| - Other                                    | 45%         | 4,959      |

#### Chronic health conditions (%)




#### Top 5 chronic health conditions


|                            | % morbidity | # of cases |
|----------------------------|-------------|------------|
| 1 Hypertension             | 28%         | 690        |
| 2 Diabetes                 | 22%         | 559        |
| 3 Asthma                   | 12%         | 305        |
| 4 Cardiovascular disorders | 6%          | 161        |
| 5 Ischaemic heart disease  | 6%          | 137        |
| - Other                    | 26%         | 637        |

#### Breakdown of acute health conditions

##### by age




##### by gender




#### Breakdown of chronic health conditions

##### by age



##### by gender



## Public Health

### Health Impact

|   | Indicator | Standard |   |
|---|-----------|----------|---|
| Crude Mortality Rate (CMR) (/1000/month)          | 0.2       | < 1.5    | ✓ |
| Under-five Mortality Rate (U5MR) (/1000/month)    | 0.6       | < 3.0    | ✓ |
| Neonatal Mortality Rate (NNMR) (/1000 livebirths) | 51.7      | < 40     | ✗ |

### Access and utilization

|  |        |           |              |   |
|--|--------|-----------|--------------|---|
| No. of health facilities                           | 8      | 1 : 13699 | 1 : < 10,000 | ✗ |
| Total number of consultations                      | 13,089 |           |              |   |
| Health utilisation rate                            | 6.2    | 1 - 4     |              | ✓ |
| No. of consultations per trained clinician per day | 28     | < 50      |              | ✓ |

### Outbreak Alert and Response

|   | Indicator | Standard |
|---|-----------|----------|
| Number of outbreaks reported                | 0         |          |
| % of outbreaks investigated within 48 hours |           | 100%     |

### Laboratory


|                              |     |
|------------------------------|-----|
| Number of laboratory samples | 366 |
|------------------------------|-----|

### Immunization


|                          |       |   |
|--------------------------|-------|---|
| Measles vaccination rate | > 95% | ? |
| Full vaccination rate    | > 95% | ? |
| Program drop-out rate    | < 10% | ? |
| Vaccine wastage rate     | < 8%  | ? |

## Breakdown of mental health conditions


### By cause



### By age




### By gender




## Breakdown of injuries


### By cause



### By age



### By gender



## In-patient and referral

### In-patient department

|  | Indicator | Standard |    |
|--|-----------|----------|----|
| Hospitalisation rate (/1000/month)                   | 1.6       | 50 - 150 | 🇺🇦 |
| Bed occupancy rate                                   | 56%       | > 75%    | ✗  |
| Mean length of stay for authorised discharges (days) | 5.4       |          |    |

|   | Indicator | Standard |
|---|-----------|----------|
| Overall case fatality rate                        | 176%      |          |
| Proportion of deaths within 24 hours of admission | 0%        |          |

### Referral

|                     |   |
|---------------------|---|
| Total referral rate | ? |
|---------------------|---|

## Reproductive Health

### Antenatal care

|   | Indicator | Standard |    |
|---|-----------|----------|----|
| Coverage of antenatal care (4 or more visits) | 33%       | ≥ 90%    | ✗  |
| Coverage of TT vaccination                    | 12%       | ≥ 90%    | ✗  |
| Coverage of anaemia screening in pregnancy    | 98%       | ≥ 90%    | 🇺🇦 |

### Delivery care

|   |      |         |    |
|---|------|---------|----|
| Proportion of deliveries attended by skilled personnel  | 100% | ≥ 90%   | ⚠️ |
| Proportion of deliveries performed by caesarean section | 17%  | 5 - 15% | ✓  |
| Proportion of low birth weight deliveries (<2500g)      | 9%   | < 15%   | ✓  |

### Maternal mortality

|   |   |      |  |
|---|---|------|--|
| Number of maternal deaths reported                | 0 |      |  |
| % of maternal deaths investigated within 48 hours |   | 100% |  |

### Postnatal care

|                            |      |       |    |
|----------------------------|------|-------|----|
| Coverage of postnatal care | 110% | ≥ 90% | ⚠️ |
|----------------------------|------|-------|----|

### Family Planning

|                               |    |    |
|-------------------------------|----|----|
| Contraceptive prevalence rate | 0% | 🇺🇦 |
|-------------------------------|----|----|

### Sexual and Gender-based Violence

|  |   |      |    |
|--|---|------|----|
| Incidence of rape (reported cases/10,000/year)*              | 0 | 🇺🇦   |    |
| % of rape survivors who received PEP** < 72 hours            |   | 100% | 🇺🇦 |
| % of rape survivors who received ECP*** < 120 hours          |   | 100% | 🇺🇦 |
| % of rape survivors who received STI**** prophylaxis < 2 wks |   | 100% | 🇺🇦 |

\*Only includes rapes reported at health facilities \*\*Post-exposure prophylaxis \*\*\*Emergency contraceptive pill \*\*\*\*Sexually transmitted infection

