

1. Population

Population	0 to -	< 1	Total <1	1 to	4	Total 1	5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total >	Grand
Population	M	F	10tal < 1	M	F	to 4	M	F	to 17	M	F	to 59	M	F	60	total
Refugee population	1,706	1,706	3,412	5,199	6,012	11,211	15,029	14,623	29,652	15,435	19,172	34,607	894	1,462	2,356	81,238
% by age group			4%			14%			37%			43%			3%	100%

2. Mortality

2.1 Mortality

	Record ONE cause of mortality per case	0 t	o 4	Total <5	U5 %	5 to	17	Total 5	18 to	59	Total 18	> (60	Total >	Grand	Crude %
	necord ONE cause of mortality per case	M	F	TOtal <5	mort	M	F	to 17	М	F	to 59	M	F	60	total	mort
1.	Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2.	Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3.	Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4.	Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	25%
5.	Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	25%
6.	Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7.	Cancer	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8.	Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9.	Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10.	Neonatal death	1	1	2	100%	0	0	0	0	0	0	0	0	0	2	50%
	Other	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
	Total	1	1	2	100%	0	0	0	0	0	0	1	1	2	4	100%
	% by age group			50%				0%			0%			50%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.2	0.2	0.2
Under 5 Mortality Rate (U5MR)	0.6	0.5	0.5
Neonatal Mortality Rate (NNMR)			35.7

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	69.0
Average number of full days on which each health facility was functioning	6.3
Total number of outpatient consultations	12,167
Health facility utilisation rate	7.8
Consultations per clinician per day	28

3.2 Acute health conditions

Record NEW cases of disease only	0 to	4	Tatal 5	U5 Incid	5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total >	Grand	% by	Crude
Record NEW cases of disease only	М	F	Total <5	US INCIA	M	F	to 17	M	F	to 59	М	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	416	366	782	53.5	554	503	1057	614	607	1221	59	43	102	3162	32%	38.9
Influenza-like illness (ILI)	205	167	372	25.4	234	191	425	389	337	726	38	45	83	1606	16%	19.8
Lower Respiratory Tract Infection (LRTI)	101	81	182	12.4	67	91	158	54	52	106	22	28	50	496	5%	6.1
Watery diarrhoea*	48	37	85	5.8	22	20	42	7	6	13	2	1	3	143	1%	1.8
Bloody diarrhoea*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	102	89	191	13.1	146	103	249	187	235	422	45	63	108	970	10%	11.9
Eye infection	29	19	48	3.3	34	27	61	47	62	109	22	22	44	262	3%	3.2
Dental Conditions	7	5	12	0.8	36	35	71	105	74	179	17	19	36	298	3%	3.7
Intestinal Worms	9	12	21	1.4	24	10	34	2	1	3	0	0	0	58	1%	0.7
Acute Jaundice Syndrome*	1	0	1	0.1	1	0	1	0	0	0	0	0	0	2	0%	0.0
Measles*	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	21	17	38	2.6	24	15	39	10	3	13	1	0	1	91	1%	1.1
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	1	1	4	1	5	0	0	0	6	0%	0.1
Other	294	227	521	35.6	427	338	765	600	648	1248	89	98	187	2721	28%	33.5
Total	1233	1021	2254	154.1	1569	1334	2903	2019	2026	4045	295	319	614	9816	100%	120.8
% by age group			23%				30%			41%			6%	100%		

^{*} indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

	0 t	o 4	Total <	5 to	17	Total 5	18 to	o 59	Total 18	> 6	0	Total	Grand	% by
Record NEW and REVISITS	М	F	5	М	F	to 17	М	F	to 59	М	F	> 60	total	cause
Diabetes	0	1	1	5	1	6	101	113	214	74	96	170	391	24%
Hypertension	0	0	0	0	0	0	129	127	256	103	136	239	495	30%
Asthma	8	4	12	23	14	37	55	48	103	38	23	61	213	13%
Ischaemic heart disease	0	0	0	0	0	0	5	9	14	13	14	27	41	3%
Cardiovascular disorders	0	0	0	0	0	0	24	20	44	11	17	28	72	4%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	45	23	68	25	19	44	112	7%
Liver disease	0	0	0	0	0	0	0	0	0	1	0	1	1	0%
Thyroid problems	0	0	0	1	2	3	6	18	24	4	12	16	43	3%
Cancer	0	0	0	0	0	0	1	3	4	0	0	0	4	0%
Other	7	2	9	12	11	23	87	65	152	49	34	83	267	16%
Total	15	7	22	41	28	69	453	426	879	318	351	669	1639	100%
% by age group			1%			4%			54%			41%	100%	

3.4 Mental health

0 to 4	Total -	5 to 17	Total 5	18 to 59	Total 18	> 60	Total	Grand	% by

	M	F	5	М	F	to 17	M	F	to 59	М	F	> 60	total	cause
Epilepsy / seizures	3	0	3	4	12	16	7	3	10	1	0	1	30	11%
Alcohol and other substance abuse disorder	0	0	0	0	0	0	9	1	10	0	0	0	10	4%
Mental retardation / intellectual disability	1	0	1	5	3	8	4	0	4	0	0	0	13	5%
Psychotic disorder	0	0	0	1	2	3	20	8	28	0	0	0	31	11%
Severe emotional disorder	0	0	0	7	2	9	20	24	44	4	1	5	58	21%
Medically Unexplained Somatic Complaint	0	0	0	13	11	24	8	14	22	7	9	16	62	22%
Other psychological complaint	0	0	0	20	17	37	14	22	36	3	2	5	78	28%
Total	4	0	4	50	47	97	82	72	154	15	12	27	282	100%
% by age group			1%			34%			55%			10%	100%	

3.5 Injuries

	0 to	o 4	Total <	5 tc	17	Total 5	18 t	o 59	Total 18	> (60	Total	Grand	% by
	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Bites (all causes)	0	0	0	0	0	0	15	0	15	0	0	0	15	3%
2. Injury (war related)	0	0	0	10	7	17	15	0	15	0	0	0	32	7%
3. Injury (non war related)	4	2	6	38	4	42	40	9	49	2	1	3	100	23%
Other	29	30	59	44	26	70	47	45	92	31	31	62	283	66%
Total	33	32	65	92	37	129	117	54	171	33	32	65	430	100%
% by age group			15%			30%			40%			15%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 t	0 to 4		5 to	17	Total 5	18 t	o 59	Total 18	>	60	Total	Grand
		М	F	5	М	F	to 17	M	F	to 59	M	F	> 60	total
Number at beginning of report	rting period	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions		0	0	0	9	7	16	22	27	49	1	2	3	68
	authorized	0	0	0	9	7	16	20	27	47	1	2	3	66
Number of exits	unauthorized	0	0	0	0	0	0	2	0	2	0	0	0	2
Number of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits		0	0	0	9	7	16	22	27	49	1	2	3	68
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group														100%

Number of days in reporting period	7
Number of beds	48
Sum number of days stay for authorised discharges	126
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.9
Bed occupancy	39%
Hospitalisation rate	3.3

4.2 In-patient Admissions and Deaths

	0 t	o 4	U5 CFR	5 to	17	5-17	18 t	o 59	18-59	>	60	Total	Total	Crude
	Adm	Deaths	US CFR	Adm	Deaths	CFR	Adm	Deaths	CFR	Adm	Deaths	adm	deaths	CFR
Paediatric medicine	0	0		3	0	0%	0	0		0	0	3	0	0%
2. General Surgery	0	0		0	0		7	0	0%	1	0	8	0	0%
3. Injury (war related)	0	0		0	0		0	0		0	0	0	0	
4. Injury (non war related)	0	0		9	0	0%	12	0	0%	0	0	21	0	0%
5. Internal medicine	0	0		2	0	0%	0	0		0	0	2	0	0%
6. Obstetrics	0	0		2	0	0%	18	0	0%	0	0	20	0	0%
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	0	0		0	0		9	0	0%	2	0	11	0	0%
Total	0	0		16	0	0%	46	0	0%	3	0	65	0	0%

Adm. = Admission; CFR = Case Fatality Rate

6. Laboratory

	Total
Number of laboratory tests conducted	288

8. Reproductive Health

8.1 Antenatal care

		< 18	≥ 18	Total
First antenatal visit < 1st trimest	er	27	76	103
First antenatal visit > 1st trimest	er	21	154	175
N	≥ 4 ANC visits	1	14	15
Number of pregnant women at time of delivery who received:	2 TT doses	2	15	17
unie of delivery who received.	anaemia screening	6	50	56

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	37%
Coverage of complete antenatal care	27%
Coverage of antenatal tetanus immunisation	30%
Coverage of anaemia screening in pregnancy	100%

8.2 Delivery care

	< 18	≥ 18	Total
Live births	6	50	56
Still births	0	1	1
Low birth weight (<2500 g)	1	5	6
Attended by skilled health worker	6	50	56
Number of obstetric complications treated	0	2	2
Number of caesarean sections performed	2	20	22

Delivery Indicators	
Crude birth rate	8.3

Proportion of births attended by skilled health worker (excl. TBA)	1009
Proportion of low birth weight deliveries	119
Proportion of all births performed by caesarean section	399
Proportion of obsetric complications treated among girls < 18	09

8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	3	63	66

Postnatal Indicators	
Coverage of complete postnatal care	118%

8.4 Family planning

	Ne	ew	Repeat		Total
	< 18	≥ 18	< 18	≥ 18	I Otal
Condom (Male)	2	36	0	22	60
Implantable (Norplant)	0	0	0	0	0
Emergency Contraceptive pill	0	0	0	0	0
Sterilisation (Female)	0	0	0	0	0
Injectable (Depo - Provera)	0	2	0	4	6
Intra-Uterine Device (IUD)	0	3	0	0	3
Oral Contraceptive	3	54	0	115	172
Family Planning Counseling	19	35	16	41	111

8.5 Sexual and gender-based violence

	<	18	≥ 18		Total
	М	F	М	F	Total
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

1. Health Information System 21 June 2013 Publication Data Sources date:

Contact Information

Za'atri Ana Calvo, UNHCR

Email: calvo@unhcr.org

Amman Ann Burton, UNHCR

Email: burton@unhcr.org





















