

1. Population

Population	0 to <1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,018	2,018	4,036	6,151	7,112	13,263	17,779	17,299	35,078	18,260	22,680	40,940	1,057	1,730	2,787	96,104
% by age group			4%			14%			37%			43%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	2	2	4	4	67%
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0		0	0	0	0	0	0	2	2	2	2	33%
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>4</b>	<b>6</b>	<b>6</b>	<b>100%</b>
% by age group			0%			0%			0%				100%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.2	0.3	0.2
Under 5 Mortality Rate (USMR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	69.0
Average number of full days on which each health facility was functioning	6.7
Total number of outpatient consultations	13,773
Health facility utilisation rate	7.5
Consultations per clinician per day	30

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	418	378	796	46.0	328	352	680	494	724	1218	75	87	162	2856	36%	29.7
Influenza-like illness (ILI)	54	64	118	6.8	116	93	209	165	131	296	72	58	130	753	9%	7.8
Lower Respiratory Tract Infection (LRTI)	104	74	178	10.3	36	39	75	57	63	120	45	40	85	458	6%	4.8
Watery diarrhoea*	11	13	24	1.4	4	7	11	5	7	12	1	1	2	49	1%	0.5
Bloody diarrhoea*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	57	61	118	6.8	104	104	208	133	117	250	83	82	165	741	9%	7.7
Eye infection	19	21	40	2.3	36	37	73	58	42	100	13	13	26	239	3%	2.5
Dental Conditions	4	9	13	0.8	28	26	54	84	78	162	17	13	30	259	3%	2.7
Intestinal Worms	5	7	12	0.7	14	17	31	4	3	7	0	0	0	50	1%	0.5
Acute Jaundice Syndrome*	0	0	0	0.0	1	1	2	0	0	0	0	0	0	2	0%	0.0
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	3	0	3	0	0	0	3	0%	0.0
Fever of unknown origin	7	12	19	1.1	1	0	1	0	0	0	0	0	0	20	0%	0.2
Sexually Transmitted Infection (STI)	0	4	4	0.2	0	44	44	0	144	144	0	8	8	200	3%	2.1
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	223	220	443	25.6	258	235	493	496	568	1064	175	142	317	2317	29%	24.1
<b>Total</b>	<b>902</b>	<b>863</b>	<b>1765</b>	<b>102.0</b>	<b>926</b>	<b>955</b>	<b>1881</b>	<b>1499</b>	<b>1877</b>	<b>3376</b>	<b>481</b>	<b>444</b>	<b>925</b>	<b>7947</b>	<b>100%</b>	<b>82.7</b>
% by age group			22%			24%			42%				12%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total <5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	1	2	3	116	119	235	114	128	242	480	10%
Hypertension	0	0	0	0	0	0	108	123	231	166	172	338	569	12%
Asthma	17	19	36	41	30	71	61	71	132	63	57	120	359	7%
Ischaemic heart disease	0	0	0	0	0	0	44	27	71	56	37	93	164	3%
Cardiovascular disorders	0	0	0	0	2	2	26	32	58	28	28	56	116	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	29	23	52	49	38	87	139	3%
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Thyroid problems	0	0	0	5	5	10	9	36	45	9	19	28	83	2%
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	37	51	88	63	45	108	109	108	217	73	68	141	554	11%
<b>Total</b>	<b>108</b>	<b>140</b>	<b>248</b>	<b>220</b>	<b>168</b>	<b>388</b>	<b>1004</b>	<b>1078</b>	<b>2082</b>	<b>1116</b>	<b>1094</b>	<b>2210</b>	<b>4928</b>	<b>100%</b>
% by age group			5%			8%			42%				45%	100%

3.4 Mental health

Record NEW and REVISITS	0 to 4		Total <5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	3	2	5	10	8	18	15	9	24	1	0	1	48	11%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	1	1	1	0%
3. Mental retardation / intellectual disability	2	2	4	1	5	6	6	0	6	0	0	0	16	4%
4. Psychotic disorder	0	0	0	5	4	9	24	1	25	0	1	1	35	8%
5. Severe emotional disorder	0	0	0	13	23	36	29	47	76	7	14	21	133	31%

6. Medically Unexplained Somatic Complaint	5	6	11	10	8	18	11	16	27	5	9	14	70	17%
Other psychological complaint	1	1	2	18	24	42	17	33	50	11	15	26	120	28%
<b>Total</b>	<b>11</b>	<b>11</b>	<b>22</b>	<b>57</b>	<b>72</b>	<b>129</b>	<b>102</b>	<b>106</b>	<b>208</b>	<b>24</b>	<b>40</b>	<b>64</b>	<b>423</b>	<b>100%</b>
% by age group			5%			30%			49%			15%	100%	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	1	0	1	1	0	1	2	1	3	0	0	0	5	1%
2. Injury (war related)	0	1	1	11	3	14	40	24	64	24	7	31	110	23%
3. Injury (non war related)	13	8	21	10	2	12	23	13	36	4	3	7	76	16%
4. Injury ( Burns)	1	0	1	7	3	10	8	9	17	1	0	1	29	6%
Other	27	48	75	28	34	62	37	28	65	24	29	53	255	54%
<b>Total</b>	<b>42</b>	<b>57</b>	<b>99</b>	<b>57</b>	<b>42</b>	<b>99</b>	<b>110</b>	<b>75</b>	<b>185</b>	<b>53</b>	<b>39</b>	<b>92</b>	<b>475</b>	<b>100%</b>
% by age group			21%			21%			39%			19%	100%	

## 4. In-patient Department

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
<b>Number at beginning of reporting period</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total admissions	10	7	17	12	14	26	20	23	43	5	5	10	96	
Number of exits	authorized	10	7	17	12	14	26	20	23	43	5	5	10	96
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total exits</b>	<b>10</b>	<b>7</b>	<b>17</b>	<b>12</b>	<b>14</b>	<b>26</b>	<b>20</b>	<b>23</b>	<b>43</b>	<b>5</b>	<b>5</b>	<b>10</b>	<b>96</b>	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	
% at end of reporting period by age group													100%	

Number of days in reporting period	7
Number of beds	48
Sum number of days stay for authorised discharges	141
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.5
Bed occupancy	42%
Hospitalisation rate	4.0

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	11	0	0%	5	0	0%	0	0	0%	0	0	16	0	0%
2. General Surgery	2	0	0%	5	0	0%	15	0	0%	3	0	25	0	0%
3. Injury (war related)	0	0	0%	0	0	0%	0	0	0%	0	0	0	0	0%
4. Injury (non war related)	0	0	0%	1	0	0%	7	0	0%	4	0	12	0	0%
5. Internal medicine	0	0	0%	0	0	0%	0	0	0%	0	0	0	0	0%
6. Obstetrics	0	0	0%	0	0	0%	8	0	0%	0	0	8	0	0%
7. Gynaecology	0	0	0%	0	0	0%	0	0	0%	0	0	0	0	0%
Other	4	0	0%	15	0	0%	11	0	0%	3	0	33	0	0%
<b>Total</b>	<b>17</b>	<b>0</b>	<b>0%</b>	<b>26</b>	<b>0</b>	<b>0%</b>	<b>41</b>	<b>0</b>	<b>0%</b>	<b>10</b>	<b>0</b>	<b>94</b>	<b>0</b>	<b>0%</b>

Adm. = Admission; CFR = Case Fatality Rate

## 5. Referral

Health Facility	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
MAFRAG HOSPITAL	1	0	1	3	2	5	3	5	8	0	1	1	15
MAFRAQ PED & GYN	8	6	14	21	0	21	0	51	51	0	0	0	86
BASMA HOSPITAL	3	1	4	2	1	3	2	1	3	0	0	0	10
ALBASHEER HOSPITAL	3	2	5	3	0	3	0	4	4	1	2	3	15
OTHER	5	1	6	1	2	3	1	1	2	0	1	1	12

Total No of referred cases out side the Camp 138

## 6. Laboratory

	<b>Total</b>
Number of laboratory tests conducted	348

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	53	110	163
First antenatal visit > 1st trimester	57	167	224
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	17	17
2 TT doses	0	15	15
anaemia screening	0	45	45

<b>ANC Indicators</b>	
Proportion of first time antenatal visits made < 1st trimester	42%
Coverage of complete antenatal care	22%
Coverage of antenatal tetanus immunisation	19%
Coverage of anaemia screening in pregnancy	58%

### 8.2 Delivery care

	< 18	≥ 18	Total
Live births	14	63	77
Still births	0	1	1
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	14	63	77
Number of obstetric complications treated	0	1	1
Number of caesarean sections performed	1	17	18

Delivery Indicators	
Crude birth rate	9.6
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	0%
Proportion of all births performed by caesarean section	23%
Proportion of obstetric complications treated among girls < 18	0%

### 8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	35	76	111

Postnatal Indicators	
Coverage of complete postnatal care	144%

### 8.4 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Condom (Male)	0	61	0	27	88
Implantable ( Norplant )	0	0	0	0	0
Emergency Contraceptive pill					0
Sterilisation ( Female)					0
Injectable (Depo - Provera)	0	3	0	4	7
Intra-Uterine Device (IUD)	0	0	1	3	4
Oral Contraceptive	0	56	0	97	153
Family Planning Counseling	2	120	3	130	255

### 8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

#### Data Sources

1. Health Information System

#### Publication date:

21 June 2013

#### Contact Information

##### Za'atri

Ana Calvo, UNHCR

Email: calvo@unhcr.org

##### Amman

Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

