

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	712	712	1,424	2,850	2,850	5,700	5,137	4,452	9,589	15,788	9,795	25,583	1,336	1,336	2,672	44,968
% by age group			3%			13%			21%			57%			6%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	100%	0	0	0	0	0	0	0	0	0	0	100%
% by age group															

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (U5MR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	5
Average number of full days on which each health facility was	7.0
Total number of outpatient consultations	1,732
Health facility utilisation rate	2.0
Consultations per clinician per day	49

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	185	175	360	50.5	93	64	157	58	94	152	5	8	13	682	56%	15.2
Lower Respiratory Tract Infection (LRTI)	8	6	14	2.0	0	1	1	0	1	1	1	0	1	17	1%	0.4
Watery diarrhoea*	12	6	18	2.5	1	1	2	1	0	1	0	0	0	21	2%	0.5
Bloody diarrhoea*	2	0	2	0.3	0	2	2	1	0	1	0	0	0	5	0%	0.1
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	2	0	2	0.3	0	2	2	0	2	2	1	0	1	7	1%	0.2
Eye infection	1	0	1	0.1	2	1	3	3	2	5	0	0	0	9	1%	0.2
Ear infection	7	3	10	1.4	3	3	6	0	0	0	0	0	0	16	1%	0.4
Dental Conditions	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Intestinal Worms	0	2	2	0.3	3	1	4	0	0	0	0	0	0	6	0%	0.1
Acute Jaundice Syndrome*	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Measles (suspected)*	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	4	4	0	30	30	0	0	0	34	3%	0.8
Urinary tract infection (UTI)	2	2	4	0.6	1	7	8	6	37	43	1	4	5	60	5%	1.3
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	47	37	84	11.8	25	22	47	76	106	182	20	16	36	349	29%	7.8
Total	266	231	497	69.8	130	108	238	145	272	417	28	28	56	1208	100%	26.9
% by age group			41%				20%			35%			5%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. **Incidence is cases per 1000 per week

3.3 Chronic health conditions

Record NEW and REVISITS			0 to 4		Total < 5		5 to 14		Total 5 to 14		15 to 49		Total 15 to 49		≥ 50		Total ≥ 50		Grand total	% by cause
			M	F		M	F		M	F		M	F		M	F				
Diabetes	0	0	0	0	1	1	2	5	7	7	10	17	25	34%						
Hypertension	0	0	0	0	0	0	1	2	3	4	6	10	13	18%						
Asthma	0	0	0	0	0	0	0	0	0	0	0	0	0	0%						
Ischaemic heart disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%						
Cardiovascular disease (other)	0	0	0	0	0	0	1	2	3	9	13	22	25	34%						
Chronic obstructive pulmonary disease (COPD)	1	0	1	2	1	3	3	2	5	0	0	0	9	12%						
Liver disease	0	0	0	0	0	0	0	0	0	1	0	1	1	1%						
Thyroid problems	0	0	0	0	0	0	0	0	0	0	0	0	0	0%						
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%						
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%						
Total	1	0	1	2	2	4	7	11	18	21	29	50	73	100%						
% by age group			1%			5%			25%			68%	100%							

3.4 Mental health

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	0	0	0	0	0	0	0	0	0	0	
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	
3. Psychotic disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	
4. Mental retardation / intellectual disability	0	0	0	0	0	0	0	0	0	0	0	0	0	
5. Severe emotional disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	0	0	0	0	0	0	0	0	0	0	0	0	0	100%
% by age group													100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Injury (intentional)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (unintentional)	1	1	2	7	3	10	7	8	15	20	16	36	63	14%
3. Burns	1	1	2	1	4	5	8	16	24	4	13	17	48	11%
4. Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	22	32	54	84	131	215	18	9	27	23	21	44	340	75%
Total	24	34	58	92	138	230	33	33	66	47	50	97	451	100%
% by age group			13%			51%			15%			22%	100%	

4. Referrals

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	2	1	3	4	10
Elective	17	6	33	12	68
Other	0	0	0	0	0
Total	19	7	36	16	78
% by age group	24%	9%	46%	21%	100%

5. Laboratory & other investigations

	Total
Haematology	148
Imaging (X-ray, MRI/CT)	0
Other	373
Total	615

6. EPI and Vitamin A

7.1 Vaccination

Total reported since last reporting period	<1	≥1 to <5	Total
BCG	109	0	109
Hepatitis B birth dose	104	0	104
DPT I/HiB I/Hep B I* (Pentavalent I)	129	0	129
DPT II/HiB II* (Tetravalent)	115	0	115
DPT III/HiB III/Hep B II* (Pentavalent II)	94	0	94
Polio 0	98	0	98
Polio I	129	0	129
Polio II	115	0	115
Polio III	94	0	94
Measles	70	0	70
MMR		224	224
Rotavirus 1	103	0	103
Rotavirus 2	89	0	89
Rotavirus 3	50	0	50
Vitamin A	70	81	151
Additional vaccines	0	555	555

EPI Indicators (since December 2013)	
Total reported since last reporting period	2229
a. Program dropout rate*	27%
b. Immunisation coverage	
BCG	92%
Hepatitis B birth dose	88%
DPT I	109%
DPT III	79%
Polio I	109%
Polio III	79%
Measles	59%
MMR**	78%
Rotavirus I	87%
Rotavirus III	42%
c. Vitamin A coverage	64%

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%
**For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	6	125	131
First antenatal visit > 1st trimester	0	0	0
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	0	0
2 TT doses	0	0	0
anaemia screening	0	0	0

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	100%

7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	0	0

7.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 - 120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours					0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources

1. Health Information System

Publication date:

11 March 2014

Contact Information

Dohuk
Dr Bakhtiyar AHMED, DOH Duhok

Email: BAHMED@duhokhealth.org

Erbil
Mohammed MARZOOG, UNHCR

Email: MARZOOG@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

