

## 1. Population

Population	0 to <1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	254	242	496	1,015	968	1,983	1,596	1,571	3,167	3,058	2,890	5,948	890	848	1,738	13,332
% by age group			4%			15%			24%			45%			13%	100%

\* estimates from registered population

## 2. Mortality

## 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total > 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>
% by age group															

## Mortality indicators

	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (USMR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. Morbidity

## 3.1 Staffing and service availability

Number of full-time clinicians	4
Average number of full days on which each health facility was	7.0
Total number of outpatient consultations	1,161
Health facility utilisation rate	4.5
Consultations per clinician per day	41

## 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	77	67	144	58.1	34	32	66	59	69	128	5	2	7	345	35%	25.9
Lower Respiratory Tract Infection (LRTI)	28	9	37	14.9	2	0	2	5	7	12	0	2	2	53	5%	4.0
Watery diarrhoea*	11	5	16	6.5	3	2	5	4	2	6	0	0	0	27	3%	2.0
Bloody diarrhoea*	1	1	2	0.8	0	0	0	0	0	0	0	0	0	2	0%	0.2
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	7	8	15	6.1	4	8	12	7	12	19	0	1	1	47	5%	3.5
Eye infection	3	5	8	3.2	1	4	5	3	6	9	1	0	1	23	2%	1.7
Ear infection	10	5	15	6.1	1	3	4	5	11	16	0	1	1	36	4%	2.7
Dental Conditions	2	2	4	1.6	12	17	29	27	33	60	3	3	6	99	10%	7.4
Intestinal Worms	1	3	4	1.6	3	2	5	0	1	1	0	0	0	10	1%	0.8
Acute Jaundice Syndrome*	1	1	2	0.8	3	1	4	0	1	1	0	0	0	7	1%	0.5
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	1	1	1	0%	0.1
Urinary tract infection (UTI)	2	8	10	4.0	1	9	10	14	22	36	2	1	3	59	6%	4.4
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	25	14	39	15.7	27	27	54	53	108	161	9	27	36	290	29%	21.8
<b>Total</b>	<b>168</b>	<b>128</b>	<b>296</b>	<b>119.4</b>	<b>91</b>	<b>105</b>	<b>196</b>	<b>177</b>	<b>272</b>	<b>449</b>	<b>20</b>	<b>38</b>	<b>58</b>	<b>999</b>	<b>100%</b>	<b>74.9</b>
% by age group			30%				20%			45%			6%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. \*\*incidence is cases per 1000 per week

## 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	0	0	0	3	0	3	11	9	20	5	7	12	35	36%	
Hypertension	0	0	0	0	0	0	4	11	15	5	9	14	29	30%	
Asthma	1	0	1	0	0	0	1	1	2	1	2	3	6	6%	
Ischaemic heart disease	0	0	0	0	0	0	0	2	2	0	2	2	4	4%	
Cardiovascular disease (other)	0	1	1	0	0	0	5	4	9	3	4	7	17	17%	
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Thyroid problems	0	0	0	0	0	0	0	1	1	0	1	1	2	2%	
Cancer	0	0	0	0	1	1	0	3	3	1	0	1	5	5%	
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
<b>Total</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>4</b>	<b>21</b>	<b>31</b>	<b>52</b>	<b>15</b>	<b>25</b>	<b>40</b>	<b>98</b>	<b>100%</b>	
% by age group			2%			4%			53%			41%	100%		

### 3.4 Mental health

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	1	0	1	5	0	5	0	0	0	6	19%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Psychotic disorder	0	0	0	0	0	0	1	0	1	0	0	0	1	3%
4. Mental retardation / intellectual disability	0	0	0	0	0	0	0	1	1	0	0	0	1	3%
5. Severe emotional disorder	0	0	0	0	0	0	1	3	4	0	0	0	4	13%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	2	2	0	0	0	2	6%
Other	0	1	1	0	3	3	3	11	14	0	0	0	18	56%
<b>Total</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>10</b>	<b>17</b>	<b>27</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>32</b>	<b>100%</b>
<b>% by age group</b>			<b>3%</b>			<b>13%</b>			<b>84%</b>			<b>0%</b>	<b>100%</b>	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Injury (intentional)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Injury (unintentional)	1	4	5	4	4	8	10	4	14	1	0	1	28	88%
3. Burns	0	0	0	0	0	0	0	1	1	0	0	0	1	3%
4. Accident	1	0	1	0	0	0	0	0	0	0	0	0	1	3%
Other	1	0	1	0	0	0	0	1	1	0	0	0	2	6%
<b>Total</b>	<b>3</b>	<b>4</b>	<b>7</b>	<b>4</b>	<b>4</b>	<b>8</b>	<b>10</b>	<b>6</b>	<b>16</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>32</b>	<b>100%</b>
<b>% by age group</b>			<b>22%</b>			<b>25%</b>			<b>50%</b>			<b>3%</b>	<b>100%</b>	

## 4. Referrals

### 4.1 Referrals - general

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	2	3	5	3	13
Elective	7	5	24	4	40
Other	0	0	0	0	0
<b>Total</b>	<b>9</b>	<b>8</b>	<b>29</b>	<b>7</b>	<b>53</b>
<b>% by age group</b>	<b>17%</b>	<b>15%</b>	<b>55%</b>	<b>13%</b>	<b>100%</b>

ND: no data submitted

## 5. Laboratory & other investigations

	Total
Haematology	0
Imaging (X-ray, MRI/CT)	0
Other	0
<b>Total</b>	<b>2</b>

## 6. EPI and Vitamin A

	<1	1 to <5	Total
BCG	0	0	0
Hepatitis B birth dose	0	0	0
DPT I/HiB I/Hep B I* (Pentavalent I)	0	0	0
DPT II/HiB II* (Tetravalent)	0	0	0
DPT III/HiB III/Hep B II* (Pentavalent II)	0	0	0
Polio 0	0	0	0
Polio I	0	0	0
Polio II	0	0	0
Polio III	0	0	0
Measles	0	0	0
MMR	0	0	0
Rotavirus 1	0	0	0
Rotavirus 2	0	0	0
Rotavirus 3	0	0	0
Vitamin A	0	0	0
Additional vaccines	0	0	0

EPI Indicators (since December 2013)	
Total vaccinated this week	0
a. Program dropout rate*	
	-22%
b. Immunisation coverage	
BCG	52%
Hepatitis B birth dose	52%
DPT I	86%
DPT III	105%
Polio I	86%
Polio III	105%
Measles	107%
MMR**	129%
Rotavirus I	86%
Rotavirus III	105%
c. Vitamin A coverage	
	100%

\*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines  
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%  
\*\*For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

## 7. Reproductive Health

### 7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester			
First antenatal visit > 1st trimester			
Number of pregnant women at time of delivery who received:	<b>NO DATA</b>		
≥ 4 ANC visits			
2 TT doses			
anaemia screening			

ND: no data submitted

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	

### 7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery			<b>NO DATA</b>

ND: no data submitted

### 7.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours					0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	<b>0.0</b>
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources

1. Health Information System

Publication date:

02 April 2014

Contact Information

Erbil  
Dr Chimmen Akrawi, DOH Erbil

Email: chimmentya@yahoo.com

Erbil  
Sandra Harlass, UNHCR

Email: HARLASS@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

