


### Refugee population

Total refugee population:

**3,455** \*

Demographic breakdown:



### Key facts

Camp opened:  
**August 2013**

Planned capacity:  
**5,000**

Area:  
**0.3 Km sq**

Population:  
**Syrian refugees, majority from Qamishli**

\* Source of population data:  
**Estimates from UNHCR registration**

### Indicators at a glance

Indicator	Value	Standard
1 Health utilisation rate	9.5	1 - 4
2 Number of consultations per clinician per day	90	< 50
3 Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
4 Measles immunisation coverage	N/A	> 90%
5 Polio III immunisation coverage	N/A	> 90%
6 Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

### Notes

#### HIGHLIGHTS

A high proportion of cases present with upper respiratory infections.

*This public health profile for Arbat refugee camp is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.*

Agencies reporting:


**DOH - Sulaymaniyah**

### Alerts


**Incidence of watery diarrhoea above threshold**

### Morbidity this week

#### Acute health conditions (%)



#### Chronic health conditions (%)



#### Top 5 acute health conditions


Condition	% morbidity	# of cases
1 Upper Respiratory Tract Infection (URTI)	56%	347
2 Urinary tract infection (UTI)	9%	53
3 Dental Conditions	8%	51
4 Skin infection	8%	47
5 Watery diarrhoea*	6%	38
- Other	13%	81

#### Top 5 chronic health conditions


Condition	% morbidity	# of cases
1 Diabetes	55%	6
2 Hypertension	45%	5
3 Asthma	0%	0
4 Ischaemic heart disease	0%	0
5 Cardiovascular disease (other)	0%	0
- Other	0%	0

#### Breakdown of acute health conditions

##### by age




##### by gender




#### Breakdown of chronic health conditions


##### by age




##### by gender




### Number of consultations




### Weekly health utilisation rates




### Watery diarrhoea




### Bloody diarrhoea




### Acute Jaundice Syndrome




### Suspected measles




### Suspected Meningitis




### Acute flaccid paralysis



### Upper respiratory tract infections



### Lower respiratory tract infections



#### Calculation of disease alert thresholds:

Watery diarrhoea = 1.5 x baseline,      Bloody diarrhoea = 1.5 x baseline,      Acute Jaundice Syndrome = 1.5 x baseline,      Upper respiratory tract infections = 1.5 x baseline,  
 Meningitis = 5 cases,      Acute Flaccid Paralysis = 1 case,      Measles = 1 case,  
 baseline = average incidence or number of cases over the previous 3 weeks

## Public Health

Health Impact			Outbreak Alert and Response		
	Indicator	Standard		Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5	Number of outbreaks reported	0	
Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0	% of outbreaks investigated within 48 hours	N/A	100%
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40	<b>Routine immunization</b>		
<b>Access and utilization</b>			BCG immunisation coverage	N/A	> 90%
No. of health facilities	1.0	1 : < 10,000	DPT 1 immunisation coverage	N/A	> 90%
Total number of consultations	628		Measles immunisation coverage	N/A	> 90%
Health utilisation rate	9.5	1 - 4	Polio III immunisation coverage	N/A	> 90%
No. of consultations per trained clinician per day	90	< 50	MMR immunisation coverage	N/A	> 90%
<b>Reproductive health</b>			Vitamin A coverage	N/A	> 90%
Proportion of first time antenatal visits made < 1st trimester			<b>Sexual and gender-based violence</b>		
	N/A	≥ 90%	Incidence of reported rape		
				0.0	

### Top 3 Mental health conditions

	% morbidity	# of cases
1 Epilepsy / seizures	0%	0
2 Alcohol and other substance abuse disorder	0%	0
3 Psychotic disorder	0%	0
- Other	0%	0

### Top 3 injuries

	% morbidity	# of cases
1 Injury (intentional)	42%	0
2 Injury (unintentional)	26%	0
3 Burns	16%	0
- Other	16%	0

### Breakdown of mental health conditions

**NO MENTAL HEALTH CONDITIONS REPORTED THIS WEEK**

### Breakdown of injuries

**NO INJURIES REPORTED THIS WEEK**

We gratefully acknowledge the support of the following agencies:



View interactive maps and statistics online  
<http://twine.unhcr.org>

