

**1. Population**

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,058	2,058	4,116	6,273	7,253	13,526	18,134	17,644	35,778	18,624	23,133	41,757	1,078	1,764	2,842	98,019
% by age group			4%			14%			37%			43%			3%	100%

**2. Mortality**
**2.1 Mortality**

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	1	1	1	1	13%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	13%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	2	2	50%	0	0	0	0	0	0	0	0	0	2	25%
Other	1	1	2	50%	0	0	0	0	0	0	2	2	4	4	50%
<b>Total</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>8</b>	<b>8</b>	<b>100%</b>
% by age group			50%				0%			13%			38%		100%

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.2	0.5	0.3
Under 5 Mortality Rate (USMR)	0.5	1.3	0.9
Neonatal Mortality Rate (NNMR)			28.6

**2.2 Maternal death**

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

**3. Morbidity**
**3.1 Staffing and service availability**

Number of full-time clinicians	73.0
Average number of full days on which each health facility was functioning	6.4
Total number of outpatient consultations	15,055
Health facility utilisation rate	8.0
Consultations per clinician per day	32

**3.2 Acute health conditions**

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	483	373	856	48.5	378	326	704	470	469	939	104	82	186	2685	30%	27.4
Influenza-like illness (ILI)	110	111	221	12.5	108	82	190	232	228	460	78	75	153	1024	12%	10.4
Lower Respiratory Tract Infection (LRTI)	81	69	150	8.5	57	38	95	61	60	121	46	51	97	463	5%	4.7
Watery diarrhoea*	36	42	78	4.4	12	11	23	3	11	14	0	0	0	115	1%	1.2
Bloody diarrhoea*	1	0	1	0.1	3	4	7	0	1	1	0	0	0	9	0%	0.1
Skin infection	116	119	235	13.3	109	147	256	151	47	198	15	25	40	729	8%	7.4
Eye infection	51	24	75	4.3	72	56	128	79	90	169	39	57	96	468	5%	4.8
Dental Conditions	17	13	30	1.7	52	64	116	110	90	200	24	29	53	399	5%	4.1
Intestinal Worms	20	14	34	1.9	24	29	53	2	6	8	1	3	4	99	1%	1.0
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	1	0	1	0	0	0	1	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	44	24	68	3.9	28	12	40	16	6	22	0	1	1	131	1%	1.3
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	12	12	1	189	190	0	3	3	205	2%	2.1
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	219	217	436	24.7	245	260	505	533	680	1213	153	173	326	2480	28%	25.3
Total	1179	1006	2185	123.9	1088	1041	2129	1659	1877	3536	460	499	959	8809	100%	89.9
% by age group			25%				24%			40%			11%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

**3.3 Chronic health conditions**

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	4	4	8	120	160	280	114	138	252	540	10%
Hypertension	0	0	0	0	0	0	109	143	252	137	173	310	562	11%
Asthma	19	21	40	36	27	63	54	62	116	21	22	43	262	5%
Ischaemic heart disease	0	0	0	0	0	0	65	53	118	71	61	132	250	5%
Cardiovascular disorders	0	0	0	0	0	0	19	35	54	19	27	46	100	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	19	29	48	28	35	63	111	2%
Liver disease	0	0	0	0	0	0	15	14	29	9	6	15	44	1%
Thyroid problems	0	0	0	1	16	17	25	24	49	11	33	44	110	2%
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	47	48	95	66	66	132	108	135	243	85	84	169	639	12%
<b>Total</b>	<b>132</b>	<b>138</b>	<b>270</b>	<b>214</b>	<b>226</b>	<b>440</b>	<b>1068</b>	<b>1310</b>	<b>2378</b>	<b>990</b>	<b>1158</b>	<b>2148</b>	<b>5236</b>	<b>100%</b>
% by age group			5%			8%			45%			41%		100%



## 6. Laboratory

	Total
Number of laboratory tests conducted	589

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	47	143	190
First antenatal visit > 1st trimester	46	131	177
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	22	22
2 TT doses	0	12	12
anaemia screening	0	38	38

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	52%
Coverage of complete antenatal care	31%
Coverage of antenatal tetanus immunisation	17%
Coverage of anaemia screening in pregnancy	54%

### 8.2 Delivery care

	< 18	≥ 18	Total
Live births	3	67	70
Still births	0	0	0
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	3	67	70
Number of obstetric complications treated	0	9	9
Number of caesarean sections performed	1	11	12

Delivery Indicators	
Crude birth rate	8.6
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	0%
Proportion of all births performed by caesarean section	17%
Proportion of obstetric complications treated among girls < 18	0%

### 8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	14	147	161

Postnatal Indicators	
Coverage of complete postnatal care	38%

#### 8.4 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Condom (Male)	0	96	0	24	120
Implantable ( Norplant )	0	0	0	0	0
Emergency Contraceptive pill	0	0	0	0	0
Sterilisation ( Female)	0	0	0	0	0
Injectable (Depo - Provera)	0	10	0	2	12
Intra-Uterine Device (IUD)	0	12	0	0	12
Oral Contraceptive	0	110	1	168	279
Family Planning Counseling	6	65	5	36	112

#### 8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

#### Data Sources

1. Health Information System

#### Publication date:

21 June 2013

#### Contact Information

##### Za'atri

Ana Calvo, UNHCR

Email: calvo@unhcr.org

##### Amman

Ann Burton, UNHCR

Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

