

## 1. Population

Population	0 to <1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	48	62	110	191	247	438	323	389	712	626	801	1,427	186	228	414	3,101
% by age group			4%			14%			23%			46%			13%	100%

\* estimates from registered population. For multi-week reports mean population is reported.

## 2. Mortality

## 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total > 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>
% by age group															

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (USMR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. Morbidity

## 3.1 Staffing and service availability

Average number of full-time clinicians	1
Average number of full days on which each health facility was	35.0
Total number of outpatient consultations	2,118
Health facility utilisation rate	7.1
Consultations per clinician per day	61

## 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	242	227	469	855.8	227	205	432	222	194	416	40	3	43	1360	66%	438.6
Lower Respiratory Tract Infection (LRTI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Watery diarrhoea*	19	14	33	60.2	10	11	21	7	6	13	0	0	0	67	3%	21.6
Bloody diarrhoea*	3	1	4	7.3	0	0	0	0	0	0	0	0	0	4	0%	1.3
Malaria (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	16	24	40	73.0	35	30	65	23	15	38	0	0	0	143	7%	46.1
Eye infection	17	16	33	60.2	17	15	32	15	10	25	0	0	0	90	4%	29.0
Ear infection	2	16	18	32.8	32	9	41	21	6	27	2	0	2	88	4%	28.4
Dental Conditions	0	6	6	10.9	32	27	59	30	45	75	2	0	2	142	7%	45.8
Intestinal Worms	3	2	5	9.1	11	2	13	0	0	0	0	1	1	19	1%	6.1
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Urinary tract infection (UTI)	2	2	4	7.3	11	29	40	19	35	54	0	0	0	98	5%	31.6
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	5	5	2	1	3	0	0	0	8	0%	2.6
Other	2	1	3	5.5	5	11	16	12	12	24	1	0	1	44	2%	14.2
<b>Total</b>	<b>306</b>	<b>309</b>	<b>615</b>	<b>1122.3</b>	<b>380</b>	<b>344</b>	<b>724</b>	<b>351</b>	<b>324</b>	<b>675</b>	<b>45</b>	<b>4</b>	<b>49</b>	<b>2063</b>	<b>100%</b>	<b>665.3</b>
% by age group			30%				35%			33%			2%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. \*\*incidence is cases per 1000 per week

## 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	0	0	0	0	0	0	0	0	0	12	4	16	16	35%	
Hypertension	0	0	0	0	1	1	4	3	7	5	9	14	22	48%	
Asthma	0	0	0	2	0	2	0	1	1	0	0	0	3	7%	
Ischaemic heart disease	0	0	0	0	0	0	0	1	1	3	1	4	5	11%	
Cardiovascular disease (other)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Thyroid problems	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>9</b>	<b>20</b>	<b>14</b>	<b>34</b>	<b>46</b>	<b>100%</b>	
% by age group			0%			7%			20%			74%	100%		

### 3.4 Mental health

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3. Psychotic disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4. Mental retardation / intellectual disability	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5. Severe emotional disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>
% by age group													100%	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Injury (intentional)	0	0	0	2	0	2	0	0	0	0	0	0	2	22%
2. Injury (unintentional)	0	0	0	1	0	1	1	0	1	0	0	0	2	22%
3. Burns	2	1	3	1	0	1	1	0	1	0	0	0	5	56%
4. Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
<b>Total</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>0</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>9</b>	<b>100%</b>
% by age group			33%			44%			22%			0%	100%	

## 4. Referrals

### 4.1 Referrals - general

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	NO DATA				
Elective					
Other					
<b>Total</b>					
% by age group					

ND: no data submitted

## 5. Laboratory & other investigations

	Total
Haematology	0
Imaging (X-ray, MRI/CT)	0
Other	0
<b>Total</b>	<b>0</b>

## 6. EPI and Vitamin A

	<1	≥1 to <5	Total
BCG	NO DATA		
Hepatitis B birth dose			
DPT I/HiB I/Hep B I* (Pentavalent I)			
DPT II/HiB II* (Tetravalent)			
DPT III/HiB III/Hep B II* (Pentavalent II)			
Polio 0			
Polio I			
Polio II			
Polio III			
Measles			
MMR			
Rotavirus 1			
Rotavirus 2			
Rotavirus 3			
Vitamin A			
Additional vaccines			

EPI Indicators (since December 2013)		
Total vaccinated		
a. Program dropout rate*		
b. Immunisation coverage		
BCG		
Hepatitis B birth dose		
DPT I		
DPT III		
Polio I		
Polio III		
Measles		
MMR**		
Rotavirus I		
Rotavirus III		
c. Vitamin A coverage		

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

\*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines  
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%  
\*\*For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.

## 7. Reproductive Health

### 7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	NO DATA		
First antenatal visit > 1st trimester			
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits			
2 TT doses			
anaemia screening			

ND: no data submitted

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	

### 7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	NO DATA		

ND: no data submitted

### 7.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours					0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators		
Incidence of reported rape		0.0
Proportion of rape survivors who receive PEP < 72 hrs		
Proportion of female rape survivors who receive ECP < 120 hrs		
Proportion of rape survivors who receive STI presumptive treatment < 2 wks		

Data Sources

1. Health Information System

Publication date:

30 April 2014

Contact Information

Sulaymaniyah  
Dr Ibrahim Tofiq, DOH Sulaymaniyah

Email: ibrahim972@yahoo.com

Erbil  
Sandra Harlass, UNHCR

Email: HARLASS@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

