

## 1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population <sup>8</sup>	50	45	95	198	179	377	383	345	728	603	579	1,182	168	170	338	2,720
% by age group			3%			14%			27%			43%			12%	100%

\*UNHCR estimate. For multi-week reports, mean population is presented

## 2. Mortality

## 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	
<b>Total</b>	0	0	0	100%	0	0	0	0	0	0	0	0	0	0	100%
% by age group															

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (U5MR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

## 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. Morbidity

## 3.1 Staffing and service availability

Average number of full-time clinicians	2
Average number of full days on which each health facility was	24.0
Total number of outpatient consultations	1,547
Health facility utilisation rate	7.4
Consultations per clinician per day	32

## 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid**	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause	Crude Incid**
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	50	47	97	51.4	52	46	98	63	55	118	4	0	4	317	22%	29.1
Lower Respiratory Tract Infection (LRTI)	22	18	40	21.2	12	25	37	31	37	68	1	2	3	148	10%	13.6
Watery diarrhoea*	28	28	56	29.7	6	9	15	7	4	11	1	1	2	84	6%	7.7
Bloody diarrhoea*	4	4	8	4.2	1	3	4	6	1	7	0	0	0	19	1%	1.7
Malaria (suspected)*	0	1	1	0.5	0	0	0	1	0	1	0	0	0	2	0%	0.2
Skin infection	9	15	24	12.7	9	10	19	17	21	38	1	1	2	83	6%	7.6
Eye infection	6	4	10	5.3	4	6	10	17	17	34	4	2	6	60	4%	5.5
Ear infection	1	1	2	1.1	1	2	3	8	12	20	1	0	1	26	2%	2.4
Dental Conditions	0	0	0	0.0	6	1	7	26	26	52	5	2	7	66	5%	6.1
Intestinal Worms	4	0	4	2.1	3	4	7	10	7	17	0	1	1	29	2%	2.7
Acute Jaundice Syndrome*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	12	12	24	12.7	4	5	9	1	2	3	0	0	0	36	2%	3.3
Sexually Transmitted Infection (STI)	8	8	16	8.5	0	3	3	4	15	19	1	1	2	40	3%	3.7
Urinary tract infection (UTI)	1	3	4	2.1	1	4	5	13	10	23	1	1	2	34	2%	3.1
HIV/AIDS	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute malnutrition	1	0	1	0.5	2	0	2	0	0	0	0	0	0	3	0%	0.3
Leishmaniasis	0	2	2	1.1	0	0	0	1	3	4	0	0	0	6	0%	0.6
Other	13	21	34	18.0	31	50	81	125	222	347	17	12	29	491	34%	45.1
<b>Total</b>	159	164	323	171.1	132	168	300	330	432	762	36	23	59	1444	100%	132.7
% by age group			22%				21%			53%			4%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. \*\*Incidence is cases per 1000 per week

## 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	0	0	0	0	3	3	4	3	7	10	32%
Hypertension	0	0	0	0	0	0	4	3	7	5	4	9	16	52%
Asthma	1	0	1	0	1	1	0	0	0	1	0	1	3	10%
Ischaemic heart disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Cardiovascular disease (other)	0	0	0	0	0	0	0	0	0	2	0	2	2	6%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Liver disease	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Thyroid problems	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Cancer	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
<b>Total</b>	1	0	1	0	1	1	4	6	10	12	7	19	31	100%
% by age group			3%			3%			32%			61%	100%	

### 3.4 Mental health

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	0	0	0	1	0	1	2	0	2	0	0	0	3	7%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Psychotic disorder	0	0	0	0	0	0	2	0	2	2	1	3	5	12%
4. Mental retardation / intellectual disability	0	0	0	0	0	0	1	0	1	0	0	0	1	2%
5. Severe emotional disorder	5	2	7	6	6	12	1	9	10	0	1	1	30	73%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	0	2	2	0	0	0	0	0	0	0	0	0	2	5%
<b>Total</b>	<b>5</b>	<b>4</b>	<b>9</b>	<b>7</b>	<b>6</b>	<b>13</b>	<b>6</b>	<b>9</b>	<b>15</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>41</b>	<b>100%</b>
% by age group			22%			32%			37%			10%	100%	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 14		Total 5 to 14	15 to 49		Total 15 to 49	≥ 50		Total ≥ 50	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Injury (intentional)	0	0	0	1	0	1	0	0	0	0	0	0	1	3%
2. Injury (unintentional)	1	0	1	2	0	2	4	0	4	1	0	1	8	26%
3. Burns	4	1	5	3	3	6	3	0	3	0	0	0	14	45%
4. Accident	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	1	1	2	2	1	3	0	3	3	0	0	0	8	26%
<b>Total</b>	<b>6</b>	<b>2</b>	<b>8</b>	<b>8</b>	<b>4</b>	<b>12</b>	<b>7</b>	<b>3</b>	<b>10</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>31</b>	<b>100%</b>
% by age group			26%			39%			32%			3%	100%	

## 4. Referrals

### 4.1 Referrals - general

	0 to 4	5 to 14	15 to 49	≥ 50	Grand total
Emergency	2	3	14	4	23
Elective	2	6	58	12	78
Other	0	0	0	0	0
<b>Total</b>	<b>4</b>	<b>9</b>	<b>72</b>	<b>16</b>	<b>101</b>
% by age group	4%	9%	71%	16%	100%

## 5. Laboratory & other investigations

	Total
Haematology	7
Imaging (X-ray, MRI/CT)	23
Other	49
<b>Total</b>	<b>85</b>

## 6. EPI and Vitamin A

	<1	≥1 to <5	Total
BCG	0	0	0
Hepatitis B birth dose	0	0	0
DPT I/HiB I/Hep B I* (Pentavalent I)	0	0	0
DPT II/HiB II* (Tetravalent)	0	0	0
DPT III/HiB III/Hep B II* (Pentavalent II)	0	0	0
Polio 0	0	0	0
Polio I	0	0	0
Polio II	0	0	0
Polio III	0	0	0
Measles	0	0	0
MMR	0	0	0
Rotavirus 1	0	0	0
Rotavirus 2	0	0	0
Rotavirus 3	0	0	0
Vitamin A	0	0	0
Additional vaccines	0	0	0

EPI Indicators (since December 2013)		
Total vaccinated		0
a. Program dropout rate*		44%
b. Immunisation coverage	BCG	73%
	Hepatitis B birth dose	48%
	DPT I	99%
	DPT III	55%
	Polio I	118%
	Polio III	51%
	Measles	81%
	MMR**	195%
	Rotavirus I	26%
	Rotavirus III	0%
c. Vitamin A coverage		9%

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

\*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines  
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%  
\*\*For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.  
NAD=No adequate data; NR=Not consistently reported

## 7. Reproductive Health

### 7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	0	0	0
First antenatal visit > 1st trimester	0	0	0
Number of pregnant women at time of delivery who received:			
≥ 4 ANC visits	0	0	0
2 TT doses	0	0	0
anaemia screening	0	0	0

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	

### 7.2 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	0	0

### 7.3 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 - 120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No. of rape survivors given PEP within 72 hours	0	0	0	0	0
No. of female rape survivors given ECP within 120 hours					0
No. of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources

1. Health Information System

Publication date:

15 May 2014

Contact Information

Dohuk  
Dr Bakhtiyar AHMED, DOH Duhok

Email: BAHMED@duhokhealth.org

Erbil  
Sandra Harlass, UNHCR

Email: HARLASS@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

