

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	426	416	842	1,705	1,665	3,370	3,583	3,266	6,849	4,062	4,263	8,325	154	209	363	19,749
% by age group			4%			17%			35%			42%			2%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	1	1	8%	0	0	0	0	1	1	0	0	0	2	6%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0	0%	0	0	0	1	2	3	1	5	6	9	29%
5. Ischaemic heart disease	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	3%
6. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0	0%	0	0	0	2	0	2	0	0	0	2	6%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	8	4	12	92%	0	0	0	0	0	0	0	0	0	12	39%
11. Other	0	0	0	0%	1	0	1	2	0	2	0	2	2	5	16%
Total	8	5	13	100%	1	0	1	5	4	9	1	7	8	31	100%
% by age group			42%				3%			29%			26%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/ month)	0.1	0.0	0.1
Under 5 Mortality Rate (U5MR) (/1000 population under 5/ month)	0.3	0.2	0.3
Under 5 Mortality Rate (U5MR) (/1000 livebirths)	12.1	7.6	19.7
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			18.2

2.2 Maternal death

Number of maternal deaths reported	1
Number of maternal deaths investigated within 48 hours	0
Proportion of maternal deaths investigated within 48 hours	0%

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	9.0
Average number of full days on which each health facility was functioning	6.4
Total number of outpatient consultations	110,095
Health facility utilisation rate	5.6
Consultations per clinician per day	36

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	7,607	6,584	14,191	3369.2	5,357	5,009	10,366	4,686	4,380	9,066	334	259	593	34,216	37%	1732.5
Influenza-like illness (ILI)	1,055	1,127	2,182	518.0	749	737	1,486	834	730	1,564	40	42	82	5,314	6%	269.1
Lower Respiratory Tract Infection (LRTI)	556	387	943	223.9	186	145	331	214	168	382	21	10	31	1,687	2%	85.4
Watery diarrhoea*	2,448	1,996	4,444	1055.1	657	680	1,337	605	541	1,146	47	48	95	7,022	8%	355.6
Bloody diarrhoea*	17	9	26	6.2	6	10	16	7	12	19	0	0	0	61	0%	3.1
Skin infection	996	964	1,960	465.3	855	964	1,819	906	791	1,697	51	42	93	5,569	6%	282.0
Eye infection	320	277	597	141.7	251	251	502	323	295	618	26	23	49	1,766	2%	89.4
Ear infection	244	207	451	107.1	155	255	410	245	378	623	27	17	44	1,528	2%	77.4
Dental Conditions	147	168	315	74.8	437	504	941	1,141	1,161	2,302	63	37	100	3,658	4%	185.2
Intestinal Worms	67	88	155	36.8	101	98	199	59	29	88	2	0	2	444	0%	22.5
Acute Jaundice Syndrome*	60	46	106	25.2	69	69	138	7	7	14	0	0	0	258	0%	13.1
Measles (suspected)*	0	1	1	0.2	0	0	0	0	0	0	0	0	0	1	0%	0.1
Meningitis (suspected)*	1	0	1	0.2	0	0	0	0	0	0	0	0	0	1	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	6	6	12	2.8	6	13	19	12	20	32	1	1	2	65	0%	3.3
Reproductive Tract Infection	0	7	7	1.7	0	11	11	24	468	492	7	0	7	517	1%	26.2
Fever of unknown origin	11	14	25	5.9	16	22	38	10	31	41	1	2	3	107	0%	5.4
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	1	1	2	0	0	0	2	0%	0.1
Other	3,029	3,154	6,183	1467.9	3,377	3,801	7,178	6,755	7,748	14,503	867	764	1,631	29,495	32%	1493.5
Total	16,564	15,035	31,599	7502.1	12,222	12,569	24,791	15,829	16,760	32,589	1,487	1,245	2,732	91,711	100%	4643.8
% by age group			34%				27%			36%			3%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	3	1	4	30	22	52	309	487	796	245	295	540	1,392	24%
Hypertension	0	0	0	5	10	15	568	1,015	1,583	478	562	1,040	2,638	45%
Asthma	75	26	101	99	48	147	199	196	395	25	23	48	691	12%
Ischaemic heart disease	0	0	0	1	3	4	35	25	60	25	12	37	101	2%
Cardiovascular disease (other)	9	4	13	5	5	10	28	25	53	9	9	18	94	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	11	4	15	7	0	7	22	0%
Liver disease	2	1	3	0	1	1	5	2	7	0	0	0	11	0%
Thyroid problems	0	2	2	16	10	26	31	105	136	12	14	26	190	3%
Cancer	0	0	0	0	0	0	3	22	25	2	3	5	30	1%
Other	49	33	82	41	64	105	179	214	393	52	44	96	676	12%
Total	138	67	205	197	163	360	1,368	2,095	3,463	855	962	1,817	5,845	100%
% by age group			4%			6%			59%			31%	100%	

3.4 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Epilepsy / seizures	3	9	12	67	46	113	155	79	234	0	0	0	359	18%
2.	Alcohol and other substance use disorder	0	0	0	0	0	0	1	1	2	0	0	0	2	0%
3.	Psychotic disorder (including mania)	0	0	0	0	1	1	114	94	208	0	0	0	209	10%
4.	Intellectual disability	0	0	0	14	23	37	40	47	87	0	0	0	124	6%
5.	Severe emotional disorder, including moderate-severe depression	0	0	0	1	19	20	273	367	640	0	1	1	661	33%
6.	Medically unexplained somatic complaint	0	0	0	2	2	4	11	9	20	1	0	1	25	1%
	Other psychological complaints	2	0	2	246	271	517	44	59	103	1	0	1	623	31%
Total		5	9	14	330	362	692	638	656	1,294	2	1	3	2,003	100%
% by age group				1%			35%			65%			0%	100%	

3.5 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Bites (all causes)	1	1	2	9	1	10	2	0	2	0	0	0	14	1%
2.	Injury (war related)	0	1	1	7	2	9	28	0	28	1	0	1	39	2%
3.	Injury (Burns)	53	51	104	30	26	56	14	27	41	1	1	2	203	13%
4.	Assault (with weapon non-war related)	0	0	0	2	1	3	4	1	5	0	0	0	8	0%
	Other	138	139	277	375	168	543	355	134	489	31	11	42	1,351	84%
Total		192	192	384	423	198	621	403	162	565	33	12	45	1,615	100%
% by age group				24%			38%			35%			3%	100%	

3.6 Reproductive Tract Infections

		< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
		M	F		M	F			
1.	Vaginal discharge	0	344	344	0	1,257	1,257	1,601	82%
2.	Urethral discharge	2	0	2	3	0	3	5	0%
3.	Genital ulcer	0	0	0	0	5	5	5	0%
3.	Lower abdominal pain	0	6	6	0	303	303	309	16%
	Other	1	0	1	1	34	35	36	2%
Total		3	350	353	4	1,599	1,603	1,956	100%
% by age group				18%			82%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		7	3	10	0	0	0	0	4	4	0	0	0	14
Total admissions		674	500	1,174	89	136	225	105	905	1,010	13	55	68	2,477
Number of exits	authorized	691	510	1,201	90	139	229	104	909	1,013	12	54	66	2,509
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
	death	0	0	0	0	0	0	1	0	1	0	2	2	3
Total exits		691	510	1,201	90	139	229	105	909	1,014	12	56	68	2,512
Deaths within 24 hours		0	0	0	0	0	0	1	0	1	0	0	0	1

Number of days in reporting period	322
Number of beds	42
Sum number of days stay for authorised discharges	6,222
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.5
Bed occupancy	45%
Hospitalisation rate (/1000 population/ month)	12.0

4.2 In-patient Admissions and Deaths

		0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1.	Paediatric medicine	1,128	0	0%	112	0	0%	0	0		0	0	1,240	0	0%
2.	General Surgery	99	0	0%	23	0	0%	53	0	0%	6	0	181	0	0%
3.	Injury (non-war related)	0	0		0	0		1	0	0%	0	0	1	0	0%
4.	Internal medicine	3	0	0%	44	0	0%	295	0	0%	62	2	404	2	0%
5.	Obstetrics	0	0		34	0	0%	483	0	0%	1	0	518	0	0%
6.	Gynaecology	0	0		14	0	0%	172	0	0%	0	0	186	0	0%
7.	Other	1	0	0%	3	0	0%	22	1	5%	0	0	26	1	4%
Total		1,231	0	0%	230	0	0%	1,026	1	0%	69	2	2,556	3	0%

Adm. = Admission; CFR = Case Fatality Rate

5. Referral

5.1 Referrals by location

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	581	581	579	579	1,039	1,039	239	239	2,438
2.	Royal Medical Services	1	1	0	0	2	2	0	0	3
3.	Private affiliated Hospital	119	119	39	39	271	271	16	16	445
4.	Jordan University Hospital	26	26	16	16	42	42	11	11	95
5.	Other	8	8	0	0	15	15	0	0	23
Total No of referred cases out side the Camp		3,004								

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	457	457	26	26	1	1	0	0	484
2.	Internal medicine	112	112	319	319	684	684	164	164	1,279
3.	Obstetric	0	0	11	11	171	171	0	0	182
4.	Gynaecological	1	1	6	6	51	51	0	0	58
5.	Surgical	64	64	121	121	238	238	45	45	468
6.	Other	102	102	152	152	226	226	57	57	537

6. Laboratory

	Total
Number of laboratory tests conducted	23,868

7. Reproductive Health

7.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	41	649	690
First antenatal visit > 1st trimester	45	773	818

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	46%

7.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	36	527	563
	2 TT doses	36	474	510
	anaemia screening	40	545	585

Coverage of complete antenatal care	85%
Coverage of antenatal tetanus immunisation	77%
Coverage of anaemia screening in pregnancy	89%

7.3 Delivery care

	< 18	≥ 18	Total
Live births	42	619	661
Still births	0	3	3
Low birth weight (<2500 g)	4	38	42
Attended by skilled health worker	42	619	661
Number of obstetric complications treated	0	3	3
Number of caesarean sections performed	1	140	141

Delivery Indicators	
Crude birth rate (/1000 population/ month)	2.8
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	6%
Proportion of all births performed by caesarean section	21%
Proportion of obsetric complications treated among girls < 18	0%

7.5 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	32	386	418

Postnatal Indicators	
Coverage of complete postnatal care	63%

7.6 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	7	257	103	292	659
Emergency Contaceptive Pill	1	7	1	5	14
Injectable (Depo-Provera)	5	112	34	95	246
Implantable (Norplant)	0	2	1	5	8
Intra-Uterine Device (IUD)	7	94	39	76	216
Condom (Male)	5	238	72	109	424
Other	9	171	12	55	247

	< 18	≥ 18
Family Planning Counseling*	480	503

Family Planning Indicators	
Number of females aged 15-49 years	4,404

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/ year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Clinics and agencies reporting:

IMC Primary health center (Azraq Refugee camp)
IFRC

Publication
date:

16/03/2016

Contact
Information

UNHCR
Asa'ad Khadum
Email: KADHUM@unhcr.org

UNHCR
Ann Burton
Email: BURTON@unhcr.org

Azraq
Lina Hamidi
Email: lhamidi@InternationalMedicalCorps.org

We gratefully
acknowledge the contributions of
the following agencies:



International Federation
of Red Cross and Red Crescent Societies