





Refugee population



Key facts

Camp opened:
July 2012

Indicators at a glance

| | | |
|---|--------|---|
| 1 Health utilisation rate | 6.7 | X |
| 2 Number of consultations per clinician per day | 31 | ✓ |
| 3 Hospitalisation rate (/1000/year) | 44.8 | |
| 4 Referral rate (/1000/month) | 9.1 | |
| 5 % deliveries attended by skilled personnel | 99.97% | ✓ |
| 6 Crude Mortality Rate (CMR) (/1000/month) | 0.2 | ✓ |
| 7 Under-five Mortality Rate (U5MR) (/1000/month) | 0.3 | ✓ |
| 8 Neonatal Mortality Rate (NNMR) (/1000 livebirths) | 10.0 | ✓ |

Notes


This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- IMC Clinic
- JHAS Clinic
- Moroccan Field Hospital
- Saudi Clinic
- MSF Holland
- RAF Qatari Clinic
- AMR Clinic 1 (Comprehensive Charitable Medical Center)
- AMR Clinic 2 (Maternity and Childhood Center)
- IRC Clinic

Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Morbidity


Acute health conditions (%)



Top 5 acute health conditions

| | % morbidity | # of cases |
|--|-------------|------------|
| 1 Upper Respiratory Tract Infection (URTI) | 30% | 100,871 |
| 2 Influenza-like illness (ILI) | 11% | 35,559 |
| 3 Dental Conditions | 10% | 33,786 |
| 4 Skin infection | 6% | 20,967 |
| 5 Lower Respiratory Tract Infection (LRTI) | 5% | 16,485 |
| - Other | 38% | 125,507 |


Chronic health conditions (%)




Top 5 chronic health conditions

| | % morbidity | # of cases |
|----------------------------|-------------|------------|
| 1 Hypertension | 22% | 17,571 |
| 2 Diabetes | 18% | 14,433 |
| 3 Asthma | 13% | 10,452 |
| 4 Thyroid problems | 9% | 7,340 |
| 5 Cardiovascular disorders | 6% | 5,191 |
| - Other | 32% | 26,459 |

Breakdown of acute health conditions



Breakdown of chronic health conditions



UNHCR gratefully acknowledges the support of the following partners:



Public Health

Health Impact

| | Indicator | Standard | |
|---|-----------|----------|---|
| Crude Mortality Rate (CMR) (/1000/month) | 0.2 | < 0.48 | ✓ |
| Under-five Mortality Rate (U5MR) (/1000/month) | 0.3 | < 1.5 | ✓ |
| Neonatal Mortality Rate (NNMR) (/1000 livebirths) | 10.0 | < 14.9 | ✓ |

Access and utilization

| | | | |
|--|----------|--------------|---|
| No. of health facilities | 1 : 9911 | 1 : < 10,000 | ✓ |
| Total number of consultations | 529,570 | | |
| Health utilisation rate | 6.7 | 1 - 4 | ✗ |
| No. of consultations per trained clinician per day | 31 | < 50 | ✓ |

Outbreak Alert and Response


| | Indicator | Standard |
|---|-----------|----------|
| Number of outbreaks reported | 0 | |
| % of outbreaks investigated within 48 hours | | 100% |

Laboratory


| | |
|------------------------------|---------|
| Number of laboratory samples | 182,070 |
|------------------------------|---------|

Breakdown of mental health conditions


By cause



By age




By gender




Breakdown of injuries


By cause



By age



By gender



In-patient and referral

In-patient department

| | Indicator | Standard | |
|--|-----------|----------|---|
| Hospitalisation rate (/1000/year) | 44.8 | 50 - 150 | ✗ |
| Bed occupancy rate | 39% | > 75% | ✗ |
| Mean length of stay for authorised discharges (days) | 3.0 | | |

Overall case fatality rate

| | Indicator | Standard |
|---|-----------|----------|
| Overall case fatality rate | 0.06% | |
| Proportion of deaths within 24 hours of admission | 0% | |

Reproductive Health

Antenatal care

| | Indicator | Standard | |
|---|-----------|----------|---|
| Coverage of antenatal care (4 or more visits) | 77% | ≥ 90% | ✗ |
| Coverage of TT vaccination | 70% | ≥ 90% | ✗ |
| Coverage of anaemia screening in pregnancy | 96% | ≥ 90% | ✓ |

Delivery care

| | | | |
|---|--------|---------|---|
| Proportion of deliveries attended by skilled personnel | 100.0% | ≥ 90% | ✓ |
| Proportion of deliveries performed by caesarean section | 27% | 5 - 15% | ✗ |
| Proportion of low birth weight deliveries (<2500g) | 2% | < 15% | ✓ |

Maternal mortality

| | | | |
|---|----|------|--|
| Number of maternal deaths reported | 0 | | |
| % of maternal deaths investigated within 48 hours | 0% | 100% | |

Postnatal care

| | Indicator | Standard | |
|----------------------------|-----------|----------|---|
| Coverage of postnatal care | 69% | ≥ 90% | ✗ |

Sexual and Gender-based Violence

| | | | | |
|--|------|------|---|---|
| Incidence of rape (reported cases/10,000/year)* | 0.5 | | ⬆ | 🚩 |
| % of rape survivors who received PEP** < 72 hours | 100% | 100% | ⬆ | 🚩 |
| % of rape survivors who received ECP*** < 120 hours | 100% | 100% | ⬆ | 🚩 |
| % of rape survivors who received STI**** prophylaxis < 2 wks | 100% | 100% | ⬆ | 🚩 |

*Only includes rapes reported at health facilities **Post-exposure prophylaxis ***Emergency contraceptive pill ****Sexually transmitted infection



View interactive maps and statistics online
<http://twine.unhcr.org>

Legend:

- ✓ Standard met
- ⚠ Standard borderline
- ✗ Standard not met
- 🚩 Interpret data with care
- ❓ Data missing

