

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	649	613	1,261	3,013	2,893	5,906	7,030	6,412	13,442	6,720	7,905	14,624	320	483	804	36,037
% by age group			4%			16%			37%			41%			2%	100%

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	1	0	1	11%	0	0	0	0	0	0	0	0	0	1	6%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	1	1	2	0	0	0	2	12%
5. Cardiovascular disorders (other)	1	0	1	11%	0	0	0	0	2	2	0	1	1	4	24%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	6%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	6%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	0	0	0	1	0	1	1	6%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	3	3	6	67%	0	0	0	0	0	0	0	0	0	6	35%
13. Other	1	0	1	11%	0	0	0	0	0	0	0	0	0	1	6%
Total	6	3	9	100%	0	0	0	1	4	5	2	1	3	17	100%
% by age group			53%				0%			29%			18%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.2	0.1	0.2
Under 5 Mortality Rate (U5MR) (/1000 population/month)	0.5	0.3	0.4
Neonatal Mortality Rate (NNMR) (/1000 population/month)			12.9

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3.1 Staffing and service availability

Number of full-time clinicians	18.8
Average number of full days on which each health facility was functioning	5.6
Total number of outpatient consultations	70,913
Health facility utilisation rate	7.9
Consultations per clinician per day	52

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	3,558	2,958	6,516	909.1	2,343	2,105	4,448	1,646	2,328	3,974	115	185	300	15,238	28%	422.8
Influenza-like illness (ILI)	481	401	882	123.1	336	336	672	427	564	991	22	23	45	2,590	5%	71.9
Lower Respiratory Tract Infection (LRTI)	643	434	1,077	150.3	69	42	111	69	97	166	15	7	22	1,376	3%	38.2
Watery diarrhoea*	1,061	926	1,987	277.2	210	225	435	189	276	465	10	15	25	2,912	5%	80.8
Bloody diarrhoea*	6	6	12	1.7	2	0	2	1	2	3	0	1	1	18	0%	0.5
Skin infection	484	468	952	132.8	493	544	1,037	435	622	1,057	29	30	59	3,105	6%	86.2
Eye infection	226	195	421	58.7	184	144	328	237	340	577	31	38	69	1,395	3%	38.7
Ear infection	201	195	396	55.3	139	179	318	270	424	694	16	24	40	1,448	3%	40.2
Dental Conditions	85	85	170	23.7	708	645	1,353	1,724	2,274	3,998	42	68	110	5,631	10%	156.3
Intestinal Worms	85	101	186	26.0	144	137	281	46	40	86	2	2	4	557	1%	15.5
Acute Jaundice Syndrome*	0	1	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	3	1	4	0.6	1	1	2	0	0	0	0	0	0	6	0%	0.2
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Fever of unknown origin	1	0	1	0.1	0	0	0	3	0	3	0	0	0	4	0%	0.1
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	1	0	1	1	0%	0.0
Other	3,070	2,848	5,918	825.7	1,537	1,930	3,467	3,696	6,341	10,037	322	494	816	20,238	37%	561.6
Total	9,904	8,619	18,523	2584.3	6,167	6,288	12,455	8,743	13,308	22,051	605	887	1,492	54,521	100%	1512.9
% by age group			34%				23%			40%			3%	100%		

* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	1	1	4	12	16	356	341	697	118	236	354	1,068	24%
Hypertension	0	0	0	0	2	2	498	564	1,062	206	415	621	1,685	37%
Asthma	59	25	84	68	28	96	94	66	160	18	17	35	375	8%
Ischaemic heart disease	0	0	0	2	1	3	96	47	143	39	42	81	227	5%
Cardiovascular disease (other)	3	4	7	3	3	6	32	33	65	13	15	28	106	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	1	1	3	2	5	5	0	5	11	0%
Liver disease	0	0	0	3	0	3	2	1	3	0	0	0	6	0%
Thyroid problems	0	0	0	3	4	7	25	104	129	4	10	14	150	3%
Cancer	0	0	0	0	0	0	1	2	3	2	0	2	5	0%
Other	34	24	58	36	43	79	238	330	568	83	90	173	878	19%
Total	96	54	150	119	94	213	1,345	1,490	2,835	488	825	1,313	4,511	100%
% by age group			3%			5%			63%			29%	100%	

3.4 Mental health

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Epilepsy / seizures	17	29	46	108	61	169	125	112	237	1	5	6	458	36%
2.	Alcohol and other substance use disorder	0	0	0	0	0	0	9	4	13	1	2	3	16	1%
3.	Psychotic disorder (including mania)	0	0	0	13	2	15	74	59	133	1	4	5	153	12%
4.	Intellectual disability	2	0	2	17	3	20	7	5	12	1	1	2	36	3%
5.	Severe emotional disorder, including moderate-severe depression	0	0	0	0	0	0	144	168	312	1	10	11	323	26%
6.	Medically unexplained somatic complaint	0	0	0	1	0	1	15	15	30	1	2	3	34	3%
Other psychological complaints		3	6	9	44	54	98	52	66	118	6	7	13	238	19%
Total		22	35	57	183	120	303	426	429	855	12	31	43	1,258	100%
% by age group				5%			24%			68%			3%	100%	

3.5 Injuries

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
		M	F		M	F		M	F		M	F			
1.	Bites (all causes)	0	0	0	4	1	5	1	0	1	0	0	0	6	1%
2.	Injury (war related)	0	0	0	1	3	4	0	0	0	0	0	0	4	0%
3.	Injury (Burns)	31	40	71	28	19	47	12	25	37	12	0	12	167	15%
4.	Assault (with weapon non-war related)	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
Other		144	99	243	243	117	360	201	133	334	11	5	16	953	84%
Total		175	139	314	276	140	416	214	159	373	23	5	28	1,131	100%
% by age group				28%			37%			33%			2%	100%	

3.6 Reproductive Tract Infections

		< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
		M	F		M	F			
1.	Vaginal discharge	0	4	4	0	57	57	61	58%
2.	Urethral discharge	0	0	0	1	0	1	1	1%
3.	Genital ulcer	0	0	0	0	0	0	0	0%
3.	Lower abdominal pain	0	1	1	0	42	42	43	41%
Other		0	0	0	0	0	0	0	0%
Total		0	5	5	1	99	100	105	100%
% by age group				5%			95%	100%	

4.1 In-patient Department Activities

		0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
		M	F		M	F		M	F		M	F		
Number at beginning of reporting period		2	4	6	1	2	3	0	1	1	0	0	0	10
Total admissions		424	175	599	45	40	85	8	478	486	0	0	0	1,170
Number of exits	authorized	406	160	566	46	39	85	11	467	478	0	0	0	1,129
	unauthorized	7	6	13	0	1	1	0	1	1	0	0	0	15
	death	1	0	1	0	0	0	0	0	0	0	0	0	1
	referral	9	7	16	0	0	0	0	0	0	0	0	0	16
Total exits		423	173	596	46	40	86	11	468	479	0	0	0	1,161
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	26
Sum number of days stay for authorised discharges	2,153
Proportion of < 5 IPD deaths within 24 hours	0%
Average length of stay (days)	1.9
Bed occupancy	94%
Hospitalisation rate (/1000 population/month)	10.8

4.2 In-patient Admissions and Deaths

		0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
		Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1.	Paediatric medicine	420	0	0%	42	0	0%	0	0	0	0	0	462	0	0%
2.	General Surgery	179	0	0%	23	0	0%	18	0	0%	0	0	220	0	0%
3.	Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4.	Internal medicine	0	0		0	0		0	0		0	0	0	0	
5.	Obstetrics	0	0		18	0	0%	424	0	0%	0	0	442	0	0%
6.	Gynaecology	0	0		2	0	0%	44	0	0%	0	0	46	0	0%
7.	Other	0	1		0	0		0	0		0	0	0	1	
Total		599	1	0%	85	0	0%	486	0	0%	0	0	1,170	1	0%

Adm. = Admission; CFR = Case Fatality Rate

5.1 Referrals by location

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	57	57	55	55	53	53	8	8	173
2.	Jordan University Hospital	82	82	90	90	83	83	14	14	269
3.	Private affiliated Hospital	208	208	208	208	314	314	33	33	763
4.	Royal Medical Services	9	9	8	8	7	7	4	4	28
5.	Other	0	0	0	0	0	0	0	0	0
Total number of referred cases out side the camp			1,233							

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	229	229	34	34	1	1	0	0	264
2.	Internal medicine	36	36	109	109	206	206	32	32	383
3.	Obstetric	0	0	1	1	29	29	0	0	30
4.	Gynaecological	0	0	18	18	23	23	0	0	41
5.	Surgical	49	49	104	104	79	79	4	4	236
6	Other	42	42	95	95	119	119	23	23	279

	Total
Number of laboratory tests conducted	9,768

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	32	782	814
First antenatal visit > 1st trimester	7	163	170

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	83%

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	12	395	407
	2 TT doses	11	338	349
	anaemia screening	18	445	463

Coverage of complete antenatal care	88%
Coverage of antenatal tetanus immunisation	75%
Coverage of anaemia screening in pregnancy	100%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	18	447	465
Still births	0	4	4
Low birth weight (<2500 g)	4	22	26
Attended by skilled health worker	18	447	465
Number of obstetric complications treated	1	18	19
Number of caesarean sections performed	0	105	105

Delivery Indicators	
Crude birth rate (/1000 population/ month)	4.3
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	6%
Proportion of all births performed by caesarean section	23%
Proportion of obsetric complications treated among girls < 18	5%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	0	88	88

Postnatal Indicators	
Coverage of complete postnatal care	19%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	2	255	2	323	582
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	44	0	39	83
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	0	43	0	24	67
Condom (Male)	1	49	0	64	114
Other	0	49	0	12	61

	< 18	≥ 18
Family Planning Counseling*	7	553

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on

Contact
Information

UNHCR
Asaad Khadum
Email: KADHUM@unhcr.org

UNHCR
Adam Musa Khalifa
Email: KHALIFAA@unhcr.org

We gratefully
acknowledge the contributions of
the following agencies:

