

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	637	602	1,238	3,081	2,949	6,030	6,480	5,880	12,360	6,959	7,989	14,948	329	479	808	35,384
% by age group			4%			17%			35%			42%			2%	100%

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	2	1	3	25%	0	0	0	1	0	1	0	0	0	4	19%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	5%
5. Cardiovascular disorders (other)	2	2	4	33%	0	0	0	0	0	0	1	0	1	5	24%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	5%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0	0	1	1	0	1	1	2	10%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	4	0	4	33%	0	0	0	0	0	0	0	0	0	4	19%
13. Other	1	0	1	8%	0	0	0	1	0	1	2	0	2	4	19%
Total	9	3	12	100%	0	0	0	3	1	4	3	2	5	21	100%
% by age group			57%				0%			19%			24%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.3	0.1	0.2
Under 5 Mortality Rate (U5MR) (/1000 population/month)	0.8	0.3	0.6
Neonatal Mortality Rate (NNMR) (/1000 population/month)			10.5

2.2 Maternal death

Number of maternal deaths reported	1
Number of maternal deaths investigated	1
Proportion of maternal deaths investigated	100%

3.1 Staffing and service availability

Number of full-time clinicians	13.8
Average number of full days on which each health facility was functioning	6.0
Total number of outpatient consultations	66,031
Health facility utilisation rate	7.5
Consultations per clinician per day	61

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	4,374	3,593	7,967	1096.1	2,302	2,224	4,526	1,888	2,192	4,080	99	151	250	16,823	33%	475.4
Influenza-like illness (ILI)	622	571	1,193	164.1	425	434	859	503	668	1,171	21	32	53	3,276	6%	92.6
Lower Respiratory Tract Infection (LRTI)	1,009	693	1,702	234.2	171	106	277	205	238	443	12	14	26	2,448	5%	69.2
Watery diarrhoea*	259	237	496	68.2	81	70	151	100	140	240	4	11	15	902	2%	25.5
Bloody diarrhoea*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	739	713	1,452	199.8	718	875	1,593	607	715	1,322	18	44	62	4,429	9%	125.2
Eye infection	165	91	256	35.2	101	89	190	209	211	420	18	37	55	921	2%	26.0
Ear infection	324	330	654	90.0	177	229	406	199	415	614	10	29	39	1,713	3%	48.4
Dental Conditions	82	39	121	16.6	469	470	939	1,568	2,062	3,630	44	48	92	4,782	9%	135.1
Intestinal Worms	67	94	161	22.2	119	130	249	25	40	65	2	4	6	481	1%	13.6
Acute Jaundice Syndrome*	0	1	1	0.1	1	0	1	0	0	0	0	0	0	2	0%	0.1
Measles (suspected)*	0	0	0	0.0	1	0	1	0	0	0	0	0	0	1	0%	0.0
Meningitis (suspected)*	1	2	3	0.4	0	0	0	0	0	0	0	0	0	3	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	1	2	3	0.4	3	4	7	0	3	3	0	1	1	14	0%	0.4
Fever of unknown origin	5	2	7	1.0	15	0	15	0	4	4	0	0	0	26	0%	0.7
Tuberculosis (suspected)	1	0	1	0.1	2	0	2	0	0	0	0	0	0	3	0%	0.1
Other	1,912	1,736	3,648	501.9	1,185	1,453	2,638	3,625	5,068	8,693	322	515	837	15,816	31%	447.0
Total	9,561	8,104	17,665	2430.4	5,770	6,084	11,854	8,929	11,756	20,685	550	886	1,436	51,640	100%	1459.4
% by age group			34%				23%			40%			3%	100%		

* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	1	2	3	5	10	15	220	228	448	113	204	317	783	19%
Hypertension	0	0	0	0	0	0	429	504	933	232	416	648	1,581	38%
Asthma	55	40	95	64	25	89	103	87	190	23	20	43	417	10%
Ischaemic heart disease	3	0	3	0	2	2	96	39	135	47	45	92	232	6%
Cardiovascular disease (other)	2	2	4	2	3	5	44	44	88	10	20	30	127	3%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	5	4	9	7	0	7	16	0%
Liver disease	0	0	0	2	0	2	1	3	4	0	0	0	6	0%
Thyroid problems	0	1	1	5	3	8	26	104	130	5	16	21	160	4%
Cancer	0	0	0	0	0	0	0	1	1	0	1	1	2	0%
Other	18	8	26	40	49	89	243	362	605	45	41	86	806	20%
Total	79	53	132	118	92	210	1,167	1,376	2,543	482	763	1,245	4,130	100%
% by age group			3%			5%			62%			30%	100%	

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	16	24	40	85	59	144	123	108	231	1	1	2	417	27%
2. Alcohol and other substance use disorder	0	0	0	0	0	0	4	0	4	1	0	1	5	0%
3. Psychotic disorder (including mania)	0	0	0	8	9	17	95	102	197	2	8	10	224	15%
4. Intellectual disability	0	0	0	8	6	14	20	9	29	0	0	0	43	3%
5. Severe emotional disorder, including moderate-severe depression	0	1	1	7	14	21	156	191	347	1	4	5	374	25%
6. Medically unexplained somatic complaint	0	0	0	0	1	1	22	7	29	0	0	0	30	2%
Other psychological complaints	15	25	40	150	106	256	61	68	129	1	1	2	427	28%
Total	31	50	81	258	195	453	481	485	966	6	14	20	1,520	100%
% by age group			5%			30%			64%			1%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	1	0	1	0	0	0	0	0	0	1	0%
2. Injury (war related)	1	0	1	1	0	1	0	1	1	0	0	0	3	1%
3. Injury (Burns)	17	13	30	4	8	12	2	14	16	0	0	0	58	10%
4. Assault (with weapon non-war related)	0	1	1	0	0	0	0	0	0	0	0	0	1	0%
Other	69	42	111	164	58	222	102	62	164	0	3	3	500	89%
Total	87	56	143	170	66	236	104	77	181	0	3	3	563	100%
% by age group			25%			42%			32%			1%	100%	

3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	28	28	0	671	671	699	73%
2. Urethral discharge	0	0	0	0	0	0	0	0%
3. Genital ulcer	0	0	0	0	0	0	0	0%
3. Lower abdominal pain	0	6	6	0	248	248	254	27%
Other	0	0	0	0	1	1	1	0%
Total	0	34	34	0	920	920	954	100%
% by age group			4%			96%	100%	

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total admissions	457	183	640	30	35	65	0	393	393	0	0	0	1,098	
Number of exits	authorized	441	164	605	27	31	58	0	389	389	0	0	0	1,052
	unauthorized	1	0	1	0	0	0	0	0	0	0	0	1	
	death	0	1	1	0	0	0	0	0	0	0	0	1	
referral	10	9	19	1	0	1	0	2	2	0	0	0	22	
Total exits	452	174	626	28	31	59	0	391	391	0	0	0	1,076	
Deaths within 24 hours	0	1	1	0	0	0	0	0	0	0	0	0	1	

Number of days in reporting period	91
Number of beds	26
Sum number of days stay for authorised discharges	2,153
Proportion of < 5 IPD deaths within 24 hours	100%
Average length of stay (days)	2.0
Bed occupancy	95%
Hospitalisation rate (/1000 population/month)	10.3

4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	440	1	0%	36	0	0%	0	0	0%	0	0	476	1	0%
2. General Surgery	200	0	0%	13	0	0%	1	0	0%	0	0	214	0	0%
3. Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4. Internal medicine	0	0		0	0		0	0		0	0	0	0	
5. Obstetrics	0	0		16	0	0%	352	0	0%	0	0	368	0	0%
6. Gynaecology	0	0		0	0		40	0	0%	0	0	40	0	0%
7. Other	0	0		0	0		0	0		0	0	0	0	
Total	640	1	0%	65	0	0%	393	0	0%	0	0	1,098	1	0%

Adm. = Admission; CFR = Case Fatality Rate

5.1 Referrals by location

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total	Grand total
	M	F		M	F		M	F		M	F		
1. MOH Hospital	53		53	51		51	69		69	10		10	183
2. Jordan University Hospital	114		114	121		121	115		115	19		19	369
3. Private affiliated Hospital	376		376	409		409	696		696	120		120	1,601
4. Royal Medical Services	0		0	2		2	0		0	1		1	3
5. Other	10		10	11		11	22		22	18		18	61

Total number of referred cases out side the camp	2,217
--	-------

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	347	347	78	78	0	0	0	0	425
2.	Internal medicine	52	52	165	165	376	376	68	68	661
3.	Obstetric	0	0	0	0	18	18	0	0	18
4.	Gynaecological	0	0	13	13	47	47	0	0	60
5.	Surgical	80	80	186	186	260	260	30	30	556
6.	Other	75	75	152	152	195	195	75	75	497

	Total
Number of laboratory tests conducted	6,674

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	42	1,124	1,166
First antenatal visit > 1st trimester	9	231	240

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	83%
--	-----

8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	2 TT doses	anaemia screening	Total
	13	10	16	293
		226	365	236
				381

Coverage of complete antenatal care	77%
Coverage of antenatal tetanus immunisation	62%
Coverage of anaemia screening in pregnancy	100%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	16	365	381
Still births	0	5	5
Low birth weight (<2500 g)	0	16	16
Attended by skilled health worker	16	365	381
Number of obstetric complications treated	0	15	15
Number of caesarean sections performed	0	68	68

Delivery Indicators

Crude birth rate (/1000 population/ month)	3.6
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	4%
Proportion of all births performed by caesarean section	18%
Proportion of obstetric complications treated among girls < 18	0%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	1	44	45

Postnatal Indicators

Coverage of complete postnatal care	12%
-------------------------------------	-----

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	6	229	1	245	481
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	56	0	55	111
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	2	52	0	38	92
Condom (Male)	0	80	0	88	168
Other	0	27	0	15	42

	< 18	≥ 18
Family Planning Counseling*	26	515

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on

Contact Information

UNHCR
Asaad Khadum
Email: KADHUM@unhcr.org

UNHCR
Adam Musa Khalifa
Email: KHALIFAA@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

