

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,650	1,571	3,220	6,151	5,757	11,908	14,653	13,893	28,545	16,171	16,568	32,738	889	1,249	2,137	78,549
% by age group			4%			15%			36%			42%			3%	100%

2. Mortality

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	3	3	5%	0	1	1	1	0	1	0	1	1	6	4%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	4	1	5	10	2	12	17	10%
5. Cardiovascular disorders (other)	1	1	2	4%	0	0	0	1	4	5	10	19	29	36	21%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	1	1	6	5	11	12	7%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	1	1	2	1	3	4	2%
8. Injury	0	2	2	4%	0	0	0	1	1	1	0	0	0	3	2%
9. Cancer	0	0	0	0%	1	1	2	4	5	9	5	5	10	21	12%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	1	1	0	1	1	2	1%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	18	13	31	54%	0	0	0	0	0	0	0	0	0	31	18%
13. Other	8	11	19	33%	3	1	4	4	4	8	5	3	8	39	23%
Total	27	30	57	100%	4	3	7	14	18	32	38	37	75	171	100%
% by age group			33%				4%			19%			44%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.2	0.2
Under 5 Mortality Rate (USMR) (/1000/month)	0.3	0.3	0.3
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			9.4

2.2 Maternal death

Number of maternal deaths reported	1
Number of maternal deaths investigated	1
Proportion of maternal deaths investigated	100%

3. Morbidity

3.1 Staffing and service availability

Number of full-time clinicians	51.1
Average number of full days on which each health facility was functioning	5.4
Total number of outpatient consultations	587,124
Health facility utilisation rate	7.5
Consultations per clinician per day	41

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	15,375	13,923	29,298	1936.6	12,446	13,065	25,511	11,717	14,886	26,603	1,738	2,328	4,066	85,478	29%	1088.2
Influenza-like illness (ILI)	5,908	5,643	11,551	763.5	5,318	5,474	10,792	5,172	6,445	11,617	712	820	1,532	35,492	12%	451.8
Lower Respiratory Tract Infection (LRTI)	2,630	2,374	5,004	330.8	2,454	2,480	4,934	2,255	2,535	4,790	700	672	1,372	16,100	5%	205.0
Watery diarrhoea*	408	343	751	49.6	167	171	338	93	120	213	18	18	36	1,338	0%	17.0
Bloody diarrhoea*	2	2	4	0.3	6	3	9	3	0	3	0	0	0	16	0%	0.2
Skin infection	1,503	1,613	3,116	206.0	1,572	1,955	3,527	1,941	2,318	4,259	465	427	892	11,794	4%	150.1
Eye infection	1,210	1,145	2,355	155.7	1,396	1,464	2,860	2,175	2,584	4,759	777	839	1,616	11,590	4%	147.6
Ear infection	1,543	1,710	3,253	215.0	1,983	2,143	4,126	2,773	3,035	5,808	841	744	1,585	14,772	5%	188.1
Dental Conditions	1,672	1,928	3,600	238.0	5,098	5,952	11,050	8,376	10,318	18,694	1,812	1,573	3,385	36,729	12%	467.6
Intestinal Worms	903	1,005	1,908	126.1	1,061	1,064	2,125	443	413	856	26	4	30	4,919	2%	62.6
Acute Jaundice Syndrome*	15	9	24	1.6	17	11	28	1	1	2	1	1	2	56	0%	0.7
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	2	3	5	0.3	4	2	6	1	0	1	0	0	0	12	0%	0.2
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	2	2	4	0	0	0	0	0	0	4	0%	0.1
Fever of unknown origin	70	65	135	8.9	7	3	10	12	19	31	13	3	16	192	0%	2.4
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	3	3	3	0%	0.0
Other	5,340	5,161	10,501	694.1	6,978	8,056	15,034	18,127	26,058	44,185	4,100	4,863	8,963	78,683	26%	1001.7
Total	36,581	34,924	71,505	4726.5	38,509	41,845	80,354	53,089	68,732	121,821	11,203	12,295	23,498	297,178	100%	3783.4
% by age group			24%				27%			41%			8%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	10	22	32	124	252	376	3,435	5,164	8,599	2,975	3,999	6,974	15,981	17%
Hypertension	0	1	1	5	112	117	4,269	6,212	10,481	4,051	5,100	9,151	19,750	21%
Asthma	1,341	1,351	2,692	1,204	1,136	2,340	1,595	1,985	3,580	1,049	967	2,016	10,628	11%
Ischaemic heart disease	13	18	31	16	53	69	906	1,100	2,006	1,049	1,031	2,080	4,186	5%
Cardiovascular disease (other)	26	35	61	62	108	170	1,216	1,645	2,861	988	1,058	2,046	5,138	6%
Chronic obstructive pulmonary disease (COPD)	0	5	5	1	12	13	1,037	1,000	2,037	1,229	1,147	2,376	4,431	5%
Liver disease	3	5	8	45	46	91	44	101	145	21	22	43	287	0%
Thyroid problems	21	30	51	58	167	225	1,599	3,485	5,084	1,145	1,715	2,860	8,220	9%
Cancer	1	2	2	7	5	12	29	64	93	38	31	69	176	0%
Other	612	657	1,269	1,153	1,149	2,302	5,927	9,356	15,283	2,232	2,914	5,146	24,000	26%
Total	2,027	2,125	4,152	2,675	3,040	5,715	20,057	30,112	50,169	14,777	17,984	32,761	92,797	100%
% by age group			4%			6%			54%			35%	100%	

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	676	676	5	5	0	0	0	0	681
2.	Internal medicine	216	216	482	482	1951	1951	375	375	3,024
3.	Obstetric	0	0	123	123	1038	1038	0	0	1,161
4.	Gynaecological	0	0	107	107	337	337	3	3	447
5.	Surgical	298	298	350	350	699	699	223	223	1,570
6.	Other	0	0	0	0	0	0	0	0	0

6. Laboratory

	Total
Number of laboratory tests conducted	121,029

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	1,501	4,050	5,551
First antenatal visit > 1st trimester	664	2,487	3,151

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	64%
--	-----

8.2 Antenatal care in facility

	≥ 4 ANC visits	2 TT doses	anaemia screening	Total
Number of pregnant women at time of delivery who received:	309	298	341	2,756
	2447	2309	2641	2,607
				2,982

Coverage of complete antenatal care	84%
Coverage of antenatal tetanus immunisation	79%
Coverage of anaemia screening in pregnancy	91%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	367	2923	3,290
Still births	1	11	12
Low birth weight (<2500 g)	6	29	35
Attended by skilled health worker	363	2922	3,285
Number of obstetric complications treated	37	139	176
Number of caesarean sections performed	117	1082	1,199

Delivery Indicators

Crude birth rate (/1000 population/ month)	3.5
Proportion of births attended by skilled health worker (excl. TBA)	99.8%
Proportion of low birth weight deliveries	1%
Proportion of all births performed by caesarean section	36%
Proportion of obstetric complications treated among girls < 18	10%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	353	2123	2,476

Postnatal Indicators

Coverage of complete postnatal care	75%
-------------------------------------	-----

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	265	1,540	2,004	4,539	8,348
Emergency Contraceptive Pill	0	0	0	13	13
Injectable (Depo-Provera)	4	208	136	317	665
Implantable (Norplant)	0	5	0	18	23
Intra-Uterine Device (IUD)	9	693	16	124	842
Condom (Male)	82	934	1,113	2,345	4,474
Other	12	24	4	38	78

	< 18	≥ 18
Family Planning Counseling*	1,218	10,356

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	1	6	0	0	7
No. of rape survivors examined within 72 hours	1	5	0	0	6
No. of rape survivors examined within 72-120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	1	0	0	1
No of rape survivors given PEP within 72 hours	1	5	0	0	6
No of female rape survivors given ECP within 120 hours	2	2	0	0	2
No of rape survivors given STI presumptive treatment within 2 weeks	1	5	0	0	6
No. cases of trauma in health centre due to domestic violence	1	6	0	18	25

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.9
Proportion of rape survivors who receive PEP < 72 hrs	100%
Proportion of female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

Data Sources	1. Health Information System
--------------	------------------------------

Contact Information	Amman Adam Musa Khalifa, UNHCR Email: khalifaa@unhcr.org
---------------------	---

UNHCR gratefully acknowledges the support of the following partners:

