Zaatari Camp | Jordan

Refugee population

Total refugee population: **76,627**

Demographic breakdown:

Age group	Male	Female
> 60	1%	2%
18 - 59	21%	21%
5 - 17	19%	18%
0 - 4	10%	9%

Male   %   Female

Key facts

Camp opened:
July 2012

Indicators at a glance

|			
1	Health utilisation rate	6.6	X
2	Number of consultations per clinician per day	39	√
3	Referral rate (/1,000/month)	5.1	
4	Crude Mortality Rate (CMR) (/1000/month)	0.1	√
5	Under-five Mortality Rate (U5MR) (/1000/month)	0.3	√
6	Neonatal Mortality Rate (NNMR) (/1000 livebirths)	13.1	√

Notes

This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- **IMC Clinic**
- **JHAS Clinic**
- **Moroccan Field Hospital**
- **Qatari Clinic**
- **Saudi Clinic**
- **IRC Clinic**
- **AMR Clinic 1 (Comprehensive Charitable Medical Center)**
- **AMR Clinic 2 (Maternity and Childhood center)**
- **SAMS Clinic**

Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Morbidity

Acute health conditions (%)

- Upper Respiratory Tract Infection (URTI) — 29%
- Influenza-like illness (ILI) — 16%
- Dental Conditions — 9%
- Skin infection — 5%
- Ear infection — 5%
- Other — 36%

Chronic health conditions (%)

- Hypertension — 28%
- Diabetes — 21%
- Asthma — 16%
- Thyroid problems — 7%
- Ischaemic heart disease — 3%
- Other — 25%

Top 5 acute health conditions

		% morbidity	# of cases
1	Upper Respiratory Tract Infection (URTI)	29%	27,593
2	Influenza-like illness (ILI)	16%	14,656
3	Dental Conditions	9%	8,464
4	Skin infection	5%	5,025
5	Ear infection	5%	4,856
-	Other	36%	33,747

Top 5 chronic health conditions

		% morbidity	# of cases
1	Hypertension	28%	4,116
2	Diabetes	21%	3,114
3	Asthma	16%	2,359
4	Thyroid problems	7%	1,043
5	Ischaemic heart disease	3%	406
-	Other	25%	3,634

Breakdown of acute health conditions

by age

- 0-4 — 25%
- 5 to 17 — 29%
- 18 to 59 — 39%
- > 60 — 7%

by gender

- Male — 47%
- Female — 53%

Breakdown of chronic health conditions

by age

- 0-4 — 8%
- 5 to 17 — 12%
- 18 to 59 — 47%
- > 60 — 33%

by gender

- Male — 44%
- Female — 56%

UNHCR gratefully acknowledges the support of the following partners:

Public Health

Health Impact

|	Indicator	Standard	
Crude Mortality Rate (CMR) (/1,000/month)	0.1	< 0.51	√
Under-five Mortality Rate (U5MR) (/1,000/month)	0.3	< 1.5	√
Neonatal Mortality Rate (NNMR) (/1,000 livebirths)	13.1	< 14.9	√

Access and utilization

	Indicator	Standard	
No. of health facilities	1 : 8515	1 : < 10,000	√
Total number of consultations	125,765		
Health utilisation rate	6.6	1 - 4	X
No. of consultations per trained clinician per day	39	< 50	√

Breakdown of mental health conditions

By cause

- Severe emotional disorder, including moderate-severe depression
- Epilepsy / seizures
- Psychotic disorder (including mania)
- Intellecutal disability
- Other

38% / 28% / 21% / 10% / 3%

By age

- 0-4
- 5 to 17
- 18 to 59
- > 60

1% / 12% / 87%

By gender

- Male
- Female

55% / 45%

Breakdown of injuries

By cause

- Injury (burns)
- Injury (war-related)
- Bites (all causes)
- Assault (with weapon non-war related)
- Other

24% / 5% / 71%

By age

- 0-4
- 5 to 17
- 18 to 59
- > 60

16% / 28% / 45% / 11%

By gender

- Male
- Female

54% / 46%

In-patient and referral

In-patient department

	Indicator	Standard	
Hospitalisation rate (/1000/year)	43.9	50 - 150	⚑
Bed occupancy rate	3%	> 75%	X
Mean length of stay for authorised discharges (days)	1.2		

	Indicator	Standard
Overall case fatality rate	0%	
Proportion of deaths within 24 hours of admission	#DIV/0!	

Reproductive Health

Antenatal care

	Indicator	Standard	
Coverage of antenatal care (4 or more visits)	95%	≥ 90%	√
Coverage of TT vaccination	95%	≥ 90%	√
Coverage of anaemia screening in pregnancy	95%	≥ 90%	√

Delivery care

	Indicator	Standard	
Proportion of deliveries attended by skilled personnel	100%	≥ 90%	√
Proportion of deliveries performed by caesarean section	36%	5 - 15%	X
Proportion of low birth weight deliveries (<2500g)	0.6%	< 15%	√

Maternal mortality

	Indicator	Standard
Number of maternal deaths reported	0	
% of maternal deaths investigated		100%

Postnatal care

	Indicator	Standard	
Coverage of postnatal care	110%	≥ 90%	√

Sexual and Gender-based Violence

	Indicator	Standard		
Incidence of rape (reported cases/10,000/year)*	0.0		^	⚑
% of rape survivors who received PEP** < 72 hours		100%	^	⚑
% of rape survivors who received ECP*** < 120 hours		100%	^	⚑
% of rape survivors who received STI**** prophylaxis < 2 wks		100%	^	⚑

*Only includes rapes reported at health facilities **Post-exposure prophylaxis ***Emergency contraceptive pill ****Sexually transmitted infection